

# **Morongo Basin Area Transportation Study (MBATS)**

Prepared for:



December 2014

OC13-0281

FEHR  PEERS

## Table of Contents

<b>EXECUTIVE SUMMARY .....</b>	<b>1</b>
<b>EXISTING CONDITIONS.....</b>	<b>2</b>
Study Area .....	2
Data Collection .....	2
Analysis Methodologies.....	7
Roadway Segment Operations.....	8
<b>MODEL DEVELOPMENT AND FORECASTS .....</b>	<b>10</b>
YVTAM Background Information.....	10
MBATS Model .....	10
Model Land Use Updates.....	11
Base Year Model Validation.....	13
Future (Year 2040) Modeling Assumptions .....	15
Future (Year 2040) Forecasting and Operations Assessment .....	16
<b>IMPROVEMENT PROJECT RECOMMENDATIONS .....</b>	<b>18</b>
Recommended Improvement Locations .....	18
Cost Estimates.....	20
Implementation Plan.....	26
Implementation Priority 1.....	26
Implementation Priority 2.....	26
Implementation Priority 3.....	26
Implementation Priority 4.....	27
Implementation Priority 5.....	27

## **List of Figures**

Figure 1 Study Area .....	3
Figure 2 Study Roadway Segments.....	6
Figure 3 2040 Forecast Daily LOS .....	17
Figure 4 Recommended Improvement Locations .....	19

## **List of Tables**

Table 1 Study Roadway Segments .....	4
Table 2 Maximum Daily Roadway Capacities.....	7
Table 3 Existing Daily Study Roadway Segment Operations .....	8
Table 4 MBATS Model TAZs by Jurisdiction .....	11
Table 5 SBTAM Base Year (2008) SED .....	11
Table 6 SCAG 2016-2040 RTP (2012) SED .....	12
Table 7 SBTAM 2008 Base Year and SCAG 2016-2040 RTP (2012) SED Difference.....	12
Table 8 SBTAM Future Year (2035) SED .....	12
Table 9 SANBAG Future Year (2040) SED .....	13
Table 10 SBTAM Future Year and SANBAG Future Year SED Difference .....	13
Table 11 MBATS Travel Demand Forecasting Model Static Validation .....	14
Table 12 Forecast Daily 2040 Roadway Segment Operations.....	16
Table 13 Recommended Roadway Segment Improvements & Operations.....	18
Table 14 Intersections Improvements .....	20
Table 15 Segment 1 Improvements Cost Estimates .....	21
Table 16 Segment 2 Improvements Cost Estimates.....	22
Table 17 Segment 3 Improvements Cost Estimates.....	22
Table 18 Segment 4 Improvements Cost Estimates .....	23
Table 19 Segment 5 Improvements Cost Estimates .....	23
Table 20 Segment 6 Improvements Cost Estimates .....	24
Table 21 Segment 7 Improvements Cost Estimates .....	24
Table 22 Segment 8 Improvements Cost Estimates.....	25
Table 23 Segment 9 Improvements Cost Estimates .....	25
Table 24 Total Improvements Cost Estimates.....	26

## **Appendices**

Appendix A: Traffic Counts

Appendix B: MBATS Model Roadway Network Revisions

Appendix C: MBATS Model SED Growth by TAZ

Appendix D: MBATS Model Validation Summary

Appendix E: MBATS Model Forecasts & LOS

Appendix F: Cost Estimates

## EXECUTIVE SUMMARY

Fehr & Peers has completed a transportation assessment for the Morongo Basin Area in San Bernardino County, California. The assessment analyzes the future transportation demands within the Morongo Basin to assist in planning and programming for future transportation needs. This report summarizes the results of our findings and is separated into three main sections: Existing Conditions, Model Development and Forecasts, and Transportation Project Recommendations.

The existing transportation setting in the Morongo Basin consists of the backbone access roadways along State Route 62 (SR-62) and State Route 247 (SR-247). These regional facilities provide access to developed areas in the basin, including Yucca Valley, Joshua Tree and Twentynine Palms. The existing traffic volumes are relatively low on facilities throughout the study area and all analyzed roadway segments currently operate below capacity.

The SCAG 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (2016-2040 RTP/SCS) socioeconomic forecasts predict growth in population and employment throughout the region. These regional forecasts, as provided by San Bernardino Association of Governments (SANBAG), were used to update the base year and future year San Bernardino Transportation Analysis Model (SBTAM). The base year model was modified and validated to existing conditions for use in the study. The future year roadway network was modified to replicate the base year roadway network in terms of roadways, number of lanes, roadway classifications and speeds. Future model runs were completed on this constrained network to determine which facilities were most likely to become deficient as growth occurs.

Fehr & Peers identified nine roadway segments and 19 intersections to be improved in order to handle the forecast future traffic demand. The three corridors that require improvements are SR-62, SR-247 and Yucca Mesa Road. Cost estimates were produced based on roadway widening and traffic signal installations or modifications. The total estimated cost to widen the necessary roadways and improve the signalized intersections is approximately \$124 million. An implementation schedule was also identified which recommends segment prioritization and recommended implementation dates in order to provide sufficient capacity for the future traffic demand.



## EXISTING CONDITIONS

Fehr & Peers completed an existing conditions analysis of roadways throughout the Morongo Basin as a starting point for identifying future infrastructure needs in the area. This section defines the existing Morongo Basin transportation setting in terms of infrastructure and performance.

### STUDY AREA

The Morongo Basin generally consists of the California High Desert region between Interstate 10 and Interstate 40 east of the San Gorgonio Mountain Range. The Basin lies in San Bernardino County and includes the City of Twentynine Palms, Town of Yucca Valley and communities of Joshua Tree, Pioneer Town, Landers and Wonder Valley. For this study, Fehr & Peers analyzed the facilities north of the San Bernardino/Riverside County line, south of the Bullion Mountains, east of Big Morongo Canyon and west of Wonder Valley. As shown in Figure 1, the extents of the study area cover multiple jurisdictions including San Bernardino County, the Town of Yucca Valley and the City of Twentynine Palms.

Two roadways provide regional access to the area including State Route 62 to the east/west and State Route 247 to and from the north.

### DATA COLLECTION

Fehr & Peers utilized existing counts from the Caltrans Performance Measurement System (PeMS), SANBAG database, San Bernardino County Arterials database, and the San Bernardino Count Database along with new counts collected by National Data and Surveying Services (NDS).

Based on the data available, the 52 roadway segments shown in Table 1 were selected for existing conditions analysis. As shown in Figure 2, the segments used for this study span the Morongo Basin. Traffic count data is provided in Appendix A.






Figure 1  
Study Area

**TABLE 1**  
**STUDY ROADWAY SEGMENTS**

Roadway	Extents	Jurisdiction
1. Aberdeen Dr	W/o Yucca Messa Dr	Yucca Valley
2. Adobe Rd	S/o Indian Trail	Twentynine Palms
3. Adobe Rd	N/o SR-62	Twentynine Palms
4. Alta Loma Dr	W/o Sunny Vista Rd	Joshua Tree (San Bernardino County)
5. Amboy Rd	S/o Amboy Cutoff	Twentynine Palms
6. Bella Vista Dr	S/o SR-62	Morongo (San Bernardino County)
7. Buena Vista Dr	W/o Juniper Ave	Morongo (San Bernardino County)
8. Camp Rock Rd	S/o SR-247	Lucerne Valley (San Bernardino County)
9. Camp Rock Rd	N/o SR-247	Lucerne Valley (San Bernardino County)
10. Canyon House Rd	S/o Hess Blvd	Morongo (San Bernardino County)
11. El Reposo St	N/o SR-62	Joshua Tree (San Bernardino County)
12. Hess Blvd	S/o Senilis Ave	Morongo (San Bernardino County)
13. Hess Blvd	S/o Adeline Way	Morongo (San Bernardino County)
14. Hess Blvd	N/o Sensilis Ave	Morongo (San Bernardino County)
15. Hess Blvd	S/o Pioneer Dr	Morongo (San Bernardino County)
16. Hess Blvd	N/o Mojave Dr	Morongo (San Bernardino County)
17. Hill View Rd	S/o SR-62	Joshua Tree (San Bernardino County)
18. Juniper Ave	N/o Sensilis Ave	Morongo (San Bernardino County)
19. Juniper Ave	N/o Pioneer Dr	Morongo (San Bernardino County)
20. Mocking Bird Lane	W/o Paradise Ave	Morongo (San Bernardino County)
21. Morongo Rd	N/o Indian Trail	Twentynine Palms
22. Morongo Rd	S/o Pole Line Rd	Twentynine Palms
23. Paradise Ave	W/o Juniper Ave	Morongo (San Bernardino County)
24. Park Blvd	S/o SR-62	Joshua Tree (San Bernardino County)
25. Pioneer Dr	W/ West Dr	Morongo (San Bernardino County)
26. Pole Line Rd	E/o Lear Ave	Twentynine Palms
27. Reche Rd	E/o SR-247	Landers (San Bernardino County)
28. Senilis Ave	W/o Hess Blvd	Morongo (San Bernardino County)
29. Senilis Ave	E/o Juniper Ave	Morongo (San Bernardino County)
30. Senilis Ave	W/o SR-62	Morongo (San Bernardino County)
31. Senilis Ave	E/ Hess Blvd	Morongo (San Bernardino County)
32. SR-247	N/o SR-62	Yucca Valley
33. SR-247	Between Daransatte Rd and Joshua Rd / PeachTree Rd	Landers
34. SR-247	S/o Pipes Canyon Rd	Yucca Valley
35. SR-62	N/o Indian Canyon Dr	Morongo (San Bernardino County)




**TABLE 1, CONTINUED  
STUDY ROADWAY SEGMENTS**

Roadway	Extents	Jurisdiction
36. SR-62	W/o Hoopa Trail	Yucca Valley
37. SR-62	Fairway Drive - Pinon Drive	Yucca Valley
38. SR-62	W/o Pioneer Town Rd	Yucca Valley
39. SR-62	W/o SR-247	Yucca Valley
40. SR-62	W/o Yucca Mesa Rd	Yucca Valley
41. SR-62	W/o Park Blvd	Joshua Tree (San Bernardino County)
42. SR-62	W/o Sunfair Road	Joshua Tree (San Bernardino County)
43. SR-62	Cascade Road - Rotary way	Joshua Tree (San Bernardino County)
44. SR-62	E/o Hatch Rd	Twentynine Palms
45. SR-62	E/o Adobe Road	Twentynine Palms
46. SR-62	E/o Utah Trail	Twentynine Palms
47. SR-62	E/o Bullion Mountain Rd	Twentynine Palms
48. SR-62	E/o Ironage Road	Twentynine Palms
49. Sunburst Ave	N/o SR-62	Joshua Tree (San Bernardino County)
50. Sunfair Rd	N/o SR-62	Joshua Tree (San Bernardino County)
51. West Dr	S/o Pioneer Dr	Morongo (San Bernardino County)
52. Yucca Trail/Alta Loma	E/o La Contenta Rd	Yucca Valley

Source: Fehr & Peers, 2014





— Study Roadway Segments

Figure 2

Study Roadway Segments



## ANALYSIS METHODOLOGIES

Fehr & Peers analyzed the operation of the roadway system throughout the Morongo Basin study area. Operations for these facilities are expressed in terms of level of service. Level of service is a general measure of traffic operating conditions whereby a letter grade, from Level of Service (LOS) A (no congestion) to F (high levels of congestion), is assigned. LOS E represents "at capacity" operations. The flow of vehicles without significant impediments is considered "stable" whereas when traffic encounters interference that limits the capacity acutely, the flow becomes "unstable". These grades represent the perspective of drivers only and are an indication of the comfort and convenience associated with driving, as well as speed, travel time, traffic interruptions, and freedom to maneuver.

A roadway operations analysis was performed at the study roadway segments to provide an evaluation of how the roadway network is currently performing and is forecast to perform. It also provides an idea of the amount of traffic that will utilize each roadway and if the existing or proposed lane configurations can adequately handle the traffic volumes. Daily capacity thresholds in accordance with the *Highway Capacity Manual* (*Transportation Research Board, 2000*), *FHWA Guidelines for Roadway Paving* and the *Town of Yucca Valley General Plan Circulation Element* are presented in Table 2. This table establishes the maximum daily roadway capacities by street classifications.

**TABLE 2**  
**MAXIMUM DAILY ROADWAY CAPACITIES**

Classification	Typical Lane Configuration	Daily Volume Thresholds				
		LOS A	LOS B	LOS C	LOS D	LOS E
Local Road	2 Lanes Undivided	--	--	--	1,500	2,000
Collector	2 Lanes Undivided	900	2,000	6,800	14,100	17,400
Industrial	2 Lanes Undivided	900	2,000	6,800	14,100	17,400
Arterial	2 Lanes Undivided	--	--	9,700	17,600	18,700
Arterial / Highway	4 Lanes Undivided	--	--	17,500	27,400	28,900
Arterial / Highway	4 Lanes Divided	--	--	19,200	35,400	37,400
Arterial / Highway	6 Lanes Divided	--	--	27,100	53,200	56,000

Source: *Highway Capacity Manual* (*Transportation Research Board, 2000*), *FHWA Guidelines for Roadway Paving*



## ROADWAY SEGMENT OPERATIONS

Table 3 presents the daily traffic volume and LOS operations on study roadway segments. Relatively low traffic volumes were observed throughout the study area with the majority of traffic on SR-62 and SR-247. As shown below, all of the existing roadway segments, including regional facilities SR-62 and SR-247, are currently operating at acceptable daily levels of service.

**TABLE 3**  
**EXISTING DAILY STUDY ROADWAY SEGMENT OPERATIONS**

Roadway	Extents	Classification	ADT	LOS
1. Aberdeen Dr	W/o Yucca Messa Dr	Collector - Undivided	1,420	C or Better
2. Adobe Trail	S/o Indian Trail	Arterial - 2 Lanes	5,450	C or Better
3. Adobe Trail	N/o SR-62	Arterial - 2 Lanes	8,940	C or Better
4. Alta Loma Dr	W/o Sunny Vista Rd	Collector - Undivided	4,150	C or Better
5. Amboy Rd	S/o Amboy Cutoff	Collector - Undivided	790	C or Better
6. Bella Vista Dr	S/o SR-62	Local Road	240	C or Better
7. Buena Vista Dr	W/o Juniper Ave	Local Road	490	C or Better
8. Camp Rock Rd	S/o SR-247	Collector - Undivided	510	C or Better
9. Camp Rock Rd	N/o SR-247	Collector - Undivided	1,270	C or Better
10. Canyon House Rd	S/o Hess Blvd	Local Road	450	C or Better
11. El Reposo St	N/o SR-62	Local Road	980	C or Better
12. Hess Blvd	S/o Senilis Ave	Collector - Undivided	2,990	C or Better
13. Hess Blvd	S/o Adeline Way	Collector - Undivided	1,240	C or Better
14. Hess Blvd	N/o Sensilis Ave	Collector - Undivided	790	C or Better
15. Hess Blvd	S/o Pioneer Dr	Collector - Undivided	580	C or Better
16. Hess Blvd	N/o Mojave Dr	Collector - Undivided	410	C or Better
17. Hill View Rd	S/o SR-62	Collector - Undivided	1,530	C or Better
18. Juniper Ave	N/o Sensilis Ave	Collector - Undivided	1,600	C or Better
19. Juniper Ave	N/o Pioneer Dr	Collector - Undivided	600	C or Better
20. Mocking Bird Lane	W/o Paradise Ave	Local Road	380	C or Better
21. Morongo Rd	N/o Indian Trail	Collector - Undivided	3,250	C or Better
22. Morongo Rd	S/o Pole Line Rd	Collector - Undivided	1,890	C or Better
23. Paradise Ave	W/o Juniper Ave	Collector - Undivided	790	C or Better
24. Park Blvd	S/o SR-62	Collector - Undivided	4,740	C or Better
25. Pioneer Dr	W/ West Dr	Collector - Undivided	980	C or Better
26. Pole Line Rd	E/o Lear Ave	Collector - Undivided	1,270	C or Better



**TABLE 3, CONTINUED**  
**EXISTING STUDY ROADWAY SEGMENT OPERATIONS**

Roadway	Extents	Classification	ADT	LOS
27. Reche Rd	E/o SR-247	Collector - Undivided	1,530	C or Better
28. Senilis Ave	W/o Hess Blvd	Collector - Undivided	1,930	C or Better
29. Senilis Ave	E/o Juniper Ave	Collector - Undivided	1,660	C or Better
30. Senilis Ave	W/o SR-62	Collector - Undivided	1,420	C or Better
31. Senilis Ave	E/ Hess Blvd	Collector - Undivided	990	C or Better
32. SR-247	N/o SR-62	Arterial - 2 Lanes, Undivided	11,000	C or Better
33. SR-247	Between Daransatte Rd and Joshua Rd / PeachTree Rd	Arterial - 2 Lanes, Undivided	1,860	C or Better
34. SR-247	S/o Pipes Canyon Rd	Arterial - 2 Lanes, Undivided	2,610	C or Better
35. SR-62	N/o Indian Canyon Dr	Arterial / Highway - 4 Lanes, Divided	11,590	C or Better
36. SR-62	W/o Hoopa Trail	Arterial / Highway - 4 Lanes, Divided	14,080	C or Better
37. SR-62	Fairway Drive - Pinon Drive	Arterial / Highway - 4 Lanes, Divided	12,320	C or Better
38. SR-62	E/o Pioneer Town Rd	Arterial / Highway - 4 Lanes, Divided	26,500	C or Better
39. SR-62	E/o SR-247	Arterial / Highway - 4 Lanes, Divided	26,500	C or Better
40. SR-62	E/o Yucca Mesa Rd	Arterial / Highway - 4 Lanes, Undivided	19,500	C or Better
41. SR-62	W/o Park Blvd	Arterial / Highway - 4 Lanes, Divided	17,000	C or Better
42. SR-62	E/o Sunfair Road	Arterial / Highway - 4 Lanes, Undivided	14,000	C or Better
43. SR-62	Cascade Road - Rotary way	Arterial / Highway - 4 Lanes, Undivided	7,100	C or Better
44. SR-62	E/o Hatch Rd	Arterial / Highway - 4 Lanes, Divided	15,000	C or Better
45. SR-62	E/o Adobe Road	Arterial / Highway - 4 Lanes, Undivided	9,500	C or Better
46. SR-62	W/o Utah Trail	Arterial - 2 Lanes, Undivided	2,800	C or Better
47. SR-62	E/o Bullion Mountain Rd	Arterial - 2 Lanes	9,330	C or Better
48. SR-62	E/o Ironage Road	Arterial - 2 Lanes	340	C or Better
49. Sunburst Ave	N/o SR-62	Collector - Undivided	4,390	C or Better
50. Sunfair Rd	N/o SR-62	Collector - Undivided	1,200	C or Better
51. West Dr	S/o Pioneer Dr	Collector - Undivided	650	C or Better
Yucca Trail/Alta Loma	E/o La Contenta Rd	Collector - Undivided	5,490	C or Better

Source: Fehr & Peers, 2014



## MODEL DEVELOPMENT AND FORECASTS

Fehr & Peers completed development of a detailed travel demand model as part of this assessment, which is referred to as the Morongo Basin Area Transportation Study (MBATS) travel demand forecasting model. This model initially began as the San Bernardino Traffic Analysis Model (SBTAM), which was then calibrated for use in the Yucca Valley General Plan Update (that model is referred to as YVTAM). As part of this study, SANBAG commissioned Fehr & Peers to further refine the YVTAM model for the entire Morongo Basin area, which is now referred to as the MBATS model.

The purpose of this section is to document the process and calibration efforts of MBATS for base and future conditions and to present future forecasting results.

### YVTAM BACKGROUND INFORMATION

The original SBTAM model had 51 TAZs within the Town of Yucca Valley, and Fehr & Peers provided an additional 75 zones, for a total of 126 TAZs. The roadway network and TAZ loadings were also refined with further detail. The Base Year Model was validated to 2011 conditions from which a 2035 Future Year model was developed. This validation process adds additional detail to the study area and ensured that the regional model is providing appropriate forecasts throughout the study area. This process is consistent with guidance related to applying travel demand forecasting models by ensuring that they have sufficient detail and assumptions to forecast traffic volumes in the study area to the best of their ability. This process is considered state-of-the-practice for developing traffic forecasts for this project and tiers off of the available models to ensure consistency with countywide and regional (SCAG) land use and transportation planning assumptions.

### MBATS MODEL

Fehr & Peers began the MBATS model development with the YVTAM. YVTAM was further refined and detailed to include the Morongo Basin study area. The TAZ structure was examined and ultimately six new TAZs were added to the model. The number of TAZs before and after the modifications is shown by jurisdiction in Table 4. The roadway network was examined and refined to include any roadway classified in a jurisdictional general plan and TAZ centroid loadings were adjusted to reflect existing conditions. The revisions to the SBTAM roadway network and TAZ structure are presented in Appendix B.



**TABLE 4**  
**MBATS MODEL TAZS BY JURISDICTION**

<b>City</b>	<b>Number of TAZ's in SBTAM</b>	<b>Number of TAZ's in MBATS</b>
Morongo Valley	2	6
Yucca Valley	51	126
Joshua Tree	7	7
Twentynine Palms	49	51
Unincorporated County	134	134
<b>Total</b>	<b>243</b>	<b>324</b>

## MODEL LAND USE UPDATES

Fehr & Peers reviewed the socioeconomic data (SED) for the base year model and future year model and compared that data to the most recent SED projections provided by the Southern California Association of Governments (SCAG). SCAG is currently updating their regional model as part of the 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy (RTP/SCS), including developing base year 2012 SED throughout the region which was ultimately used for the MBATS base year. Summaries of the datasets and of the comparison are presented in Table 5 through Table 7 and SED growth used in modeling is presented by TAZ in Appendix C. SANBAG also developed updated future year 2040 SED forecasts as part of the 2016-2040 RTP/SCS development process and this updated SANBAG dataset was used as the future year SED in MBATS. The differences between the original SBTAM 2035 future year SED based on the 2012-2035 RTP and the SANBAG 2040 future year SED are presented in Table 8 through Table 10.

**TABLE 5**  
**SBTAM BASE YEAR (2008) SED**

<b>Jurisdiction</b>	<b>Population</b>	<b>Households</b>	<b>Employment</b>	<b>K-12</b>
Joshua Tree	5,786	2,352	1,471	742
Morongo	2,028	905	134	226
Twentynine Palms	29,398	8,721	2,673	3,470
Yucca Valley	20,262	8,353	4,626	4,050
Unincorporated County	24,099	8,217	1,477	553
<b>Total</b>	<b>81,573</b>	<b>28,548</b>	<b>10,381</b>	<b>9,041</b>



**TABLE 6**  
**SCAG 2016-2040 RTP (2012) SED**

Jurisdiction	Population	Households	Employment	K-12
Joshua Tree	5,648	2,347	1,465	819
Morongo	2,098	962	153	0
Twenty-nine Palms	32,690	10,578	3,366	4,906
Yucca Valley	25,535	11,542	5,981	2,738
Unincorporated County	26,288	9,660	2,919	3,632
<b>Total</b>	<b>92,259</b>	<b>35,089</b>	<b>13,883</b>	<b>12,095</b>

**TABLE 7**  
**SBTAM 2008 BASE YEAR AND SCAG 2016-2040 RTP (2012) SED DIFFERENCE**

Jurisdiction	Population	Households	Employment	K-12
Joshua Tree	-138	-5	-6	77
Morongo	70	57	19	-226
Twenty-nine Palms	3,292	1,857	693	1,436
Yucca Valley	5,273	3,189	1,355	-1,312
Unincorporated County	2,189	1,443	1,442	3,079
<b>Total</b>	<b>10,686</b>	<b>6,541</b>	<b>3,502</b>	<b>3,054</b>

**TABLE 8**  
**SBTAM FUTURE YEAR (2035) SED**

Jurisdiction	Population	Households	Employment	K-12
Joshua Tree	8,050	3,411	1,779	1,023
Morongo	2,331	1,086	152	226
Twenty-nine Palms	29,591	10,651	3,768	5,598
Yucca Valley	59,733	25,122	31,519	5,169
Unincorporated County	30,502	12,318	3,926	1,960
<b>Total</b>	<b>130,207</b>	<b>52,588</b>	<b>41,144</b>	<b>13,976</b>



**TABLE 9  
 SANBAG FUTURE YEAR (2040) SED**

Jurisdiction	Population	Households	Employment	K-12
Joshua Tree	9,253	3,000	2,706	1,021
Morongo	3,172	1,030	298	226
Twenty-nine Palms	25,505	9,532	6,894	5,639
Yucca Valley	28,481	11,487	10,017	5,236
Unincorporated County	31,669	10,601	3,003	1,659
<b>Total</b>	<b>98,080</b>	<b>35,650</b>	<b>22,918</b>	<b>13,781</b>

**TABLE 10  
 SBTAM FUTURE YEAR AND SANBAG FUTURE YEAR SED DIFFERENCE**

Jurisdiction	Population	Households	Employment	K-12
Joshua Tree	1,203	-411	927	-2
Morongo	841	-56	146	0
Twenty-nine Palms	-4,086	-1,119	3,126	41
Yucca Valley	-31,252	-13,635	-21,502	67
Unincorporated County	1,167	-1,717	-923	-301
<b>Total</b>	<b>-32,127</b>	<b>-16,938</b>	<b>-18,226</b>	<b>-195</b>

## BASE YEAR MODEL VALIDATION

### Static Validation

A key task within any Travel Demand Model effort is the validation of the base year model. In this process, the model is compared against validation criteria identified by Caltrans, the Federal Highways Administration (FHWA), and the California Transportation Commission (CTC). These criteria were developed to ensure that a model can accurately forecast existing conditions based on land use and roadway network information, which improves the model's ability to accurately forecast future conditions. Valid base-year models are the starting point for developing defensible forecasts for changes in the roadway network and/or changes in proposed land use.

The first step of any model validation is to ensure that the model generally produces similar results to existing counts. Key metrics for model validation are described below:



- The volume-to-count ratio is computed by dividing the volume assigned by the model and the actual traffic count for individual roadways model-wide. The volume-to-count ratio should be within 10% of 1.0.
- The deviation is the difference between the model volume and the actual count divided by the actual count. Caltrans provides guidance on the maximum allowable deviation by facility type (e.g. lower-volume roadways can have a higher deviation than higher-volume roadways). At least 75% of the study facilities must be within the maximum allowable deviation.
- The correlation coefficient estimates the correlation between the actual traffic counts and the estimated traffic volumes from the model. The correlation coefficient should be greater than 0.88.
- The percent Root Mean Square Error (RMSE) is the square root of the model volume minus the actual count squared divided by the number of counts. It is a measure similar to standard deviation in that it assesses the accuracy of the entire model. The RMSE should be less than 40%.

The model validation statistics are summarized in Table 11 and the full validation summary is in Appendix D. As shown in Table 11, the model meets or exceeds the identified model validation statistics in the study area.

<b>TABLE 11</b> <b>MBATS TRAVEL DEMAND FORECASTING MODEL STATIC VALIDATION</b>		
<b>Metric</b>	<b>Model Validation</b>	<b>Maximum Allowable Deviation</b>
<b><i>Daily – 34 Count Locations</i></b>		
Model/Count Ratio	0.94	between 0.90 and 1.10
Percent Within Caltrans Maximum Deviation	85%	> 75%
Percent Root Mean Square Error	32%	< 40%
Correlation Coefficient	0.97	> 0.88
Source: Fehr & Peers, 2014		

### **Dynamic Validation**

The traditional approach to the validation of travel demand models is to compare the roadway segment volumes for the model's base year to actual traffic counts collected in the same year. This approach provides information on a model's ability to reproduce a static condition. However, models are seldom used for static applications; by far the most common use of models is to forecast how a change in inputs would result in a change in traffic conditions. Therefore, another test of a model's accuracy is to focus on the model's ability to predict realistic differences in outputs as inputs are changed; in other words, "dynamic" validation rather than static validation.



Dynamic validation determines a model's sensitivity to changes in land uses and/or the transportation system. These tests are recommended in Model Validation and Reasonableness Checking Manual (Travel Model Improvement Program, FHWA, 1997). The results of dynamic validation tests are inspected for reasonableness in the direction and magnitude of the changes.

Fehr & Peers made adjustments to the model roadway networks and SED data to determine if the model results would shift in the expected direction. Model runs were completed and traffic volumes were compared to the validated base year to verify whether the volumes changed in the appropriate direction and magnitude. Several tests and their results are summarized below. Since the results of the sensitivity testing returned reasonable shifts in traffic volumes according to the modifications, the model was confirmed as appropriate for use in this assessment.

- Major roadways in the study area, such as Adobe Road and Yucca Mesa Road, were modified by increasing and decreasing the number of lanes or speeds. As expected, the roadways with higher number of lanes or speeds attracted more traffic volumes with all else equal.
- Parallel roadways adjacent to SR-62 were modified, added and deleted to test shifts in traffic volumes. As expected, when parallel facilities were modified to increase capacity, traffic shifted off of SR-62 and on to the parallel facilities. When parallel facilities were deleted, the volumes that were on that facility shifted in expected magnitudes to SR-62.
- Land use modifications were made by increasing the population or employment totals and were tested for reasonable trip generation. When jobs and households are added to the model the increase in vehicle trips is reasonable and the average per unit vehicle trip increase for jobs and households remains relatively constant across time periods and at various magnitudes.

## FUTURE (YEAR 2040) MODELING ASSUMPTIONS

Year 2040 provides a long range planning horizon (consistent with many planning applications) and it is consistent with the future year of the next regional transportation plan (2016-2040 RTP/SCS). For the MBATS modeling effort, all modifications incorporated into the validated base year model were incorporated into the Future Year (2040) Travel Demand Forecasting Model. The future year model roadway network was then stripped down to identically mimic the base year model roadway network in terms of existing roadways, speeds, and number of lanes. This was done to model the future roadway volumes on a constrained existing network in order to identify the facilities that should be prioritized to be improved.



## FUTURE (YEAR 2040) FORECASTING AND OPERATIONS ASSESSMENT


Future baseline model forecasts were developed from the validated MBATS model. The results were then analyzed with roadway segment methodology thresholds listed in Table 2. The forecast volumes and LOS results for all model roadway segments are provided in Appendix E, and an operations summary is provided in Figure 3. The analysis was used to identify where future traffic congestion is likely to occur. Table 12 below provides a summary of the facilities that are forecast to be over capacity.

**TABLE 12**  
**FORECAST DAILY 2040 ROADWAY SEGMENT OPERATIONS**

<b>Facility</b>	<b>Extents</b>	<b>Jurisdiction</b>	<b>Existing Number of Lanes &amp; Capacity</b>	<b>Forecast ADT</b>	<b>V/C &amp; Forecast LOS</b>
SR-62	San Bernardino County Line to Western Yucca Valley Town Limits	San Bernardino County, Morongo Valley	4 lanes at 37,400 vehicles per day	47,300	1.26 (F)
SR-62	Western Yucca Valley Limits to SR-247	Yucca Valley	4 lanes at 37,400 vehicles per day	42,800	1.14 (F)
SR-247	Northern Morongo Basin Boundary Limits to Northern Yucca Valley Town Limits	San Bernardino County	2 lanes at 18,000 vehicles per day	18,800	1.04 (F)
SR-247	Northern Yucca Valley Town Limits to SR-62	Yucca Valley	2 lanes at 18,000 vehicles per day	21,200	1.18 (F)
Yucca Mesa Rd	Buena Vista Drive to SR-62	Yucca Valley	2 lanes at 13,000 vehicles per day	13,300	1.02 (F)

*Source: Fehr & Peers, 2014*





## IMPROVEMENT PROJECT RECOMMENDATIONS

The analysis was utilized to assist in identifying future required roadway network improvements in the MBATS area. Based on those results, several roadways and intersections were identified to be improved to satisfy the needs of future traffic volumes.

### RECOMMENDED IMPROVEMENT LOCATIONS


Increased capacity will be needed along SR-62, SR-247 and Yucca Mesa Road in the form of additional lanes and operational improvements at intersections along SR-62. The widening of SR-247 and Yucca Mesa Road within Yucca Valley is consistent with the Yucca Valley General Plan Circulation Element. Table 13 presents the level of service along each of these roadways with the proposed improvements. Figure 4 identifies the locations of the roadway segment improvements.

**TABLE 13  
RECOMMENDED ROADWAY SEGMENT IMPROVEMENTS & OPERATIONS**

<b>Facility</b>	<b>Extents</b>	<b>V/C &amp; LOS Prior to Improvements</b>	<b>Proposed Improvement &amp; New Capacity</b>	<b>V/C &amp; LOS After Improvements</b>
SR-62	San Bernardino County Line to Western Yucca Valley Town Limits	1.26 (F)	Widen by 1 lane in each direction providing for 56,000 vehicles per day	0.84 (D)
SR-62	Western Yucca Valley Limits to SR-247	1.14 (F)	Widen by 1 lane in each direction providing for 56,000 vehicles per day	0.76 (C or better)
SR-247	Northern Morongo Basin Boundary Limits to Northern Yucca Valley Town Limits	1.04 (F)	Widen by 1 lane in each direction providing for 34,100 vehicles per day	0.55 (C or better)
SR-247	Northern Yucca Valley Town Limits to SR-62	1.18 (F)	Widen by 1 lane in each direction providing for 34,100 vehicles per day	0.62 (C or better)
Yucca Mesa Rd	Buena Vista Drive to SR-62	1.02 (F)	Widen by 1 lane in each direction providing for 25,900 vehicles per day	0.51 (C or better)

Source: Fehr & Peers, 2014





● Intersection

### Improvement Locations

- [1] — SR-62 (San Bernardino County Line to Hess Boulevard)
- [2] — SR-62 (Hess Boulevard to Western Yucca Valley Town Limits)
- [3] — SR-62 (Western Yucca Valley Limits to SR-247)
- [4] — SR-62 (SR-247 - Eastern Yucca Valley Town Limits)
- [5] — SR-62 (Yucca Valley Town Limits - Twentynine Palms City Limits)

- [6] — SR-62 (Twentynine Palms: Western City Limits to Eastern City Limits)
- [7] — SR-247 (Northern Morongo Basin Boundary Limits to Northern Yucca Valley Town Limits)
- [8] — SR-247 (Northern Yucca Valley Town Limits to SR-62)
- [9] — Yucca Mesa Drive (Buena Vista Drive to SR-62)



Figure 4  
MBATS Recommended Improvement Locations

Intersections were also identified along SR-62 that would require signalization or signal modifications in order to meet the future traffic demands. These signal modifications could include additional through lanes and turn lanes, signal pole replacement and upgrades, or other intersection improvements. These locations are listed below in Table 14 and shown on Figure 4.

**TABLE 14  
INTERSECTIONS IMPROVEMENTS**

<b>Intersection</b>	<b>Jurisdiction</b>	<b>Improvement</b>
1. SR-62 & Hess Blvd	San Bernardino County, Morongo Valley	Signalization
2. SR-62 & Senilis Ave	San Bernardino County, Morongo Valley	Signal Modification
3. SR-62 & Camino Del Cielo	Yucca Valley	Signal Modification
4. SR-62 & Kickapoo Trail	Yucca Valley	Signal Modification
5. SR-62 & Pioneertown Rd	Yucca Valley	Signal Modification
6. SR-62 & Acoma Trail	Yucca Valley	Signal Modification
7. SR-62 & Sage Ave	Yucca Valley	Signal Modification
8. SR-62 & SR-247	Yucca Valley	Signal Modification
9. SR-62 & Airway Ave	Yucca Valley	Signal Modification
10. SR-62 & Balsa Ave	Yucca Valley	Signal Modification
11. SR-62 & Avalon Ave	Yucca Valley	Signal Modification
12. SR-62 & Yucca Mesa Rd	Yucca Valley	Signal Modification
13. SR-62 & Sunburst Ave	San Bernardino County, Joshua Tree	Signal Modification
14. SR-62 & Park Blvd	San Bernardino County, Joshua Tree	Signal Modification
15. SR-62 & Lear Ave	Twentynine Palms	Signalization
16. SR-62 & Larrea Ave	Twentynine Palms	Signal Modification
17. SR-62 & Mesquite Springs Rd	Twentynine Palms	Signalization
18. SR-62 & Adobe Rd	Twentynine Palms	Signal Modification
19. SR-62 & Utah Trail	Twentynine Palms	Signalization

## COST ESTIMATES

Michael Baker International provided planning-level cost estimates for the recommended improvements at each location. The cost estimates are separated into roadway segments by jurisdiction and paired with the intersection improvements to determine a final cost estimate. The segment numbers are shown graphically in Figure 4. For simplicity purposes, the cost estimate was broken into three tiers of detail, a summary, an estimate with major cost items, and then cost templates with item breakdowns.



The line item cost estimates are the key component of the costing process. Essentially, the line items provide a lump sum fee for some items, such as signal modifications; but for linear roadway improvements or volume-related material estimates, a refined yet simplistic analysis was required for the scope of the estimate. For these items, the line items assume a unit cost per foot of the roadway cross section. Then, a factor is applied to the unit cost for each item. Once a desktop aerial evaluation was completed and improvements were identified, observations (i.e. percentage/length for removal of item along the segment) and assumptions were noted and calculated for the amount. The templates are then referenced into each segment's cost estimate and multiplied by the distance. Improvement Segments 1, 2, 6, 7 and 8 utilize this approach due to the recommended widening improvements.

The estimates are for planning purposes only and are based on today's fair market prices according to California Department of Transportation Construction Contract Standards. The conservative estimates represented in this report are not all inclusive and careful judgment should be used when referring to these estimates. Each segment would require a future focused assessment and adequately scoped project in order to better identify financial funding. Finally, since not incorporated into the estimate, it is recommended that an escalation analysis be conducted once planning scopes solidify.

A summary of the cost estimate of each segment is provided in Table 15 through Table 23 and the total cost estimate for the entirety of the improvements is provided in Table 24. The total estimated cost in current year dollars to implement all recommended improvements is approximately \$124 million. Detailed cost estimate templates and assumptions for material and construction costs are provided in Appendix F.

**TABLE 15  
SEGMENT 1 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (San Bernardino County Line to Hess Boulevard)	
Improvements:	Widen SR-62 by one lane in each direction	
Jurisdiction:	San Bernardino County	
	Construction Subtotal With Contingency	\$13,226,000
	Right of Way	\$30,000
	Preliminary and Final Engineering (25%)	\$3,307,000
	Construction Support (10%)	\$1,984,000
	<b>Segment Total</b>	<b>\$18,546,000</b>



**TABLE 16**  
**SEGMENT 2 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (Hess Boulevard to Western Yucca Valley Town Limits)	
Intersections:	1. At Hess Blvd, 2. At Senilis Ave	
Improvements:	Widen SR-62 by one lane in each direction, signalize intersection at Hess Boulevard	
Jurisdiction:	San Bernardino County	
	Construction Subtotal With Contingency	\$21,368,000
	Right of Way	\$220,000
	Preliminary and Final Engineering (25%)	\$5,342,000
	Construction Support (10%)	\$3,205,000
	<b>Segment Total</b>	<b>\$30,135,000</b>

**TABLE 17**  
**SEGMENT 3 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (Western Yucca Valley Limits to SR-247)	
Intersections:	3. At Camino Del Cielo, 4. At Kickapoo Trail, 5. At Pioneertown Rd, 6. At Acoma Trail, 7. At Sage Ave, 8. At SR-247	
Improvements:	Widen SR-62 by one lane in each direction, signal modifications at all intersections	
Jurisdiction:	Yucca Valley	
	Construction Subtotal With Contingency	\$18,237,000
	Right of Way	\$120,000
	Preliminary and Final Engineering (25%)	\$4,559,000
	Construction Support (10%)	\$2,736,000
	<b>Segment Total</b>	<b>\$25,651,000</b>



**TABLE 18**  
**SEGMENT 4 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (SR-247 to Eastern Yucca Valley Town Limits)	
Intersections:	9. At Airway Ave, 10. At Balsa Ave, 11. At Avalon Ave, 12. At Yucca Mesa Rd	
Improvements:	Signal modifications at all intersections	
Jurisdiction:	Yucca Valley	
	Construction Subtotal With Contingency	\$2,340,000
	Preliminary and Final Engineering (25%)	\$585,000
	Construction Support (10%)	\$351,000
	<b>Segment Total</b>	<b>\$3,276,000</b>

**TABLE 19**  
**SEGMENT 5 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (Yucca Valley Town Limits to Twentynine Palms City Limits)	
Intersections:	13. At Sunburst Ave, 14. At Park Blvd	
Improvements:	Signal modifications at all intersections	
Jurisdiction:	San Bernardino County	
	Construction Subtotal With Contingency	\$1,170,000
	Preliminary and Final Engineering (25%)	\$292,500
	Construction Support (10%)	\$175,500
	<b>Segment Total</b>	<b>\$1,638,000</b>



**TABLE 20**  
**SEGMENT 6 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-62 (Twentynine Palms Western City Limits to Eastern City Limits)	
Intersections:	15. At Lear Ave, 16. At Larrea Ave, 17. At Mesquite Springs Rd, 18. At Adobe Rd 19. At Utah Trail	
Improvements:	Signal modifications at Larrea Ave and Adobe Rd, signalize remaining intersections	
Jurisdiction:	Twentynine Palms	
	Construction Subtotal With Contingency	\$4,095,000
	Preliminary and Final Engineering (25%)	\$1,024,000
	Construction Support (10%)	\$614,000
	<b>Segment Total</b>	<b>\$5,733,000</b>

**TABLE 21**  
**SEGMENT 7 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-247 (Northern Morongo Basin Boundary Limits to Northern Yucca Valley Town Limits)	
Improvements:	Widen SR-247 by one lane in each direction	
Jurisdiction:	San Bernardino County	
	Construction Subtotal With Contingency	\$12,086,000
	Right of Way	\$170,000
	Preliminary and Final Engineering (25%)	\$3,022,000
	Construction Support (10%)	\$1,813,000
	<b>Segment Total</b>	<b>\$17,091,000</b>



**TABLE 22**  
**SEGMENT 8 IMPROVEMENTS COST ESTIMATES**

Segment:	SR-247 (Northern Yucca Valley Town Limits to SR-62)	
Improvements:	Widen SR-247 by one lane in each direction	
Jurisdiction:	Yucca Valley	
	Construction Subtotal With Contingency	\$11,885,000
	Right of Way	\$150,000
	Preliminary and Final Engineering (25%)	\$2,971,000
	Construction Support (10%)	\$1,783,000
	<b>Segment Total</b>	<b>\$16,789,000</b>

**TABLE 23**  
**SEGMENT 9 IMPROVEMENTS COST ESTIMATES**

Segment:	Yucca Mesa Drive (Buena Vista Drive to SR-62)	
Improvements:	Widen Yucca Mesa Dr by one lane in each direction	
Jurisdiction:	Yucca Valley	
	Construction Subtotal With Contingency	\$4,108,000
	Right of Way	\$60,000
	Preliminary and Final Engineering (25%)	\$1,027,000
	Construction Support (10%)	\$616,000
	<b>Segment Total</b>	<b>\$5,811,000</b>



<b>TABLE 24</b> <b>TOTAL IMPROVEMENTS COST ESTIMATES</b>	
Construction Subtotal With Contingency	\$88,515,000
Right of Way	\$750,000
Preliminary and Final Engineering (25%)	\$22,129,000
Construction Support (10%)	\$13,277,000
<b>Project Total</b>	<b>\$124,671,000</b>

## IMPLEMENTATION PLAN

Fehr & Peers utilized the MBATS model to identify growth at each of the locations where improvements are identified. These forecasts were linearly interpolated to identify when each of the improvements would need additional capacity. Please note that, given the broad planning nature of this assessment, our implementation plan identifies five-year increments for identifying when improvements would be required.

### IMPLEMENTATION PRIORITY 1

Segments 2 and 3 (SR-62 from Hess Boulevard to western Yucca Valley Town limits and SR-62 from western Yucca Valley limits to SR-247) are forecast to need additional traffic capacity between years 2025 and 2030.

### IMPLEMENTATION PRIORITY 2

Segment 7 (SR-247 from northern Yucca Valley Town limits to SR-62) is forecast to need additional capacity between years 2030 and 2035.

### IMPLEMENTATION PRIORITY 3

Segments 6 and 8 (SR-247 from northern Morongo Basin boundary limits to northern Yucca Valley Town limits and Yucca Mesa Road from Buena Vista Drive to SR-62) are forecast to need additional traffic capacity between years 2035 and 2040.



## IMPLEMENTATION PRIORITY 4

Segments 3, 4 and 5 are along SR-62 from SR-247 to Twentynine Palms eastern City limits and consist of signalized intersection installations and modifications. The future forecasts indicate that these improvements will be needed between years 2035 and 2040.

## IMPLEMENTATION PRIORITY 5

Segment 1 (SR-62 from San Bernardino County Line to Hess Boulevard) is forecast to need additional traffic capacity between years 2025 and 2030. However, this segment is adjacent to Riverside County, who has no pending plans to widen their facility. In the future, if Riverside County develops plans to widen their portion of SR-62, then this segment should be given a higher priority. Otherwise, this segment will remain Implementation Priority 5.



## **APPENDIX A: TRAFFIC COUNTS**



Caltrans Performance Measurement System (PeMS) Counts

## Traffic Data Branch

2012 All Traffic Volumes on CSHS

Dist	Rte	CO	Post Mile	Description	Back Peak Hour	Back Peak Month	Back AADT	Ahead Peak Hour	Ahead Peak Month	Ahead AADT
8	62	RIV	R 3.344	PIERSON BOULEVARD	1750	18300	17500	1600	16700	16000
8	62	RIV	R 6.451	INDIAN AVENUE	1600	16700	16000	2050	21400	20500
8	62	RIV	9.237	RIVERSIDE/SAN BERNARDINO COUNTY LINE	2050	21400	20500			
8	62	SBD	0	RIVERSIDE/SAN BERNARDINO COUNTY LINE				2050	21400	20500
8	62	SBD	0.845	HESS BOULEVARD	2050	21400	20500	2000	20900	20000
8	62	SBD	1.884	MORONGO VALLEY, PIONEER/EAST	2050	21400	20500	2050	21400	20500
8	62	SBD	9.293	YUCCA VALLEY, CAMINO DEL CIELO	2000	20900	20000	2000	20900	20000
8	62	SBD	10.531	YUCCA VALLEY, PIONEER TOWN RD	2400	25000	24000	2650	27500	26500
8	62	SBD	12.404	YUCCA VALLEY, JCT. RTE. 247 NORTH	2700	28000	27000	2700	28000	26500
8	62	SBD	15.145	YUCCA MESA ROAD	2700	28000	26500	1950	20500	19500
8	62	SBD	18.267	JOSHUA TREE, PARK BOULEVARD	1700	17900	17000	1700	17900	17000
8	62	SBD	22.165	SUNFAIR ROAD	1700	17900	17000	1400	14700	14000
8	62	SBD	31.196	TWENTYNINE PALMS, NATIONAL PARK/HAT	1400	14700	14000	1500	15800	15000
8	62	SBD	33.208	TWENTYNINE PALMS, ADOBE ROAD	1100	11600	11000	960	10000	9500
8	62	SBD	34.223	29 PALMS/UTAH TRAIL	770	5300	4800	450	3050	2800
8	62	SBD	79.476	SAN BERNARDINO/RIVERSIDE COUNTY LINE	130	880	800			
8	62	RIV	79.476	SAN BERNARDINO/RIVERSIDE COUNTY LINE				130	1150	800
8	62	RIV	84.965	JCT. RTE. 177 SOUTH	220	1150	800	380	2000	1400
8	62	RIV	90.203	RIVERSIDE/SAN BERNARDINO COUNTY LINE	380	2000	1400			
8	62	SBD	90.203	RIVERSIDE/SAN BERNARDINO COUNTY LINE				380	2000	1400
8	62	SBD	102.25	CADIZ ROAD	380	2000	1400	380	2000	1400
8	62	SBD	107.24	BLYTHE RICE ROAD	380	2000	1400	380	2000	1400
8	62	SBD	125.76	JCT. RTE. 95	380	1950	1400	440	2700	2300
8	62	SBD	142.66	ARIZONA STATE LINE	1100	6700	5700			
6	63	TUL.	0	TULARE, JCT. RTE. 137				1550	17200	16500

**Traffic Data Branch**  
**2012 All Traffic Volumes on CSHS**

Dist	Rte	CO	Post Mile	Description	Back Peak Hour	Back Peak Month	Back AADT	Ahead Peak Hour	Ahead Peak Month	Ahead AADT
8	247	SBD	0	YUCCA VALLEY, JCT. RTE. 62				1050	11400	11000
8	247	SBD	39.598	CAMP ROCK ROAD	270	2900	2800	210	2250	2200
8	247	SBD	44.85	JCT. RTE. 18	270	2900	2800	190	1900	1800
8	247	SBD	46.114	RABBIT SPRING ROAD	190	1900	1800	190	1850	1750
8	247	SBD	56.475	LUCERNE VALLEY CUTOFF ROAD	190	1850	1750	210	2100	1950
8	247	SBD	73.181	STODDARD WELLS ROAD	210	2100	1950	180	1850	1700
8	247	SBD	76.422	BARSTOW CITY LIMITS	190	1900	1750	1400	14000	13000
8	247	SBD	78.096	BARSTOW, JCT. RTE. 15	1950	19300	18000			
1	253	MEN	0	BOONVILLE, JCT. RTE. 128				210	2200	2100
1	253	MEN	17.18	UKIAH, JCT. RTE. 101	250	2900	2700			
1	254	HUM	0	JCT. RTE. 101				200	1500	800
1	254	HUM	4.837	MIRANDA BRIDGE RD	200	1400	780	450	3250	1650
1	254	HUM	12.327	JCT. RTE. 101	260	2000	1000	160	1200	650
1	254	HUM	16.84	BURLINGTON STATE PARK	150	1200	600	160	1200	600
1	254	HUM	18.8	WEOTT, NORTH	160	1200	600	150	750	550
1	254	HUM	24.21	ENGLEWOOD PARK, DYERVILLE, NORTH	130	550	450	100	550	350
1	254	HUM	46.53	JCT. RTE. 101, JORDAN RD	100	550	350			
1	255	HUM	0	EUREKA, JCT. RTE. 101				1050	10000	9500
1	255	HUM	2.028	NAVY BASE ROAD	880	8400	8000	790	7600	7200
1	255	HUM	3.657	DEAN/PACIFIC AVENUES	790	7600	7200	780	7500	7100
1	255	HUM	4.728	YOUNG LANE	780	7500	7100	770	7400	7000
1	255	HUM R	5.13	MAD RIVER SLOUGH BRIDGE	770	7400	7000	830	7900	7500
1	255	HUM	8.352	ARCATA, K STREET	830	7900	7500	930	9000	8600
1	255	HUM	8.525	ARCATA, H STREET	930	9000	8600	1100	10500	10200
1	255	HUM	8.584	ARCATA, G STREET	1100	10500	10200	1650	15900	15500

## SANBAG database Counts

**CLASSIFICATION**

SR-62 between Cascade Rd &amp; Rotary Way

Day: Wednesday

Date: 11/6/2013

City: Joshua Tree

Project #: CA13\_6168\_042

**Summary**

Time	# 1	# 2	# 3	# 4	# 5	# 6	# 7	# 8	# 9	# 10	# 11	# 12	# 13	Total
00:00 AM	0	36	10	0	3	0	0	0	0	0	0	0	0	49
01:00	0	36	4	0	3	0	0	0	0	0	1	0	0	44
02:00	0	23	3	1	7	0	0	0	2	0	0	0	0	36
03:00	0	39	5	2	7	0	0	0	2	0	0	0	0	55
04:00	0	87	25	0	21	0	0	1	5	0	0	0	0	139
05:00	2	259	71	3	61	0	0	2	10	0	0	0	0	408
06:00	4	540	112	4	104	2	0	0	17	0	1	0	0	784
07:00	1	558	137	7	126	1	0	0	17	0	3	0	0	850
08:00	1	516	128	8	122	0	0	0	27	0	2	0	0	804
09:00	1	537	125	10	143	2	0	1	25	0	3	0	0	847
10:00	1	520	122	6	135	2	0	1	22	0	1	0	0	810
11:00	3	625	152	8	140	2	0	1	25	0	1	0	0	957
12:00 PM	2	621	143	7	132	2	0	0	23	0	0	0	0	930
13:00	3	625	140	8	142	2	0	0	30	0	3	0	0	953
14:00	5	678	164	6	128	3	0	2	30	0	0	0	0	1016
15:00	4	739	159	7	162	4	0	0	26	0	1	0	0	1102
16:00	2	870	189	7	171	3	0	0	17	0	0	0	0	1259
17:00	2	883	165	5	157	3	0	0	22	0	0	0	0	1237
18:00	0	518	85	3	97	3	0	0	16	0	0	0	0	722
19:00	0	374	78	5	53	0	0	0	8	0	0	0	0	518
20:00	0	309	56	2	40	0	0	0	3	0	0	0	0	410
21:00	0	226	47	1	35	0	0	0	2	0	0	0	0	311
22:00	0	144	30	0	18	0	0	0	4	0	0	0	0	196
23:00	0	78	7	1	10	0	0	0	0	0	0	0	0	96
<b>Totals</b>	<b>31</b>	<b>9841</b>	<b>2157</b>	<b>101</b>	<b>2017</b>	<b>29</b>		<b>8</b>	<b>333</b>		<b>16</b>			<b>14533</b>
% of Totals	0%	68%	15%	1%	14%	0%		0%	2%		0%			100%

AM Volumes	13	3776	894	49	872	9	0	6	152	0	12	0	0	5783
% AM	0%	26%	6%	0%	6%	0%		0%	1%		0%			40%
AM Peak Hour	06:00	11:00	11:00	09:00	09:00	06:00		05:00	08:00		07:00			11:00
Volume	4	625	152	10	143	2		2	27		3			957
PM Volumes	18	6065	1263	52	1145	20	0	2	181	0	4	0	0	8750
% PM	0%	42%	9%	0%	8%	0%		0%	1%		0%			60%
PM Peak Hour	14:00	17:00	16:00	13:00	16:00	15:00		14:00	13:00		13:00			16:00
Volume	5	883	189	8	171	4		2	30		3			1259
<b>Directional Peak Periods</b>		<b>AM 7-9</b>			<b>NOON 12-2</b>			<b>PM 4-6</b>			<b>Off Peak Volumes</b>			
<b>All Classes</b>		Volume		%	Volume		%	Volume		%	Volume		%	
		1654	↔	11%	1883	↔	13%	2496	↔	17%	8500	↔	58%	

**Classification Definitions**

1 Motorcycles	4 Buses	7 >=4-Axle Single Units	10 >=6-Axle Single Trailers	13 >=7-Axle Multi-Trailers
2 Passenger Cars	5 2-Axle, 6-Tire Single Units	8 <=4-Axle Single Trailers	11 <=5-Axle Multi-Trailers	
3 2-Axle, 4-Tire Single Units	6 3-Axle Single Units	9 5-Axle Single Trailers	12 6-Axle Multi-Trailers	

## **VOLUME**

SR-62 between Fairway Dr & Pioneer Dr

**Day:** Wednesday  
**Date:** 11/13/2013

**City:** Morongo Valley  
**Project #:** CA13 6168 043

DAILY TOTALS		NB	SB	EB		WB						Total
		0	0	6,304		6,013						12,317
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL	
00:00			9	11	20	12:00			109	90	199	
00:15			7	3	10	12:15			120	95	215	
00:30			9	2	11	12:30			96	115	211	
00:45			6	31	4	12:45			110	435	118	228 853
01:00			9	3	12	13:00			97	110	207	
01:15			3	0	3	13:15			85	99	184	
01:30			1	3	4	13:30			104	90	194	
01:45			2	15	1	13:45			91	377	96	395 187 772
02:00			2	4	6	14:00			105	131	236	
02:15			8	0	8	14:15			99	123	222	
02:30			9	0	9	14:30			92	118	210	
02:45			2	21	1	14:45			103	399	120	492 223 891
03:00			0	2	2	15:00			107	115	222	
03:15			8	4	12	15:15			108	132	240	
03:30			4	8	12	15:30			113	113	226	
03:45			8	20	2	15:45			114	442	146	506 260 948
04:00			9	6	15	16:00			100	133	233	
04:15			15	4	19	16:15			106	147	253	
04:30			20	3	23	16:30			98	169	267	
04:45			23	67	8	16:45			117	421	129	578 246 999
05:00			25	12	37	17:00			88	166	254	
05:15			44	19	63	17:15			129	148	277	
05:30			73	11	84	17:30			127	113	240	
05:45			79	221	23	17:45			142	486	126	553 268 1039
06:00			74	24	98	18:00			96	96	192	
06:15			74	33	107	18:15			84	93	177	
06:30			89	37	126	18:30			101	74	175	
06:45			116	353	72	18:45			74	355	55	318 129 673
07:00			102	92	194	19:00			70	54	124	
07:15			101	77	178	19:15			69	54	123	
07:30			117	69	186	19:30			50	50	100	
07:45			114	434	92	19:45			62	251	39	197 101 448
08:00			98	104	202	20:00			54	38	92	
08:15			100	110	210	20:15			64	26	90	
08:30			93	109	202	20:30			49	26	75	
08:45			92	383	80	20:45			54	221	23	113 77 334
09:00			85	89	174	21:00			37	33	70	
09:15			81	97	178	21:15			33	34	67	
09:30			100	94	194	21:30			28	24	52	
09:45			100	366	84	21:45			29	127	27	118 56 245
10:00			99	106	205	22:00			22	13	35	
10:15			73	117	190	22:15			16	26	42	
10:30			86	86	172	22:30			19	22	41	
10:45			93	351	92	22:45			15	72	10	71 25 143
11:00			91	96	187	23:00			23	13	36	
11:15			104	113	217	23:15			15	18	33	
11:30			102	95	197	23:30			7	10	17	
11:45			103	400	107	23:45			11	45	15 101	
TOTALS			2662	2209	4871	TOTALS			3642	3804	7446	
SPLIT %			54.6%	45.4%	39.5%	SPLIT %			48.9%	51.1%	60.5%	

DAILY TOTALS	NB	SB	EB	WB	Total						
	0	0	6,304	6,013							
					12,317						
AM Peak Hour	06:45	07:45	11:45	PM Peak Hour	17:15	16:30	16:30				
AM Pk Volume	436	415	835	PM Pk Volume	494	612	1044				
Pk Hr Factor	0.932	0.943	0.971	Pk Hr Factor	0.870	0.905	0.942				
7 - 9 Volume	0	0	817	733	1550	4 - 6 Volume	0	0	907	1131	2038
7 - 9 Peak Hour			07:00	07:45	07:45	4 - 6 Peak Hour			17:00	16:30	16:30
7 - 9 Pk Volume	0	0	434	415	820	4 - 6 Pk Volume	0	0	486	612	1044
Pk Hr Factor	0.000	0.000	0.927	0.943	0.976	Pk Hr Factor	0.000	0.000	0.856	0.905	0.942

**VOLUME**

SR-62 between Ironage Rd &amp; State Hwy 177

Day: Wednesday

Date: 11/13/2013

City: Twenty Nine Palms

Project #: CA13\_6168\_045

DAILY TOTALS				NB 0	SB 0	EB 164	WB 174			Total 338	
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00			0	0	0	12:00			3	1	4
00:15			1	0	1	12:15			5	3	8
00:30			0	2	2	12:30			2	8	10
00:45			0	1	0	12:45			7	17	32
01:00			0	0	0	13:00			5	2	7
01:15			0	1	1	13:15			3	1	4
01:30			0	0	0	13:30			3	4	7
01:45			0	0	1	13:45			1	12	13
02:00			0	0	0	14:00			2	1	3
02:15			0	0	0	14:15			2	6	8
02:30			0	0	0	14:30			2	0	2
02:45			0	0	0	14:45			0	6	15
03:00			0	0	0	15:00			2	1	3
03:15			1	0	1	15:15			3	3	6
03:30			0	1	1	15:30			1	2	3
03:45			0	1	0	15:45			2	8	15
04:00			0	0	0	16:00			5	3	8
04:15			3	3	6	16:15			2	2	4
04:30			0	0	0	16:30			9	3	12
04:45			2	5	6	16:45			3	19	29
05:00			0	2	2	17:00			1	2	3
05:15			0	2	2	17:15			1	3	4
05:30			0	2	2	17:30			4	0	4
05:45			2	2	0	17:45			1	7	12
06:00			0	2	2	18:00			3	2	5
06:15			0	0	0	18:15			2	6	8
06:30			1	0	1	18:30			1	3	4
06:45			1	2	1	18:45			0	6	20
07:00			0	6	6	19:00			5	2	7
07:15			2	3	5	19:15			2	1	3
07:30			1	1	2	19:30			0	0	0
07:45			3	6	0	19:45			2	9	13
08:00			2	0	2	20:00			1	0	1
08:15			3	2	5	20:15			0	0	0
08:30			0	2	2	20:30			1	0	1
08:45			1	6	4	20:45			0	2	2
09:00			2	2	4	21:00			0	0	0
09:15			2	5	7	21:15			0	1	1
09:30			1	6	7	21:30			5	0	5
09:45			2	7	1	21:45			0	5	6
10:00			4	1	5	22:00			3	0	3
10:15			4	3	7	22:15			0	0	0
10:30			5	5	10	22:30			1	0	1
10:45			5	18	2	22:45			1	5	7
11:00			2	9	11	23:00			0	0	0
11:15			8	12	20	23:15			0	0	0
11:30			5	4	9	23:30			0	0	0
11:45			3	18	4	23:45			2	2	2
TOTALS			66	94	160	TOTALS			98	80	178
SPLIT %			41.3%	58.8%	47.3%	SPLIT %			55.1%	44.9%	52.7%

DAILY TOTALS				NB 0	SB 0	EB 164	WB 174			Total 338
--------------	--	--	--	---------	---------	-----------	-----------	--	--	--------------

AM Peak Hour	10:30	11:00	10:30	PM Peak Hour			12:15	13:30	12:15
AM Pk Volume	20	29	48	PM Pk Volume			19	17	35
Pk Hr Factor	0.625	0.604	0.600	Pk Hr Factor			0.679	0.708	0.875
7 - 9 Volume	0	0	12	4 - 6 Volume	0	0	26	15	41
7 - 9 Peak Hour			07:30	07:00	07:00		0	0	0
7 - 9 Pk Volume	0	0	9	4 - 6 Peak Hour			16:00	16:00	16:00
Pk Hr Factor	0.000	0.000	0.750	4 - 6 Pk Volume	0	0	19	10	29
				Pk Hr Factor	0.000	0.000	0.528	0.833	0.604

San Bernardino County Arterials database Counts

Location_ID	STREET	JURIS	CROSS_ST1	CROSS_ST2	Daily Count_2013	AM_Peak	PM_Peak
27a	S 247 (OLD WOMAN SPRINGS RD)	San Bernardino County	Daransatte Rd	Joshua Rd / PeachTree Rd	1,858	132	193

## San Bernardino Count Database Counts

### San Bernardino County Counts

Road Number	Road name	Location	Direction	Count Site	Date	ADT
894900	YUCCA TRAIL	YUCCA VALLEY	TWO-WAY	E LA CONTENTA ST	2/27/2013	5,485
640450	PARK BOULEVARD	JOSHUA TREE	TWO-WAY	S SH 62	4/20/2011	4,740
778825	SUNBURST AVENUE	JOSHUA TREE	TWO-WAY	N SH 62	4/20/2011	4,393
115750	ALTA LOMA DRIVE	JOSHUA TREE	TWO-WAY	W SUNNY VISTA RD W JCT	5/10/2011	4,147
566100	MORONGO ROAD	TWENTYNINE PALMS	TWO-WAY	N INDIAN TRAIL	6/13/2012	3,247
411150	HESS BOULEVARD	MORONGO	TWO-WAY	S SENILIS AVE	12/13/2011	2,992
740550	SENILIS AVENUE	MORONGO	TWO-WAY	W HESS BLVD	6/13/2012	1,925
566100	MORONGO ROAD	TWENTYNINE PALMS	TWO-WAY	S POLE LINE RD	8/29/2013	1,885
740550	SENILIS AVENUE	MORONGO	TWO-WAY	E JUNIPER AVENUE	1/26/2012	1,661
454250	JUNIPER AVENUE	MORONGO	TWO-WAY	N SENILIS AVE	3/21/2012	1,602
689500	RECHE ROAD	YUCCA VALLEY	TWO-WAY	E SH 247	2/27/2013	1,533
419700	HILL VIEW ROAD	JOSHUA TREE	TWO-WAY	S SH 62	6/13/2012	1,528
740550	SENILIS AVENUE	MORONGO	TWO-WAY	W SH 62	1/26/2012	1,423
101200	ABERDEEN DRIVE	YUCCA VALLEY	TWO-WAY	W YUCCA MESA DR	2/27/2013	1,415
666000	POLE LINE ROAD	TWENTYNINE PALMS	TWO-WAY	E LEAR AVE	8/29/2013	1,273
411150	HESS BOULEVARD	MORONGO	TWO-WAY	S ADELINE WAY	3/20/2012	1,242
779400	SUNFAIR ROAD	JOSHUA TREE	TWO-WAY	N SH 62	4/18/2011	1,198
740550	SENILIS AVENUE	MORONGO	TWO-WAY	E HESS BLVD	6/13/2012	985
320650	EL REPOSO STREET	JOSHUA TREE	TWO-WAY	N SH 62	6/13/2012	984
659800	PIONEER DRIVE	MORONGO	TWO-WAY	W WEST DRIVE	1/3/2012	981
119500	AMBOY ROAD	TWENTYNINE PALMS	TWO-WAY	S AMBOY CUTOFF	4/11/2011	792
411150	HESS BOULEVARD	MORONGO	TWO-WAY	N SENILIS AVE	3/20/2012	791
638350	PARADISE AVENUE	MORONGO	TWO-WAY	W JUNIPER AVENUE	3/26/2012	788
873500	WEST DRIVE	MORONGO	TWO-WAY	S PIONEER DR	7/17/2012	653
454250	JUNIPER AVENUE	MORONGO	TWO-WAY	N PIONEER DRIVE	3/21/2012	598
411150	HESS BOULEVARD	MORONGO	TWO-WAY	S PIONEER DR	3/20/2012	582
206400	CAMP ROCK ROAD	LUCERNE VALLEY	TWO-WAY	S SH 247	5/24/2011	507
206400	CAMP ROCK ROAD	LUCERNE VALLEY	TWO-WAY	N SH 247	5/31/2011	1,268
186150	BUENA VISTA DRIVE	MORONGO	TWO-WAY	W JUNIPER AVENUE	1/3/2012	491
209550	CANYON HOUSE ROAD	MORONGO	TWO-WAY	S HESS BLVD	3/20/2012	446
411150	HESS BOULEVARD	MORONGO	TWO-WAY	N MOJAVE DR	12/13/2011	412
556200	MOCKING BIRD LANE	MORONGO	TWO-WAY	W PARADISE AVE	3/26/2012	377
161700	BELLA VISTA DRIVE	MORONGO	TWO-WAY	S SH 62	12/28/2011	239

National Data and Surveying Services (NDS) Counts

**VOLUME**

SR-62 N/o Indian Canyon Dr

Day: Wednesday

Date: 12/11/2013

City: Desert Hot Springs

Project #: CA13\_6233\_001

DAILY TOTALS				NB 5,635	SB 5,953	EB 0	WB 0			Total 11,588	
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00	13	6			19	12:00	73	87			160
00:15	17	8			25	12:15	67	102			169
00:30	11	6			17	12:30	86	102			188
00:45	12	53	5	25	17	12:45	85	311	85	376	170 687
01:00	12	6			18	13:00	82	106			188
01:15	15	4			19	13:15	101	99			200
01:30	5	7			12	13:30	85	92			177
01:45	6	38	4	21	10	13:45	103	371	97	394	200 765
02:00	4	5			9	14:00	82	87			169
02:15	5	4			9	14:15	93	96			189
02:30	2	4			6	14:30	88	99			187
02:45	15	26	7	20	22	14:45	110	373	87	369	197 742
03:00	17	6			23	15:00	104	94			198
03:15	3	8			11	15:15	119	96			215
03:30	12	8			20	15:30	126	94			220
03:45	6	38	13	35	19	15:45	135	484	84	368	219 852
04:00	11	11			22	16:00	115	96			211
04:15	5	22			27	16:15	116	86			202
04:30	23	30			53	16:30	147	97			244
04:45	19	58	27	90	46	16:45	128	506	95	374	223 880
05:00	26	39			65	17:00	131	107			238
05:15	35	59			94	17:15	128	124			252
05:30	52	70			122	17:30	135	104			239
05:45	44	157	72	240	116	17:45	120	514	93	428	213 942
06:00	55	79			134	18:00	104	65			169
06:15	61	111			172	18:15	92	62			154
06:30	59	119			178	18:30	82	52			134
06:45	46	221	136	445	182	18:45	50	328	39	218	89 546
07:00	62	115			177	19:00	59	47			106
07:15	69	170			239	19:15	67	43			110
07:30	74	158			232	19:30	45	34			79
07:45	72	277	125	568	197	19:45	53	224	22	146	75 370
08:00	66	120			186	20:00	49	34			83
08:15	64	107			171	20:15	38	24			62
08:30	64	110			174	20:30	50	19			69
08:45	65	259	106	443	171	20:45	47	184	17	94	64 278
09:00	66	111			177	21:00	43	24			67
09:15	64	98			162	21:15	31	18			49
09:30	77	120			197	21:30	42	23			65
09:45	60	267	81	410	141	21:45	41	157	11	76	52 233
10:00	64	99			163	22:00	30	23			53
10:15	55	88			143	22:15	35	12			47
10:30	70	92			162	22:30	27	13			40
10:45	78	267	87	366	165	22:45	27	119	9	57	36 176
11:00	78	100			178	23:00	20	10			30
11:15	77	88			165	23:15	30	8			38
11:30	84	86			170	23:30	19	9			28
11:45	81	320	84	358	165	23:45	14	83	5	32	19 115
TOTALS	1981	3021			5002	TOTALS	3654	2932			6586
SPLIT %	39.6%	60.4%			43.2%	SPLIT %	55.5%	44.5%			56.8%

DAILY TOTALS				NB 5,635	SB 5,953	EB 0	WB 0			Total 11,588	
AM Peak Hour	11:00	06:45			07:15	PM Peak Hour	16:30	16:45			16:30
AM Pk Volume	320	579			854	PM Pk Volume	534	430			957
Pk Hr Factor	0.952	0.851			0.893	Pk Hr Factor	0.908	0.867			0.949
7 - 9 Volume	536	1011	0	0	1547	4 - 6 Volume	1020	802	0	0	1822
7 - 9 Peak Hour	07:15	07:15			07:15	4 - 6 Peak Hour	16:30	16:45			16:30
7 - 9 Pk Volume	281	573	0	0	854	4 - 6 Pk Volume	534	430	0	0	957
Pk Hr Factor	0.949	0.843	0.000	0.000	0.893	Pk Hr Factor	0.908	0.867	0.000	0.000	0.949

**VOLUME**

SR-62 E/o Bullion Rd

Day: Wednesday

Date: 12/11/2013

City: Twenty-Nine Palms

Project #: CA13\_6233\_006

DAILY TOTALS				NB 0	SB 0	EB 4,820	WB 4,506				Total 9,326
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00			3	8	11	12:00			85	77	162
00:15			4	2	6	12:15			91	89	180
00:30			5	7	12	12:30			76	69	145
00:45			0	12	4	12:45			74	326	306
01:00			1	0	1	13:00			80	71	151
01:15			5	1	6	13:15			80	84	164
01:30			2	9	11	13:30			81	80	161
01:45			2	10	2	13:45			61	302	343
02:00			0	4	4	14:00			92	89	181
02:15			1	1	2	14:15			96	85	181
02:30			2	1	3	14:30			101	100	201
02:45			0	3	1	14:45			94	383	367
03:00			1	2	3	15:00			103	94	197
03:15			0	4	4	15:15			111	90	201
03:30			2	3	5	15:30			126	100	226
03:45			2	5	3	15:45			132	472	367
04:00			2	6	8	16:00			179	84	263
04:15			13	9	22	16:15			195	84	279
04:30			4	6	10	16:30			228	126	354
04:45			4	23	7	16:45			195	797	414
05:00			2	2	4	17:00			168	119	287
05:15			6	19	25	17:15			167	80	247
05:30			7	8	15	17:30			149	63	212
05:45			15	30	17	17:45			121	605	345
06:00			18	22	40	18:00			90	78	168
06:15			9	30	39	18:15			72	77	149
06:30			12	32	44	18:30			78	79	157
06:45			11	50	50	18:45			64	304	300
07:00			15	48	63	19:00			66	50	116
07:15			17	37	54	19:15			54	55	109
07:30			29	63	92	19:30			46	50	96
07:45			30	91	59	19:45			31	197	42
08:00			23	40	63	20:00			28	35	63
08:15			48	67	115	20:15			28	32	60
08:30			38	63	101	20:30			30	38	68
08:45			48	157	63	20:45			29	115	30
09:00			39	56	95	21:00			25	35	60
09:15			42	50	92	21:15			24	32	56
09:30			45	62	107	21:30			18	26	44
09:45			55	181	63	21:45			12	79	124
10:00			52	64	116	22:00			21	16	37
10:15			57	66	123	22:15			7	19	26
10:30			61	66	127	22:30			15	15	30
10:45			64	234	66	22:45			6	49	63
11:00			97	82	179	23:00			6	9	15
11:15			85	88	173	23:15			5	11	16
11:30			106	68	174	23:30			2	11	13
11:45			91	379	77	23:45			3	16	6
TOTALS			1175	1508	2683	TOTALS			3645	2998	6643
SPLIT %			43.8%	56.2%	28.8%	SPLIT %			54.9%	45.1%	71.2%
DAILY TOTALS				NB 0	SB 0	EB 4,820	WB 4,506				
AM Peak Hour			11:00	11:00	11:00	AM Peak Hour			16:00	16:15	16:15
AM Pk Volume			379	315	694	AM Pk Volume			797	449	1235
Pk Hr Factor			0.894	0.895	0.969	Pk Hr Factor			0.874	0.891	0.872
7 - 9 Volume	0	0	248	440	688	4 - 6 Volume	0	0	1402	759	2161
7 - 9 Peak Hour			08:00	08:00	08:00	4 - 6 Peak Hour			16:00	16:15	16:15
7 - 9 Pk Volume	0	0	157	233	390	4 - 6 Pk Volume	0	0	797	449	1235
Pk Hr Factor	0.000	0.000	0.818	0.869	0.848	Pk Hr Factor	0.000	0.000	0.874	0.891	0.872

**VOLUME**

Adobe Trail N/o SR-62

Day: Wednesday

Date: 12/11/2013

City: Twenty-Nine Palms

Project #: CA13\_6233\_005

DAILY TOTALS				NB 4,488	SB 4,449	EB 0	WB 0	Total 8,937			
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00	1	9			10	12:00	84	90			174
00:15	3	5			8	12:15	106	81			187
00:30	6	4			10	12:30	71	71			142
00:45	0	10	6	24	6	12:45	92	353	90	332	182 685
01:00	3	6			9	13:00	88	84			172
01:15	2	0			2	13:15	71	69			140
01:30	6	1			7	13:30	75	76			151
01:45	3	14	2	9	5	13:45	93	327	67	296	160 623
02:00	2	1			3	14:00	71	69			140
02:15	2	2			4	14:15	85	82			167
02:30	0	4			4	14:30	95	75			170
02:45	3	7	5	12	8	14:45	103	354	61	287	164 641
03:00	1	2			3	15:00	106	73			179
03:15	1	5			6	15:15	65	83			148
03:30	0	6			6	15:30	99	74			173
03:45	2	4	9	22	11	15:45	84	354	61	291	145 645
04:00	9	12			21	16:00	94	74			168
04:15	8	10			18	16:15	98	54			152
04:30	3	11			14	16:30	141	70			211
04:45	4	24	19	52	23	16:45	173	506	76	274	249 780
05:00	6	22			28	17:00	137	58			195
05:15	10	30			40	17:15	109	66			175
05:30	5	54			59	17:30	122	83			205
05:45	17	38	50	156	67	17:45	85	453	88	295	173 748
06:00	9	57			66	18:00	107	46			153
06:15	12	69			81	18:15	70	58			128
06:30	25	71			96	18:30	74	77			151
06:45	20	66	94	291	114	18:45	75	326	64	245	139 571
07:00	23	81			104	19:00	67	57			124
07:15	16	71			87	19:15	50	53			103
07:30	24	55			79	19:30	48	70			118
07:45	32	95	53	260	85	19:45	50	215	49	229	99 444
08:00	25	46			71	20:00	30	41			71
08:15	45	67			112	20:15	32	33			65
08:30	45	72			117	20:30	33	41			74
08:45	53	168	62	247	115	20:45	30	125	20	135	50 260
09:00	62	63			125	21:00	35	27			62
09:15	49	62			111	21:15	22	33			55
09:30	55	67			122	21:30	19	30			49
09:45	54	220	63	255	117	21:45	13	89	15	105	28 194
10:00	63	70			133	22:00	15	24			39
10:15	85	55			140	22:15	14	17			31
10:30	63	63			126	22:30	11	12			23
10:45	84	295	68	256	152	22:45	11	51	10	63	21 114
11:00	63	56			119	23:00	8	14			22
11:15	109	65			174	23:15	13	10			23
11:30	91	77			168	23:30	16	5			21
11:45	90	353	78	276	168	23:45	4	41	8	37	12 78
TOTALS	1294	1860			3154	TOTALS	3194	2589			5783
SPLIT %	41.0%	59.0%			35.3%	SPLIT %	55.2%	44.8%			64.7%

DAILY TOTALS	NB 4,488	SB 4,449	EB 0	WB 0	Total 8,937
--------------	-------------	-------------	---------	---------	----------------

AM Peak Hour	11:15	11:30	11:30	PM Peak Hour	16:30	12:00	16:30
AM Pk Volume	374	326	697	PM Pk Volume	560	332	830
Pk Hr Factor	0.858	0.906	0.932	Pk Hr Factor	0.809	0.922	0.833
7 - 9 Volume	263	507	770	4 - 6 Volume	959	569	1528
7 - 9 Peak Hour	08:00	07:00	08:00	4 - 6 Peak Hour	16:30	17:00	16:30
7 - 9 Pk Volume	168	260	415	4 - 6 Pk Volume	560	295	830
Pk Hr Factor	0.792	0.802	0.887	Pk Hr Factor	0.809	0.838	0.833

**VOLUME**

Adobe Trail S/o Indian Trail

Day: Wednesday

Date: 12/11/2013

City: Twenty-Nine Palms

Project #: CA13\_6233\_004

DAILY TOTALS				NB 2,644	SB 2,803	EB 0	WB 0			Total 5,447	
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00	3	5			8	12:00	42	51			93
00:15	3	5			8	12:15	68	49			117
00:30	1	2			3	12:30	67	56			123
00:45	1	8	2	14	3 22	12:45	57	234	52	208	109 442
01:00	2	0			2	13:00	43	39			82
01:15	0	3			3	13:15	37	50			87
01:30	2	4			6	13:30	33	38			71
01:45	1	5	1	8	2 13	13:45	43	156	45	172	88 328
02:00	2	0			2	14:00	30	68			98
02:15	2	2			4	14:15	35	49			84
02:30	2	1			3	14:30	26	40			66
02:45	2	8	1	4	3 12	14:45	21	112	49	206	70 318
03:00	2	4			6	15:00	19	40			59
03:15	1	1			2	15:15	28	41			69
03:30	6	0			6	15:30	32	38			70
03:45	14	23	0	5	14 28	15:45	29	108	59	178	88 286
04:00	19	2			21	16:00	34	55			89
04:15	20	3			23	16:15	31	62			93
04:30	22	7			29	16:30	36	40			76
04:45	23	84	8	20	31 104	16:45	26	127	42	199	68 326
05:00	26	7			33	17:00	36	54			90
05:15	30	15			45	17:15	34	42			76
05:30	67	16			83	17:30	34	51			85
05:45	73	196	29	67	102 263	17:45	27	131	49	196	76 327
06:00	64	24			88	18:00	18	32			50
06:15	67	39			106	18:15	22	27			49
06:30	97	33			130	18:30	28	22			50
06:45	86	314	55	151	141 465	18:45	24	92	39	120	63 212
07:00	127	41			168	19:00	26	35			61
07:15	80	48			128	19:15	19	29			48
07:30	74	49			123	19:30	22	24			46
07:45	48	329	54	192	102 521	19:45	23	90	27	115	50 205
08:00	33	55			88	20:00	20	20			40
08:15	38	34			72	20:15	21	25			46
08:30	31	32			63	20:30	17	17			34
08:45	33	135	43	164	76 299	20:45	15	73	19	81	34 154
09:00	32	36			68	21:00	11	13			24
09:15	28	47			75	21:15	13	11			24
09:30	31	36			67	21:30	14	12			26
09:45	21	112	44	163	65 275	21:45	11	49	12	48	23 97
10:00	27	52			79	22:00	8	13			21
10:15	26	48			74	22:15	6	12			18
10:30	37	47			84	22:30	4	3			7
10:45	26	116	65	212	91 328	22:45	4	22	6	34	10 56
11:00	26	49			75	23:00	5	7			12
11:15	24	59			83	23:15	2	7			9
11:30	26	47			73	23:30	1	6			7
11:45	34	110	62	217	96 327	23:45	2	10	9	29	11 39
TOTALS	1440	1217			2657	TOTALS	1204	1586			2790
SPLIT %	54.2%	45.8%			48.8%	SPLIT %	43.2%	56.8%			51.2%

DAILY TOTALS				NB 2,644	SB 2,803	EB 0	WB 0			Total 5,447
AM Peak Hour	06:30	10:30		06:30	PM Peak Hour	12:15	15:45			12:00
AM Pk Volume	390	220		567	PM Pk Volume	235	216			442
Pk Hr Factor	0.768	0.846		0.844	Pk Hr Factor	0.864	0.871			0.898
7 - 9 Volume	464	356	0	820	4 - 6 Volume	258	395	0	0	653
7 - 9 Peak Hour	07:00	07:15		07:00	4 - 6 Peak Hour	16:30	16:00			16:15
7 - 9 Pk Volume	329	206	0	521	4 - 6 Pk Volume	132	199	0	0	327
Pk Hr Factor	0.648	0.936	0.000	0.775	Pk Hr Factor	0.917	0.802	0.000	0.000	0.879

**VOLUME**

SR-247 S/o Pipes Canyon Rd

Day: Wednesday

Date: 12/11/2013

City: Yucca Valley

Project #: CA13\_6233\_003

DAILY TOTALS				NB 1,390	SB 1,222	EB 0	WB 0	Total 2,612			
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00	2	1			3	12:00	21	24			45
00:15	2	1			3	12:15	28	26			54
00:30	4	0			4	12:30	26	24			50
00:45	5	13	1	3	6	12:45	16	91	28	102	44 193
01:00	1	0			1	13:00	26	26			52
01:15	1	1			2	13:15	16	29			45
01:30	3	0			3	13:30	28	27			55
01:45	3	8	1	2	4	13:45	26	96	29	111	55 207
02:00	2	0			2	14:00	35	19			54
02:15	0	0			0	14:15	31	20			51
02:30	1	0			1	14:30	28	21			49
02:45	0	3	1	1	1	14:45	32	126	23	83	55 209
03:00	0	0			0	15:00	30	15			45
03:15	5	0			5	15:15	31	28			59
03:30	7	3			10	15:30	23	22			45
03:45	2	14	2	5	4	15:45	28	112	15	80	43 192
04:00	0	2			2	16:00	25	15			40
04:15	3	2			5	16:15	34	20			54
04:30	3	1			4	16:30	26	21			47
04:45	5	11	4	9	9	16:45	29	114	25	81	54 195
05:00	2	4			6	17:00	36	23			59
05:15	3	4			7	17:15	23	18			41
05:30	5	7			12	17:30	28	14			42
05:45	6	16	3	18	9	17:45	21	108	15	70	36 178
06:00	6	8			14	18:00	13	13			26
06:15	4	15			19	18:15	19	13			32
06:30	10	19			29	18:30	14	7			21
06:45	9	29	16	58	25	18:45	16	62	6	39	22 101
07:00	10	23			33	19:00	10	12			22
07:15	8	25			33	19:15	6	5			11
07:30	22	28			50	19:30	7	4			11
07:45	18	58	20	96	38	19:45	10	33	5	26	15 59
08:00	37	20			57	20:00	12	6			18
08:15	24	26			50	20:15	5	2			7
08:30	25	33			58	20:30	9	5			14
08:45	13	99	24	103	37	20:45	11	37	2	15	13 52
09:00	17	20			37	21:00	13	2			15
09:15	14	25			39	21:15	6	3			9
09:30	13	26			39	21:30	5	4			9
09:45	19	63	30	101	49	21:45	14	38	2	11	16 49
10:00	24	29			53	22:00	6	2			8
10:15	23	30			53	22:15	6	3			9
10:30	27	31			58	22:30	7	1			8
10:45	18	92	24	114	42	22:45	5	24	3	9	8 33
11:00	37	25			62	23:00	5	2			7
11:15	22	15			37	23:15	3	0			3
11:30	35	23			58	23:30	5	2			7
11:45	34	128	18	81	52	23:45	2	15	0	4	2 19
TOTALS	534	591			1125	TOTALS	856	631			1487
SPLIT %	47.5%	52.5%			43.1%	SPLIT %	57.6%	42.4%			56.9%

DAILY TOTALS				NB 1,390	SB 1,222	EB 0	WB 0	Total 2,612
AM Peak Hour	11:00	09:45		10:15	PM Peak Hour	14:00	13:00	13:30

AM Peak Hour	128	120		215	PM Peak Hour	126	111	215
Pk Hr Factor	0.865	0.968		0.867	Pk Hr Factor	0.900	0.957	0.977
7 - 9 Volume	157	199	0	356	4 - 6 Volume	222	151	373
7 - 9 Peak Hour	07:45	08:00		07:45	4 - 6 Peak Hour	16:15	16:15	16:15
7 - 9 Pk Volume	104	103	0	203	4 - 6 Pk Volume	125	89	214
Pk Hr Factor	0.703	0.780	0.000	0.875	Pk Hr Factor	0.868	0.890	0.907

## **VOLUME**

SR-62 W/o Hoopa Trail

**Day:** Wednesday

Date: 12/11/2013

**City:** Morongo Valley/yo Valley


Project #: CA13 6233 002


DAILY TOTALS		NB	SB	EB		WB					Total
		0	0	7,247		6,836					14,083
AM Period	NB	SB	EB	WB	TOTAL	PM Period	NB	SB	EB	WB	TOTAL
00:00			13	7	20	12:00		97	97		194
00:15			16	6	22	12:15		86	125		211
00:30			16	6	22	12:30		108	117		225
00:45		11	56	4	23	12:45		113	404	122	461
01:00			9	4	13	13:00		85	118		203
01:15			12	8	20	13:15		122	119		241
01:30		14		6	20	13:30		124	122		246
01:45		9	44	2	20	13:45		112	443	104	463
02:00			8	5	13	14:00		148	115		263
02:15			4	5	9	14:15		102	110		212
02:30			2	8	10	14:30		120	102		222
02:45		6	20	5	23	14:45		128	498	117	444
03:00			16	9	25	15:00		126	123		249
03:15			16	11	27	15:15		164	137		301
03:30			7	7	14	15:30		149	137		286
03:45		7	46	13	40	15:45		147	586	119	516
04:00			9	9	18	16:00		138	130		268
04:15			11	32	43	16:15		151	137		288
04:30			13	18	31	16:30		177	129		306
04:45			22	55	34	16:45		192	658	123	519
05:00			37	55	92	17:00		161	127		288
05:15			37	62	99	17:15		154	140		294
05:30			42	68	110	17:30		145	115		260
05:45		75	191	62	247	17:45		150	610	90	472
06:00			59	102	161	18:00		137	74		211
06:15			85	115	200	18:15		116	68		184
06:30			94	115	209	18:30		108	55		163
06:45			82	320	100	18:45		86	447	47	244
07:00			68	153	221	19:00		52	68		120
07:15			77	175	252	19:15		62	44		106
07:30			99	122	221	19:30		70	44		114
07:45			101	345	123	19:45		61	245	39	195
08:00			98	106	204	20:00		68	36		104
08:15			88	113	201	20:15		63	28		91
08:30			107	102	209	20:30		48	34		82
08:45			107	400	118	20:45		49	228	36	134
09:00			81	103	184	21:00		45	22		67
09:15			97	133	230	21:15		49	22		71
09:30			107	117	224	21:30		34	20		54
09:45			128	413	107	21:45		44	172	20	84
10:00			93	114	207	22:00		31	18		49
10:15			88	96	184	22:15		42	12		54
10:30			92	120	212	22:30		50	14		64
10:45			100	373	116	22:45		35	158	10	54
11:00			111	103	214	23:00		27	15		42
11:15			121	97	218	23:15		19	8		27
11:30			98	103	201	23:30		24	9		33
11:45			119	449	112	23:45		16	86	7	39
TOTALS			2712	3211	5923	TOTALS		4535	3625		8160
SPLIT %			45.8%	54.2%	42.1%	SPLIT %		55.6%	44.4%		57.9%


DAILY TOTALS	NB	SB	EB	WB	Total						
	0	0	7,247	6,836							
AM Peak Hour	11:00	07:00	07:00	PM Peak Hour	16:30	15:15	16:30				
AM Pk Volume	449	573	918	PM Pk Volume	684	523	1203				
Pk Hr Factor	0.928	0.819	0.911	Pk Hr Factor	0.891	0.954	0.955				
7 - 9 Volume	0	0	745	1012	1757	4 - 6 Volume	0	0	1268	991	2259
7 - 9 Peak Hour			08:00	07:00	07:00	4 - 6 Peak Hour			16:30	16:00	16:30
7 - 9 Pk Volume	0	0	400	573	918	4 - 6 Pk Volume	0	0	684	519	1203
Pk Hr Factor	0.000	0.000	0.935	0.819	0.911	Pk Hr Factor	0.000	0.000	0.891	0.947	0.955

## **APPENDIX B: MBATS MODEL ROADWAY NETWORK REVISIONS**









### Base Year Model Land Use Modifications & TAZ Splits

Desc	TAZ Data											
		POP	HH	SF	MF	RETEMP	NRETEMP	K12	UNIV			
<b>Morongo Valley</b>												
TAZ to Split	OG		5-3980-304	1,942	867	861	6	3	121	226	0	
		P	E									
Split TAZ	New	0.15	0.8	5-3980-304	291.3	130.05	129.15	0.9	2.4	96.8	33.9	0
TAZ Split	New	0.15	0	5-3913-201	291.3	130.05	129.15	0.9	0	0	33.9	0
TAZ Split	New	0.15	0	5-3913-202	291.3	130.05	129.15	0.9	0	0	33.9	0
TAZ Split	New	0.25	0	5-3913-203	485.5	216.75	215.25	1.5	0	0	56.5	0
TAZ Split	New	0.3	0.2	5-3913-204	582.6	260.1	258.3	1.8	0.6	24.2	67.8	0
Stolen TAZ	OG		5-3913-201	2,560	671	671	0	3	83	1,059	0	
Stolen TAZ	OG		5-3913-202	0	0	0	0	3	2	0	0	
Stolen TAZ	OG		5-3913-203	2,104	551	551	0	3	26	8	0	
Stolen TAZ	OG		5-3913-204	19	5	5	0	3	48	0	0	
TAZ to Combine with Stolen SED	OG		5-3923-102	1,581	481	408	74	0	194	1,907	0	
Combined TAZ	New		5-3923-102	6,264	1,708	1,635	74	12	353	2,974	0	
<b>Twentynine Palms</b>												
TAZ to Split	OG		5-3991-105	1,198	445	445	0	0	7	0	0	
		P	E									
Split TAZ	New	0.38	0	5-3991-105	455.24	169.1	169.1	0	0	0	0	0
TAZ Split	New	0.41	1	5-3952-201	491.18	182.45	182.45	0	0	7	0	0
TAZ Split	New	0.21	0	5-3952-202	251.58	93.45	93.45	0	0	0	0	0
Stolen TAZ	OG		5-3952-201	487	224	178	46	162	46	0	0	
Stolen TAZ	OG		5-3952-202	727	334	334	0	0	98	0	0	
TAZ to Combine with Stolen SED	OG		5-3952-101	769	353	353	0	1	429	35	0	
Combined TAZ	New		5-3952-101	1,983	911	865	46	163	573	35	0	

### Future Year Model Land Use Modifications & TAZ Splits

Desc	TAZ Data											
		POP	HH	SF	MF	RETEMP	NRETEMP	K12	UNIV			
<b>Morongo Valley</b>												
TAZ to Split	OG		5-3980-304	2164	1008	839	168	8	131	226	0	
		P	E									
Split TAZ	New	0.15	0.8	5-3980-304	325	151	126	25	6	105	34	0
TAZ Split	New	0.15	0	5-3913-201	325	151	126	25	0	0	34	0
TAZ Split	New	0.15	0	5-3913-202	325	151	126	25	0	0	34	0
TAZ Split	New	0.25	0	5-3913-203	541	252	210	42	0	0	57	0
TAZ Split	New	0.3	0.2	5-3913-204	649	302	252	50	2	26	68	0
Stolen TAZ	OG		5-3913-201	3630	990	832	158	8	83	1059	0	
Stolen TAZ	OG		5-3913-202	16	5	5	0	0	3	0	0	
Stolen TAZ	OG		5-3913-203	2902	792	662	130	2	26	8	0	
Stolen TAZ	OG		5-3913-204	803	219	6	213	57	86	111	0	
TAZ to Combine with Stolen SED	OG		5-3923-102	1990	629	569	60	0	209	1907	0	
Combined TAZ	New		5-3923-102	9341	2635	2074	561	67	407	3085	0	
<b>Twentynine Palms</b>												
TAZ to Split	OG		5-3991-105	907	407	407	0	0	9	0	0	
		P	E									
Split TAZ	New	0.38	0	5-3991-105	345	155	155	0	0	0	0	0
TAZ Split	New	0.41	1	5-3952-201	372	167	167	0	0	9	0	0
TAZ Split	New	0.21	0	5-3952-202	190	85	85	0	0	0	0	0
Stolen TAZ	OG		5-3952-201	1529	602	348	254	163	95	199	0	
Stolen TAZ	OG		5-3952-202	1167	460	460	0	0	139	131	0	
TAZ to Combine with Stolen SED	OG		5-3952-101	586	329	329	0	19	458	35	0	
Combined TAZ	New		5-3952-101	3282	1391	1137	254	182	692	365	0	

## **APPENDIX C: MBATS MODEL SED GROWTH BY TAZ**



TAZ ID	Original 2012-2035 RTP/SCS SBTAM Land Use (2008 Base Year)										2016-2040 RTP/SCS SANBAG Land Use (2012 Base Year)										Difference (2012 SED minus 2008 SED)										
	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI
53977102	64	31	29	1	0	13	0	0	108	35	20	15	0	1	0	0	44	4	-9	14	0	-12	0	0	0	0	0	0	0	0	0
53980201	1283	593	566	27	4	157	194	0	543	191	191	0	4	20	0	0	-740	-402	-375	-27	0	-137	-194	0	0	0	0	0	0	0	0
53981406	403	169	170	0	0	44	590	0	288	115	98	17	0	58	590	0	-115	-54	-72	17	0	14	0	0	0	0	0	0	0	0	
53937201	346	145	72	74	208	0	0	0	196	78	40	38	19	367	0	0	-150	-67	-32	-36	-189	367	0	0	0	0	0	0	0	0	
53945802	429	180	146	35	0	0	0	0	448	180	112	67	0	2	0	0	19	0	-34	32	0	2	0	0	0	0	0	0	0	0	
53981405	1335	562	278	285	550	0	0	0	402	161	141	20	138	81	0	0	-933	-401	-137	-265	-412	81	0	0	0	0	0	0	0	0	
53980403	361	166	160	6	8	111	0	0	398	129	81	47	40	102	0	0	37	-37	-79	41	32	-9	0	0	0	0	0	0	0	0	
53980404	255	117	117	0	4	8	0	0	334	108	90	17	5	57	0	0	79	-9	-27	17	1	49	0	0	0	0	0	0	0	0	
53981201	2436	1025	337	689	0	0	0	0	1159	401	66	335	1	2	0	0	-1277	-624	-271	-354	1	2	0	0	0	0	0	0	0		
53948201	180	76	25	51	0	0	0	0	165	57	41	16	0	0	0	0	-15	-19	16	-35	0	0	0	0	0	0	0	0	0		
53921202	258	108	84	24	0	0	0	0	213	85	85	0	0	5	0	0	-45	-23	1	-24	0	5	0	0	0	0	0	0	0		
53921201	137	57	45	13	0	0	0	0	123	49	49	0	0	3	0	0	-14	-8	4	-13	0	3	0	0	0	0	0	0	0		
53908301	1386	583	574	10	0	50	533	0	624	250	211	38	1	244	532	0	-762	-333	-363	28	1	194	-1	0	0	0	0	0	0	0	
53993101	302	139	109	30	0	61	0	0	344	111	107	4	1	7	0	0	42	-28	-2	-26	1	-54	0	0	0	0	0	0	0	0	
53980102	0	0	0	0	0	0	0	0	294	95	65	29	5	5	0	0	294	95	65	29	5	5	0	0	0	0	0	0	0	0	
53930201	0	0	0	0	235	831	0	0	34	13	13	0	14	181	0	0	34	13	13	0	-221	-650	0	0	0	0	0	0	0	0	
53922201	164	69	61	8	126	79	0	0	131	52	52	0	7	22	0	0	-33	-17	-9	-8	-119	-57	0	0	0	0	0	0	0	0	
53982101	92	38	34	4	0	0	0	0	82	33	32	0	0	16	0	0	-10	-5	-2	-4	0	16	0	0	0	0	0	0	0	0	
53982403	1080	454	146	308	507	188	0	0	878	352	102	250	15	100	0	0	-202	-102	-44	-58	-492	-88	0	0	0	0	0	0	0	0	
53922202	423	177	157	20	476	37	0	0	117	47	26	21	29	84	0	0	-306	-130	-131	1	-447	47	0	0	0	0	0	0	0	0	
53930202	398	167	56	111	625	121	0	0	100	40	2	37	36	123	0	0	-298	-127	-54	-74	-589	2	0	0	0	0	0	0	0	0	
53948202	217	91	30	62	0	36	348	0	166	57	45	12	0	55	347	0	-51	-34	15	-50	0	19	-1	0	0	0	0	0	0	0	
53945804	357	150	121	29	0	0	0	0	148	59	59	0	0	11	0	0	-209	-91	-62	-29	0	11	0	0	0	0	0	0	0	0	
53981304	759	319	258	62	0	289	0	0	281	113	97	15	0	108	0	0	-478	-206	-161	-47	0	-181	0	0	0	0	0	0	0	0	
53945801	1189	500	404	97	0	13	179	0	723	290	290	0	2	17	179	0	-466	-210	-114	-97	2	4	0	0	0	0	0	0	0		
53933201	487	205	160	45	0	0	0	0	166	66	66	0	0	1	0	0	-321	-139	-94	-45	0	1	0	0	0	0	0	0	0		
53981305	607	255	200	56	0	10	12	0	332	133	128	5	0	9	12	0	-275	-122	-72	-51	0	-1	0	0	0	0	0	0	0		
53981301	336	141	112	30	0	0	0	0	268	107	107	0	0	14	0	0	-68	-34	-5	-30	0	14	0	0	0	0	0	0	0	0	
53981303	364	153	127	27	0	0	0	0	394	158	147	10	0	1	0	0	30	5	20	-17	0	1	0	0	0	0	0	0	0		
53991105	345	155	155	0	0	0	0	0	437	164	164	0	0	0	0	0	92	9	9	0	0	0	0	0	0	0	0	0	0		
53952201	372	167	167	0	0	9	0	0	325	121																					

	Original 2012-2035 RTP/SCS SBTAM Land Use (2008 Base Year)								2016-2040 RTP/SCS SANBAG Land Use (2012 Base Year)								Difference (2012 SED minus 2008 SED)								
53982201	107	45	31	14	156	425	0	0	34	13	5	7	46	263	0	0	-73	-32	-26	-7	-110	-162	0	0	0
53984302	1474	620	317	304	666	377	0	0	661	265	16	248	47	191	0	0	-813	-355	-301	-56	-619	-186	0	0	0
53918302	138	58	58	0	335	281	0	0	0	0	0	0	148	26	0	0	-138	-58	-58	0	-187	-255	0	0	0
53982402	112	47	47	0	276	227	0	0	218	87	34	53	69	139	0	0	106	40	-13	53	-207	-88	0	0	0
53912204	328	138	138	1	0	0	0	0	125	50	50	0	0	1	0	0	-203	-88	-88	-1	0	1	0	0	0
53940201	428	180	180	0	0	0	0	0	458	184	150	33	1	4	0	0	30	4	-30	33	1	4	0	0	0
53912202	525	221	220	1	0	0	0	0	374	150	150	0	0	11	0	0	-151	-71	-70	-1	0	11	0	0	0
53982303	140	59	59	0	0	0	0	0	64	25	25	0	0	1	0	0	-76	-34	-34	0	0	1	0	0	0
53982401	157	66	58	9	0	0	0	0	374	150	98	51	69	78	0	0	217	84	40	42	69	78	0	0	0
53912205	188	79	79	0	50	52	45	0	206	83	38	44	0	20	45	0	18	4	-41	44	-50	-32	0	0	0
53912201	211	89	89	0	0	0	0	0	74	29	29	0	0	5	0	0	-137	-60	-60	0	0	5	0	0	0
53982503	113	47	48	0	0	0	0	0	34	13	13	0	0	0	0	0	-79	-34	-35	0	0	0	0	0	0
53912203	68	29	29	0	0	0	0	0	177	71	26	44	0	23	0	0	109	42	-3	44	0	23	0	0	0
53987402	898	376	318	58	2	10	0	0	1057	343	255	87	4	3	0	0	159	-33	-63	29	2	-7	0	0	0
53895201	609	256	255	1	211	133	0	0	324	130	108	21	23	25	357	0	-285	-126	-147	20	-188	-108	357	0	0
53895203	1234	519	517	3	0	0	0	0	471	189	189	0	0	0	0	0	-763	-330	-328	-3	0	0	0	0	0
53941201	72	30	20	10	0	269	0	0	0	9	9	0	0	65	0	0	-72	-21	-11	-10	0	-204	0	0	0
53899202	454	191	133	58	308	223	0	0	60	24	16	7	89	51	0	0	-394	-167	-117	-51	-219	-172	0	0	0
53982202	789	332	332	0	500	128	0	0	208	83	64	19	72	81	0	0	-581	-249	-268	19	-428	-47	0	0	0
53916201	494	208	208	0	420	0	0	0	0	0	0	0	409	2	0	0	-494	-208	-208	0	-11	2	0	0	0
53923301	1210	509	260	250	3915	0	0	0	352	141	141	0	54	183	0	0	-858	-368	-119	-250	-3861	183	0	0	0
53899201	460	193	135	59	331	0	0	0	31	12	12	0	135	53	0	0	-429	-181	-123	-59	-196	53	0	0	0
53984501	423	178	101	77	159	131	0	0	511	205	100	105	6	43	0	0	88	27	-1	28	-153	-88	0	0	0
53910202	1690	711	356	356	0	0	0	0	467	187	10	177	0	7	0	0	-1223	-524	-346	-179	0	7	0	0	0
53939203	119	50	36	14	309	0	0	0	0	0	0	0	36	0	0	-119	-50	-36	-14	-273	0	0	0	0	
53931302	1059	447	73	374	208	272	0	0	130	52	2	49	16	45	71	0	-929	-395	-71	-325	-192	-227	71	0	0
53931301	265	112	18	94	0	135	0	0	188	75	7	68	0	15	0	0	-77	-37	-11	-26	0	-120	0	0	0
53898304	97	41	41	0	0	0	0	0	43	17	17	0	0	7	0	0	-54	-24	-24	0	0	7	0	0	0
53898301	101	42	43	0	0	0	0	0	95	38	26	12	0	22	0	0	-6	-4	-17	12	0	22	0	0	0
53982302	120	50	51	0	532	335	0	0	95	38	38	0	29	33	0	0	-25	-12	-13	0	-503	-302	0	0	0
53981102	1647	693	497	197	191	120	0	0	742	298	75	222	2	474	0	0	-905	-395	-422	25	-189	354	0	0	0
53939201	362	152	109	43	22	14	0	0	444	178	168	10	0	32	0	0	82	26	59	-33	-22	18	0	0	0
53939202	27	11	8	3	217	5	0	0	33	13	7	6	9	2	0	0	6	2	-1	3	-208	-3	0	0	0
53984504	325	137	137	0	0	0	0	0	245	98	98	0	0	8	0	0	-80	-39	-39	0	0	8	0	0	0
53924201	259	109	109	0	0	0	0	0	239	96	82	14	0	6	0	0	-20	-13	-27	14	0	6	0	0	0
53903201	563	237	185	52	0	0	0	0	556	223	199	23	0	9	0	0	-7	-14	14	-29	0	9	0	0	0
53984102	300	126	126	1	0	0	0	0	190	76	76	0	0	2	0	0	-110	-50	-50	-1	0	2	0	0	0
53982305	423	178	178	0	0	0	0	0	319	128	102	26	2	0	0	0	-104	-50	-76	26	2	0	0	0	0
53900201	111	47	47	0	0																				

Original 2012-2035 RTP/SCS SBTAM Land Use (2008 Base Year)									2016-2040 RTP/SCS SANBAG Land Use (2012 Base Year)									Difference (2012 SED minus 2008 SED)									
53989303	103	43	44	0	0	0	0	0	53	21	21	0	0	207	0	0	-50	-22	-23	0	0	207	0	0	0		
53984502	448	188	144	45	66	66	0	0	425	170	112	57	3	31	0	0	-23	-18	-32	12	-63	-35	0	0	0	0	
53926201	238	100	77	24	0	0	0	0	228	91	91	0	0	5	0	0	-10	-9	14	-24	0	5	0	0	0	0	
53984401	601	253	198	55	323	0	0	0	112	45	45	0	46	91	0	0	-489	-208	-153	-55	-277	91	0	0	0	0	
53982501	102	41	41	0	0	23	0	0	159	52	45	7	0	0	0	0	57	11	4	7	0	-23	0	0	0	0	
53982504	311	131	131	0	0	0	0	0	131	52	52	0	0	0	0	0	-180	-79	-79	0	0	0	0	0	0	0	
53909201	556	234	234	0	61	38	0	0	407	163	157	6	9	4	0	0	-149	-71	-77	6	-52	-34	0	0	0	0	
53949201	26	11	11	0	131	2363	0	0	41	16	16	0	4	269	0	0	15	5	5	0	-127	-2094	0	0	0	0	
53984403	0	0	0	0	1226	1453	0	0	0	0	0	0	135	457	0	0	0	0	0	0	0	-1091	-996	0	0	0	0
53987401	1196	500	207	293	15	31	625	0	1273	413	194	219	10	74	624	0	77	-87	-13	-74	-5	43	-1	0	0	0	
53990101	7617	1668	143	1525	4	1278	0	0	4477	1661	0	1660	84	1384	0	0	-3140	-7	-143	135	80	106	0	0	0	0	
53983101	882	515	510	5	1	139	134	0	1075	349	323	25	0	37	0	0	193	-166	-187	20	-1	-102	-134	0	0	0	
53977104	69	33	32	1	0	8	0	0	146	47	40	7	0	2	0	0	77	14	8	6	0	-6	0	0	0	0	
53983206	625	358	341	17	10	41	203	0	1043	338	292	46	42	80	337	0	418	-20	-49	29	32	39	134	0	0	0	
53983202	479	274	263	10	7	35	0	0	966	313	267	46	6	26	0	0	487	39	4	36	-1	-9	0	0	0	0	
53983201	441	252	244	9	4	88	0	0	805	261	205	55	2	84	0	0	364	9	-39	46	-2	-4	0	0	0	0	
53977201	876	419	402	17	14	79	0	0	1245	404	316	88	4	66	0	0	369	-15	-86	71	-10	-13	0	0	0	0	
53985202	570	253	244	9	1	50	0	0	657	213	213	0	0	9	0	0	87	-40	-31	-9	-1	-41	0	0	0	0	
53913202	325	151	126	25	0	0	34	0	528	171	171	0	2	29	0	0	203	20	45	-25	2	29	-34	0	0	0	
53913203	541	252	210	42	0	0	57	0	493	160	160	0	0	37	0	0	-48	-92	-50	-42	0	37	-57	0	0	0	
53980101	49	23	23	1	3	1	38	0	155	50	50	0	2	4	232	0	106	27	27	-1	-1	3	194	0	0	0	
53980301	224	104	104	0	2	8	0	0	422	137	110	26	14	11	0	0	198	33	6	26	12	3	0	0	0	0	
53980302	84	39	39	0	1	10	0	0	155	50	46	4	3	0	0	0	71	11	7	4	2	-10	0	0	0	0	
53980303	167	78	78	0	0	13	0	0	381	124	111	12	10	65	0	0	214	46	33	12	10	52	0	0	0	0	
53913201	325	151	126	25	0	0	34	0	332	108	91	16	26	24	0	0	7	-43	-35	-9	26	24	-34	0	0	0	
53991104	291	131	131	0	0	54	777	0	229	86	81	4	0	94	777	0	-62	-45	-50	4	0	40	0	0	0	0	
53980305	65	30	30	0	0	20	0	0	90	29	25	4	0	0	0	0	25	-1	-5	4	0	-20	0	0	0	0	
53980401	17	8	7	1	0	23	0	0	31	10	8	1	0	0	0	0	14	2	1	0	0	-23	0	0	0	0	
53980402	88	41	24	17	6	3	0	0	259	84	27	56	18	1	0	0	171	43	3	39	12	-2	0	0	0	0	
53984602	385	162	162	0	0	0	0	0	210	84	84	0	0	6	0	0	-175	-78	-78	0	0	6	0	0	0	0	
53982106	265	112	37	75	0	0	0	0	21	8	8	0	0	52	0	0	-244	-104	-29	-75	0	52	0	0	0	0	
53988101	11	4	4	0	0	37	0	0	5	1	1	0	0	16	0	0	-6	-3	-3	0	0	-21	0	0	0	0	
53911203	93	39	33	7	0	0	0	0	85	34	34	0	0	27	0	0	-8	-5	1	-7	0	27	0	0	0	0	
53981404	403	170	121	49	211	2	0	0	190	76	29	47	8	7	0	0	-213	-94	-92	-2	-203	5	0	0	0	0	
53981403	398	167	167	0	625	0	0	0	71	28	11	17	20	61	0	0	-327	-139	-156	17	-605	61	0	0	0	0	
53981401	265	112	112	0	417	0	0	0	0	0	0	0	9	105	0	0	-265	-112	-112	0	-408	105	0	0	0	0	
53981402	625	262	221	42	208	0	0	0	402	161	40	121	17	19	0	0	-223	-101	-181	79	-191	19	0	0	0	0	
53981407	345	145	145	0																							

	Original 2012-2035 RTP/SCS SBTAM Land Use (2008 Base Year)								2016-2040 RTP/SCS SANBAG Land Use (2012 Base Year)								Difference (2012 SED minus 2008 SED)									
	4	2	2	0	1	34	0	0	0	1	1	0	0	0	0	0	-4	-1	-1	0	-1	-34	0	0	0	
53983204	4	2	2	0	1	34	0	0	0	0	1	1	0	0	0	0	-4	-1	-1	0	-1	-34	0	0	0	
53987302	685	251	170	81	23	884	0	0	716	232	131	100	29	1352	0	0	0	31	-19	-39	19	6	468	0	0	0
53987102	181	83	82	1	0	11	0	0	383	124	119	5	0	13	0	0	0	202	41	37	4	0	2	0	0	0
53984301	180	75	76	0	436	366	0	0	0	2	2	0	70	209	0	0	0	-180	-73	-74	0	-366	-157	0	0	0
53987201	1907	792	660	132	25	246	0	0	2429	788	513	274	89	184	0	0	0	522	-4	-147	142	64	-62	0	0	0
53908302	2459	1035	1017	18	0	0	0	0	332	133	133	0	0	29	0	0	0	-2127	-902	-884	-18	0	29	0	0	0
53986202	570	253	244	9	1	50	0	0	149	48	36	11	7	4	0	0	0	-421	-205	-208	2	6	-46	0	0	0
53986201	1419	607	264	344	31	224	0	0	1754	569	235	333	66	250	0	0	0	335	-38	-29	-11	35	26	0	0	0
53985203	68	30	29	1	0	5	0	0	147	47	44	3	0	0	0	0	0	79	17	15	2	0	-5	0	0	0
53986105	500	205	189	16	3	28	0	0	516	167	141	25	4	13	0	0	0	16	-38	-48	9	1	-15	0	0	0
53989101	336	172	170	2	0	88	69	0	416	140	131	8	2	222	68	0	0	80	-32	-39	6	2	134	-1	0	0
53989203	219	117	115	2	0	43	0	0	418	135	121	14	0	0	0	0	0	199	18	6	12	0	-43	0	0	0
53989202	371	198	194	4	0	45	0	0	653	212	194	17	0	5	0	0	0	282	14	0	13	0	-40	0	0	0
53989302	67	32	32	0	2	14	0	0	141	53	50	2	7	1	0	0	0	74	21	18	2	5	-13	0	0	0
53989303	465	227	107	120	1	43	87	2359	363	131	53	77	0	17	87	2486	-102	-96	-54	-43	-1	-26	0	127	0	
53986501	171	79	66	13	1	10	0	0	227	74	52	21	1	0	0	0	0	56	-5	-14	8	0	-10	0	0	0
53986101	357	146	137	9	1	40	0	0	471	152	119	33	0	0	0	0	0	114	6	-18	24	-1	-40	0	0	0
53986103	36	15	14	1	0	4	0	0	48	15	14	1	0	3	0	0	0	12	0	0	0	0	-1	0	0	0
53986102	126	52	48	3	0	12	0	0	135	44	36	7	0	0	0	0	0	9	-8	-12	4	0	-12	0	0	0
53987301	317	116	18	98	1	21	0	0	229	74	11	63	0	0	0	0	0	88	-42	-7	-35	-1	-21	0	0	0
53986104	616	252	232	20	0	16	180	0	893	290	249	40	0	15	180	0	0	277	38	17	20	0	-1	0	0	0
53986502	515	237	237	0	1	56	0	0	674	218	183	35	7	110	0	0	0	159	-19	-54	35	6	54	0	0	0
53986301	204	80	74	6	0	25	0	0	220	71	64	6	1	2	0	0	0	16	-9	-10	0	1	-23	0	0	0
53986503	679	312	87	225	40	129	398	0	818	265	81	184	65	439	397	0	0	139	-47	-6	-41	25	310	-1	0	0
53989401	1246	571	456	115	4	81	109	0	1404	504	364	140	9	131	109	0	0	158	-67	-92	25	5	50	0	0	0
53989501	941	459	453	6	3	68	165	0	772	289	260	28	14	23	0	0	0	-169	-170	-193	22	11	-45	-165	0	0
53993601	1	0	0	0	0	0	0	0	226	73	70	3	3	2	0	0	0	225	73	70	3	3	2	0	0	0
53989301	565	275	274	1	1	37	141	0	475	178	172	5	3	16	517	0	0	-90	-97	-102	4	2	-21	376	0	0
53991109	535	240	219	21	12	7	0	0	780	292	211	80	75	8	0	0	0	245	52	-8	59	63	1	0	0	0
53991202	258	137	137	0	83	104	0	0	411	153	116	37	178	55	0	0	0	153	16	-21	37	95	-49	0	0	0
53992503	620	66	66	0	12	51	0	0	306	114	100	14	57	27	0	0	0	-314	48	34	14	45	-24	0	0	0
53989601	300	146	135	11	0	27	0	0	517	167	150	17	0	11	0	0	0	217	21	15	6	0	-16	0	0	0
53989604	280	137	126	10	0	31	0	0	517	167	165	2	0	16	0	0	0	237	30	39	-8	0	-15	0	0	0
53992101	111	58	58	0	0	12	0	0	151	49	39	9	0	0	0	0	0	40	-9	-19	9	0	-12	0	0	0
53989602	111	54	50	4	0	7	0	0	280	91	85	5	0	3	0	0	0	169	37	35	1	0	-4	0	0	0
53989603	866	422	417	5	0	57	211	0</td																		

	Original 2012-2035 RTP/SCS SBTAM Land Use (2008 Base Year)								2016-2040 RTP/SCS SANBAG Land Use (2012 Base Year)								Difference (2012 SED minus 2008 SED)								
	56	29	29	0	0	32	0	0	123	46	45	0	0	35	0	0	67	17	16	0	0	3	0	0	0
53992102	56	29	29	0	0	32	0	0	123	46	45	0	0	35	0	0	67	17	16	0	0	3	0	0	0
53992201	151	48	6	42	14	33	526	0	0	24	24	0	49	49	526	0	-151	-24	18	-42	35	16	0	0	0
53993402	594	275	275	0	5	87	107	0	1190	431	403	27	18	1	0	0	596	156	128	27	13	-86	-107	0	0
53993403	692	320	272	48	7	96	165	0	1034	379	355	23	25	401	0	0	342	59	83	-25	18	305	-165	0	0
53992302	309	167	144	23	18	103	0	0	490	183	54	128	95	149	0	0	181	16	-90	105	77	46	0	0	0
53992202	3	2	2	0	27	0	0	0	11	4	4	0	94	0	0	0	8	2	2	0	67	0	0	0	0
53993503	411	214	212	2	0	4	89	0	213	69	63	5	0	2	0	0	-198	-145	-149	3	0	-2	-89	0	0
53993501	93	48	47	1	0	28	0	0	97	31	31	0	0	8	0	0	4	-17	-16	-1	0	-20	0	0	0
53993203	234	124	117	6	0	69	0	0	409	132	126	6	6	40	0	0	175	8	9	0	6	-29	0	0	0
53993201	230	121	117	4	1	18	0	0	254	82	77	4	2	0	0	0	24	-39	-40	0	1	-18	0	0	0
53992204	4	2	2	0	2	1	0	0	10	3	3	0	7	0	0	0	6	1	1	0	5	-1	0	0	0
53992301	1514	821	163	657	25	191	77	0	2214	829	81	747	43	97	0	0	700	8	-82	90	18	-94	-77	0	0
53992401	112	61	61	0	1	15	14	0	125	47	43	3	0	176	14	0	13	-14	-18	3	-1	161	0	0	0
53992402	518	281	38	243	1	8	0	0	699	262	35	226	0	3	0	0	181	-19	-3	-17	-1	-5	0	0	0
53992403	468	254	9	245	1	3	180	0	242	90	90	0	6	0	0	0	-226	-164	81	-245	5	-3	-180	0	0
53992504	1406	196	196	0	0	14	80	0	203	76	58	17	0	0	0	0	-1203	-120	-138	17	0	-14	-80	0	0
53993401	1171	542	542	0	5	585	366	0	583	218	205	13	18	2616	529	0	-588	-324	-337	13	13	2031	163	0	0
53993602	331	175	166	9	2	56	0	0	468	152	140	11	0	6	0	0	137	-23	-26	2	-2	-50	0	0	0
53993502	25	13	12	1	0	7	0	0	55	18	18	0	0	4	0	0	30	5	6	-1	0	-3	0	0	0
53993202	102	54	53	1	0	31	0	0	143	46	39	7	0	0	0	0	41	-8	-14	6	0	-31	0	0	0
53993301	409	197	191	5	0	14	0	0	573	214	180	34	1	7	0	0	164	17	-11	29	1	-7	0	0	0
53993302	496	238	232	6	0	16	0	0	839	314	273	40	0	9	0	0	343	76	41	34	0	-7	0	0	0
53993303	759	365	352	12	0	20	0	0	872	326	241	85	1	0	0	0	113	-39	-111	73	1	-20	0	0	0
53931304	794	335	55	280	232	0	0	0	134	53	7	46	24	1	0	0	-660	-282	-48	-234	-208	1	0	0	0
53931303	794	335	55	280	212	44	0	0	264	106	0	105	12	6	0	0	-530	-229	-55	-175	-200	-38	0	0	0
53986302	194	76	69	7	0	11	0	0	303	99	92	6	0	14	0	0	109	23	23	-1	0	3	0	0	0
53980304	325	151	126	25	6	105	34	0	357	116	95	20	14	47	226	0	32	-35	-31	-5	8	-58	192	0	0
53952202	190	85	85	0	0	0	0	0	208	77	77	0	0	0	0	0	18	-8	-8	0	0	0	0	0	0
53895205	633	266	265	1	0	0	358	0	0	174	174	0	0	0	0	0	-633	-92	-91	-1	0	0	-358	0	0

TAZ ID	Original 2012-2035 RTP/SCS SBTAM Land Use (2035 Future Year)										2016-2040 RTP/SCS SANBAG Land Use (2040 Future Year)										Difference (2040 SED minus 2035 SED)										
	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI	COLLEGEEN	POPULATC	HOUSEHOL	SINGLEFAN	MULTIFAM	RETAILEMF	NRETAILEN	KINDERGAI
53977102	64	31	29	1	0	13	0	0	109	35	20	15	0	1	0	0	45	4	-9	14	0	-12	0	0	0	0	0	0	0	0	0
53980201	1283	593	566	27	4	157	194	0	544	192	192	0	5	21	0	0	-739	-401	-374	-27	1	-136	-194	0	0	0	0	0	0	0	0
53981406	403	169	170	0	0	44	590	0	289	116	99	17	0	58	590	0	-114	-53	-71	17	0	14	0	0	0	0	0	0	0	0	
53937201	346	145	72	74	208	0	0	0	196	79	41	38	20	367	0	0	-150	-66	-31	-36	-188	367	0	0	0	0	0	0	0	0	
53945802	429	180	146	35	0	0	0	0	449	180	113	67	0	3	0	0	20	0	-33	32	0	3	0	0	0	0	0	0	0	0	
53981405	1335	562	278	285	550	0	0	0	403	162	141	21	139	81	0	0	-932	-400	-137	-264	-411	81	0	0	0	0	0	0	0	0	
53980403	361	166	160	6	8	111	0	0	399	129	82	48	41	102	0	0	38	-37	-78	42	33	-9	0	0	0	0	0	0	0	0	
53980404	255	117	117	0	4	8	0	0	334	109	91	18	5	57	0	0	79	-8	-26	18	1	49	0	0	0	0	0	0	0	0	
53981201	2436	1025	337	689	0	0	0	0	1159	402	66	336	1	2	0	0	-1277	-623	-271	-353	1	2	0	0	0	0	0	0	0		
53948201	180	76	25	51	0	0	0	0	166	57	41	16	0	1	0	0	-14	-19	16	-35	0	1	0	0	0	0	0	0	0		
53921202	258	108	84	24	0	0	0	0	214	86	86	0	0	5	0	0	-44	-22	2	-24	0	5	0	0	0	0	0	0	0		
53921201	137	57	45	13	0	0	0	0	123	49	49	0	0	3	0	0	-14	-8	4	-13	0	3	0	0	0	0	0	0	0		
53908301	1386	583	574	10	0	50	533	0	624	251	212	39	1	244	533	0	-762	-332	-362	29	1	194	0	0	0	0	0	0	0	0	
53993101	302	139	109	30	0	61	0	0	345	112	107	5	1	7	0	0	43	-27	-2	-25	1	-54	0	0	0	0	0	0	0	0	
53980102	0	0	0	0	0	0	0	0	295	96	66	30	6	6	0	0	295	96	66	30	6	6	0	0	0	0	0	0	0	0	
53930201	0	0	0	0	235	831	0	0	34	14	14	0	14	182	0	0	34	14	14	0	-221	-649	0	0	0	0	0	0	0	0	
53922201	164	69	61	8	126	79	0	0	131	53	53	0	8	23	0	0	-33	-16	-8	-8	-118	-56	0	0	0	0	0	0	0	0	
53982101	92	38	34	4	0	0	0	0	83	33	33	0	0	16	0	0	-9	-5	-1	-4	0	16	0	0	0	0	0	0	0	0	
53982403	1080	454	146	308	507	188	0	0	879	353	103	250	15	101	0	0	-201	-101	-43	-58	-492	-87	0	0	0	0	0	0	0	0	
53922202	423	177	157	20	476	37	0	0	118	47	26	21	29	85	0	0	-305	-130	-131	1	-447	48	0	0	0	0	0	0	0	0	
53930202	398	167	56	111	625	121	0	0	100	40	2	38	37	123	0	0	-298	-127	-54	-73	-588	2	0	0	0	0	0	0	0	0	
53948202	217	91	30	62	0	36	348	0	167	58	46	12	0	56	347	0	-50	-33	16	-50	0	20	-1	0	0	0	0	0	0	0	
53945804	357	150	121	29	0	0	0	0	148	60	60	0	0	11	0	0	-209	-90	-61	-29	0	11	0	0	0	0	0	0	0	0	
53981304	759	319	258	62	0	289	0	0	282	113	97	16	0	109	0	0	-477	-206	-161	-46	0	-180	0	0	0	0	0	0	0	0	
53945801	1189	500	404	97	0	13	179	0	723	290	290	0	2	18	179	0	-466	-210	-114	-97	2	5	0	0	0	0	0	0	0		
53933201	487	205	160	45	0	0	0	0	166	67	67	0	0	2	0	0	-321	-138	-93	-45	0	2	0	0	0	0	0	0	0		
53981305	607	255	200	56	0	10	12	0	333	134	128	5	0	9	12	0	-274	-121	-72	-51	0	-1	0	0	0	0	0	0	0		
53981301	336	141	112	30	0	0	0	0	268	108	108	0	0	14	0	0	-68	-33	-4	-30	0	14	0	0	0	0	0	0	0	0	
53981303	364	153	127	27	0	0	0	0	394	158	148	11	0	1	0	0	30	5	21	-16	0	1	0	0	0	0	0	0	0		
53991105	345	155	155	0	0	0	0	0	438	164	164	0	0	1	0	0	93	9	9	0	0	1	0	0	0	0	0	0	0	0	
53952201	372	167	167	0	0	9	0	0	325	12																					

	Original 2012-2035 RTP/SCS SBTAM Land Use (2035 Future Year)									2016-2040 RTP/SCS SANBAG Land Use (2040 Future Year)									Difference							
	107	45	31	14	156	425	0	0	34	14	6	8	46	263	0	0	-73	-31	-25	-6	-110	-162	0	0	0	0
53982201	107	45	31	14	156	425	0	0	34	14	6	8	46	263	0	0	-73	-31	-25	-6	-110	-162	0	0	0	0
53984302	1474	620	317	304	666	377	0	0	661	266	17	249	48	191	0	0	-813	-354	-300	-55	-618	-186	0	0	0	0
53918302	138	58	58	0	335	281	0	0	0	0	0	0	148	26	0	0	-138	-58	-58	0	-187	-255	0	0	0	0
53982402	112	47	47	0	276	227	0	0	219	88	34	54	70	140	0	0	107	41	-13	54	-206	-87	0	0	0	0
53912204	328	138	138	1	0	0	0	0	126	51	51	0	0	1	0	0	-202	-87	-87	-1	0	1	0	0	0	0
53940201	428	180	180	0	0	0	0	0	459	184	150	34	1	5	0	0	31	4	-30	34	1	5	0	0	0	0
53912202	525	221	220	1	0	0	0	0	375	150	150	0	0	12	0	0	-150	-71	-70	-1	0	12	0	0	0	0
53982303	140	59	59	0	0	0	0	0	64	26	26	0	0	1	0	0	-76	-33	-33	0	0	1	0	0	0	0
53982401	157	66	58	9	0	0	0	0	374	150	99	51	70	78	0	0	217	84	41	42	70	78	0	0	0	0
53912205	188	79	79	0	50	52	45	0	207	83	38	45	0	20	45	0	19	4	-41	45	-50	-32	0	0	0	0
53912201	211	89	89	0	0	0	0	0	74	30	30	0	0	5	0	0	-137	-59	-59	0	0	5	0	0	0	0
53982503	113	47	48	0	0	0	0	0	34	14	14	0	0	1	0	0	-79	-33	-34	0	0	1	0	0	0	0
53912203	68	29	29	0	0	0	0	0	177	71	26	45	0	23	0	0	109	42	-3	45	0	23	0	0	0	0
53987402	898	376	318	58	2	10	0	0	1057	343	256	88	4	3	0	0	159	-33	-62	30	2	-7	0	0	0	0
53895201	609	256	255	1	211	133	0	0	324	130	108	22	23	25	358	0	-285	-126	-147	21	-188	-108	358	0	0	0
53895203	1234	519	517	3	0	0	0	0	471	189	189	0	0	0	0	0	-763	-330	-328	-3	0	0	0	0	0	0
53941201	72	30	20	10	0	269	0	0	0	10	10	0	0	66	0	0	-72	-20	-10	-10	0	-203	0	0	0	0
53899202	454	191	133	58	308	223	0	0	60	24	16	8	89	51	0	0	-394	-167	-117	-50	-219	-172	0	0	0	0
53982202	789	332	332	0	500	128	0	0	209	84	64	20	73	81	0	0	-580	-248	-268	20	-427	-47	0	0	0	0
53916201	494	208	208	0	420	0	0	0	0	0	0	0	409	3	0	0	-494	-208	-208	0	-11	3	0	0	0	0
53923301	1210	509	260	250	3915	0	0	0	352	142	142	0	54	183	0	0	-858	-367	-118	-250	-3861	183	0	0	0	0
53899201	460	193	135	59	331	0	0	0	32	13	13	0	136	54	0	0	-428	-180	-122	-59	-195	54	0	0	0	0
53984501	423	178	101	77	159	131	0	0	511	205	100	105	6	43	0	0	88	27	-1	28	-153	-88	0	0	0	0
53910202	1690	711	356	356	0	0	0	0	468	188	10	178	0	7	0	0	-1222	-523	-346	-178	0	7	0	0	0	0
53939203	119	50	36	14	309	0	0	0	0	0	0	0	37	1	0	0	-119	-50	-36	-14	-272	1	0	0	0	0
53931302	1059	447	73	374	208	272	0	0	131	53	3	50	16	45	72	0	-928	-394	-70	-324	-192	-227	72	0	0	0
53931301	265	112	18	94	0	135	0	0	189	76	7	69	1	15	0	0	-76	-36	-11	-25	1	-120	0	0	0	0
53898304	97	41	41	0	0	0	0	0	43	17	17	0	0	7	0	0	-54	-24	-24	0	0	7	0	0	0	0
53898301	101	42	43	0	0	0	0	0	96	38	26	12	0	22	0	0	-5	-4	-17	12	0	22	0	0	0	0
53982302	120	50	51	0	532	335	0	0	95	38	38	0	29	33	0	0	-25	-12	-13	0	-503	-302	0	0	0	0
53981102	1647	693	497	197	191	120	0	0	743	298	76	222	2	475	0	0	-904	-395	-421	25	-189	355	0	0	0	0
53939201	362	152	109	43	22	14	0	0	445	179	168	10	0	33	0	0	83	27	59	-33	-22	19	0	0	0	0
53939202	27	11	8	3	217	5	0	0	34	13	7	6	9	3	0	0	7	2	-1	3	-208	-2	0	0	0	0
53984504	325	137	137	0	0	0	0	0	246	99	99	0	0	8	0	0	-79	-38	-38	0	0	8	0	0	0	0
53924201	259	109	109	0	0	0	0	0	239	96	82	14	0	7	0	0	-20	-13	-27	14	0	7	0	0	0	0
53903201	563	237	185																							

Original 2012-2035 RTP/SCS SBTAM Land Use (2035 Future Year)										2016-2040 RTP/SCS SANBAG Land Use (2040 Future Year)										Difference						
53989303	103	43	44	0	0	0	0	0	0	54	22	22	0	0	208	0	0	-49	-21	-22	0	0	208	0	0	0
53984502	448	188	144	45	66	66	0	0	0	425	171	113	58	3	32	0	0	-23	-17	-31	13	-63	-34	0	0	0
53926201	238	100	77	24	0	0	0	0	0	228	92	92	0	0	5	0	0	-10	-8	15	-24	0	5	0	0	0
53984401	601	253	198	55	323	0	0	0	0	112	45	45	0	46	91	0	0	-489	-208	-153	-55	-277	91	0	0	0
53982501	102	41	41	0	0	23	0	0	0	160	52	45	7	0	0	0	0	58	11	4	7	0	-23	0	0	0
53982504	311	131	131	0	0	0	0	0	0	132	53	53	0	0	1	0	0	-179	-78	-78	0	0	1	0	0	0
53909201	556	234	234	0	61	38	0	0	0	408	164	158	6	9	5	0	0	-148	-70	-76	6	-52	-33	0	0	0
53949201	26	11	11	0	131	2363	0	0	0	42	17	17	0	5	270	0	0	16	6	6	0	-126	-2093	0	0	0
53984403	0	0	0	0	1226	1453	0	0	0	0	0	0	0	136	458	0	0	0	0	0	0	-1090	-995	0	0	0
53987401	1196	500	207	293	15	31	625	0	0	1273	413	194	219	11	74	625	0	77	-87	-13	-74	-4	43	0	0	0
53990101	7617	1668	143	1525	4	1278	0	0	0	4478	1661	1	1661	85	1385	0	0	-3139	-7	-142	136	81	107	0	0	0
53983101	882	515	510	5	1	139	134	0	0	1075	349	324	25	0	37	0	0	193	-166	-186	20	-1	-102	-134	0	0
53977104	69	33	32	1	0	8	0	0	0	147	48	41	7	0	2	0	0	78	15	9	6	0	-6	0	0	0
53983206	625	358	341	17	10	41	203	0	0	1043	339	292	47	43	81	337	0	418	-19	-49	30	33	40	134	0	0
53983202	479	274	263	10	7	35	0	0	0	967	314	267	47	6	27	0	0	488	40	4	37	-1	-8	0	0	0
53983201	441	252	244	9	4	88	0	0	0	805	261	206	56	2	85	0	0	364	9	-38	47	-2	-3	0	0	0
53977201	876	419	402	17	14	79	0	0	0	1245	404	316	88	4	67	0	0	369	-15	-86	71	-10	-12	0	0	0
53985202	570	253	244	9	1	50	0	0	0	657	213	213	0	0	9	0	0	87	-40	-31	-9	-1	-41	0	0	0
53913202	325	151	126	25	0	0	34	0	0	529	172	172	0	3	30	0	0	204	21	46	-25	3	30	-34	0	0
53913203	541	252	210	42	0	0	57	0	0	494	160	160	0	0	37	0	0	-47	-92	-50	-42	0	37	-57	0	0
53980101	49	23	23	1	3	1	38	0	0	156	51	51	0	2	5	232	0	107	28	28	-1	-1	4	194	0	0
53980301	224	104	104	0	2	8	0	0	0	422	137	110	27	15	11	0	0	198	33	6	27	13	3	0	0	0
53980302	84	39	39	0	1	10	0	0	0	156	51	46	4	3	0	0	0	72	12	7	4	2	-10	0	0	0
53980303	167	78	78	0	0	13	0	0	0	382	124	112	12	10	65	0	0	215	46	34	12	10	52	0	0	0
53913201	325	151	126	25	0	0	34	0	0	333	108	92	16	27	24	0	0	8	-43	-34	-9	27	24	-34	0	0
53991104	291	131	131	0	0	54	777	0	0	230	86	81	5	0	94	777	0	-61	-45	-50	5	0	40	0	0	0
53980305	65	30	30	0	0	20	0	0	0	90	29	25	4	0	0	0	0	25	-1	-5	4	0	-20	0	0	0
53980401	17	8	7	1	0	23	0	0	0	31	10	8	2	0	0	0	0	14	2	1	1	0	-23	0	0	0
53980402	88	41	24	17	6	3	0	0	0	259	84	28	56	18	1	0	0	171	43	4	39	12	-2	0	0	0
53984602	385	162	162	0	0	0	0	0	0	211	85	85	0	0	6	0	0	-174	-77	-77	0	0	6	0	0	0
53982106	265	112	37	75	0	0	0	0	0	21	9	8	0	0	53	0	0	-244	-103	-29	-75	0	53	0	0	0
53988101	11	4	4	0	0	37	0	0	0	6	2	2	0	0	16	0	0	-5	-2	-2	0	0	-21	0	0	0
53911203	93	39	33	7	0	0	0	0	0	86	34	34	0	0	28	0	0	-7	-5	1	-7	0	28	0	0	0
53981404	403	170	121	49	211	2	0	0	0	191	77	29	47	9	8	0	0	-212	-93	-92	-2	-202	6	0	0	0
53981403	398	167	167	0	625	0	0	0	0	72	29	11	18	21	62	0	0	-326	-138	-156	18	-604	62	0	0	0
53981401	265	112	112	0	417	0	0	0	0	0	1	0	1	10	106	0	0	-265	-111	-112	1	-407	106	0	0	0
53981402	625	262	221	42	208	0	0	0	0	403	162	41	121	18	19	0	0	-222	-100	-180	79	-190	19	0	0	0
53981407	345	145	145	0	0	0																				

	Original 2012-2035 RTP/SCS SBTAM Land Use (2035 Future Year)								2016-2040 RTP/SCS SANBAG Land Use (2040 Future Year)								Difference							
53983204	4	2	2	0	1	34	0	0	0	0	1	1	0	0	0	0	-4	-1	-1	0	-1	-34	0	0
53987302	685	251	170	81	23	884	0	0	716	232	132	101	29	1353	0	0	31	-19	-38	20	6	469	0	0
53987102	181	83	82	1	0	11	0	0	383	124	119	5	0	13	0	0	202	41	37	4	0	2	0	0
53984301	180	75	76	0	436	366	0	0	0	2	2	0	70	209	0	0	-180	-73	-74	0	-366	-157	0	0
53987201	1907	792	660	132	25	246	0	0	2429	789	514	275	89	184	0	0	522	-3	-146	143	64	-62	0	0
53908302	2459	1035	1017	18	0	0	0	0	332	133	133	0	0	29	0	0	-2127	-902	-884	-18	0	29	0	0
53986202	570	253	244	9	1	50	0	0	149	48	37	12	7	4	0	0	-421	-205	-207	3	6	-46	0	0
53986201	1419	607	264	344	31	224	0	0	1754	570	236	334	67	250	0	0	335	-37	-28	-10	36	26	0	0
53985203	68	30	29	1	0	5	0	0	147	48	45	3	0	0	0	0	79	18	16	2	0	-5	0	0
53986105	500	205	189	16	3	28	0	0	517	168	142	26	5	13	0	0	17	-37	-47	10	2	-15	0	0
53989101	336	172	170	2	0	88	69	0	416	140	132	8	2	223	69	0	80	-32	-38	6	2	135	0	0
53989203	219	117	115	2	0	43	0	0	419	136	122	14	0	0	0	0	200	19	7	12	0	-43	0	0
53989202	371	198	194	4	0	45	0	0	653	212	194	18	0	5	0	0	282	14	0	14	0	-40	0	0
53989302	67	32	32	0	2	14	0	0	142	53	51	2	7	1	0	0	75	21	19	2	5	-13	0	0
53989303	465	227	107	120	1	43	87	2359	364	131	53	78	0	17	87	2486	-101	-96	-54	-42	-1	-26	0	127
53986501	171	79	66	13	1	10	0	0	228	74	53	21	2	0	0	0	57	-5	-13	8	1	-10	0	0
53986101	357	146	137	9	1	40	0	0	471	153	120	33	0	0	0	0	114	7	-17	24	-1	-40	0	0
53986103	36	15	14	1	0	4	0	0	49	16	14	2	0	3	0	0	13	1	0	1	0	-1	0	0
53986102	126	52	48	3	0	12	0	0	136	44	37	8	0	0	0	0	10	-8	-11	5	0	-12	0	0
53987301	317	116	18	98	1	21	0	0	230	75	11	63	1	0	0	0	-87	-41	-7	-35	0	-21	0	0
53986104	616	252	232	20	0	16	180	0	893	290	250	40	0	15	180	0	277	38	18	20	0	-1	0	0
53986502	515	237	237	0	1	56	0	0	674	219	183	36	7	111	0	0	159	-18	-54	36	6	55	0	0
53986301	204	80	74	6	0	25	0	0	220	72	65	7	1	2	0	0	16	-8	-9	1	1	-23	0	0
53986503	679	312	87	225	40	129	398	0	819	266	81	185	65	440	398	0	140	-46	-6	-40	25	311	0	0
53989401	1246	571	456	115	4	81	109	0	1405	504	364	140	9	131	109	0	159	-67	-92	25	5	50	0	0
53989501	941	459	453	6	3	68	165	0	773	289	260	29	14	23	0	0	-168	-170	-193	23	11	-45	-165	0
53993601	1	0	0	0	0	0	0	0	227	74	70	3	3	3	0	0	226	74	70	3	3	0	0	0
53989301	565	275	274	1	1	37	141	0	475	178	172	6	3	16	517	0	-90	-97	-102	5	2	-21	376	0
53991109	535	240	219	21	12	7	0	0	780	292	212	81	75	8	0	0	245	52	-7	60	63	1	0	0
53991202	258	137	137	0	83	104	0	0	411	154	116	37	178	55	0	0	153	17	-21	37	95	-49	0	0
53992503	620	66	66	0	12	51	0	0	307	115	101	14	57	27	0	0	-313	49	35	14	45	-24	0	0
53989601	300	146	135	11	0	27	0	0	517	168	150	18	0	11	0	0	217	22	15	7	0	-16	0	0
53989604	280	137	126	10	0	31	0	0	517	168	166	2	0	16	0	0	237	31	40	-8	0	-15	0	0
53992101	111	58	58	0	0	12	0	0	152	49	39	10	0	0	0	0	41	-9	-19	10	0	-12	0	0
53989602	111	54	50	4	0	7	0	0	281	91	85	6	0	3	0	0	170	37	35	2	0	-4	0	0
53989603	866	422	417	5	0	57	211	0	642	212	197	16	2	8	0	0	-224	-210	-220	11	2	-49	-211	0
53991103	550	247	247	0	0	19	0	0	729	273	227	46	0	20	0	0	179	26	-20	46	0	1	0	0
53991106	767	344	344	0	0	10	0	0	1025	384	342	42	0	1	0	0	258	40	-2	42	0	-9	0	0
53991101	1082	486	486	0	0	95	260	0	744	271	255	16	1	10	260	0	-338	-215	-231	16	1	-85	0	0
53992106	88	46	46	0	0	0	0	0	50	16	16	0	0	0	0									

	Original 2012-2035 RTP/SCS SBTAM Land Use (2035 Future Year)							2016-2040 RTP/SCS SANBAG Land Use (2040 Future Year)							Difference								
53992102	56	29	29	0	0	32	0	0	123	46	45	1	0	35	0	0	67	17	16	1	0	3	0
53992201	151	48	6	42	14	33	526	0	0	25	25	0	50	49	526	0	-151	-23	19	-42	36	16	0
53993402	594	275	275	0	5	87	107	0	1190	431	404	28	18	2	0	0	596	156	129	28	13	-85	-107
53993403	692	320	272	48	7	96	165	0	1034	379	356	23	26	402	0	0	342	59	84	-25	19	306	-165
53992302	309	167	144	23	18	103	0	0	491	184	55	129	96	150	0	0	182	17	-89	106	78	47	0
53992202	3	2	2	0	27	0	0	0	11	4	4	0	94	0	0	0	8	2	2	0	67	0	0
53993503	411	214	212	2	0	4	89	0	213	69	64	5	0	2	0	0	-198	-145	-148	3	0	-2	-89
53993501	93	48	47	1	0	28	0	0	97	32	32	0	0	8	0	0	4	-16	-15	-1	0	-20	0
53993203	234	124	117	6	0	69	0	0	410	133	127	6	6	40	0	0	176	9	10	0	6	-29	0
53993201	230	121	117	4	1	18	0	0	254	83	78	5	2	0	0	0	24	-38	-39	1	1	-18	0
53992204	4	2	2	0	2	1	0	0	10	4	3	1	7	0	0	0	6	2	1	1	5	-1	0
53992301	1514	821	163	657	25	191	77	0	2214	829	82	748	43	97	0	0	700	8	-81	91	18	-94	-77
53992401	112	61	61	0	1	15	14	0	126	47	44	3	0	176	14	0	14	-14	-17	3	-1	161	0
53992402	518	281	38	243	1	8	0	0	700	262	35	227	0	3	0	0	182	-19	-3	-16	-1	-5	0
53992403	468	254	9	245	1	3	180	0	243	91	91	0	6	0	0	0	-225	-163	82	-245	5	-3	-180
53992504	1406	196	196	0	0	14	80	0	203	76	59	17	0	0	0	0	-1203	-120	-137	17	0	-14	-80
53993401	1171	542	542	0	5	585	366	0	584	219	205	13	18	2617	529	0	-587	-323	-337	13	13	2032	163
53993602	331	175	166	9	2	56	0	0	468	152	141	11	1	6	0	0	137	-23	-25	2	-1	-50	0
53993502	25	13	12	1	0	7	0	0	56	18	18	0	0	5	0	0	31	5	6	-1	0	-2	0
53993202	102	54	53	1	0	31	0	0	143	47	39	7	0	0	0	0	41	-7	-14	6	0	-31	0
53993301	409	197	191	5	0	14	0	0	574	215	181	34	2	7	0	0	165	18	-10	29	2	-7	0
53993302	496	238	232	6	0	16	0	0	840	314	274	41	0	9	0	0	344	76	42	35	0	-7	0
53993303	759	365	352	12	0	20	0	0	872	327	241	86	1	0	0	0	113	-38	-111	74	1	-20	0
53931304	794	335	55	280	232	0	0	0	134	54	8	46	24	2	0	0	-660	-281	-47	-234	-208	2	0
53931303	794	335	55	280	212	44	0	0	265	106	1	106	13	6	0	0	-529	-229	-54	-174	-199	-38	0
53986302	194	76	69	7	0	11	0	0	304	99	92	7	0	14	0	0	110	23	23	0	0	3	0
53980304	325	151	126	25	6	105	34	0	358	116	95	21	15	47	226	0	33	-35	-31	-4	9	-58	192
53952202	190	85	85	0	0	0	0	0	208	78	78	0	0	0	0	0	18	-7	-7	0	0	0	0
53895205	633	266	265	1	0	0	358	0	0	174	174	0	0	0	0	0	-633	-92	-91	-1	0	0	-358

## **APPENDIX D: MBATS MODEL VALIDATION SUMMARY**



Table 8 - SBTAM Morongo Basin Area Daily Validation

Roadway	Location			2012 Count	Base Year Model ID	Base Year Model	Deviation	Max Deviation	Result	Difference Squared
	Postmile	Extents	City							
Aberdeen Dr		W/o Yucca Messa Dr	Yucca Valley	1,415	2741363	1,513	7%	63%	PASS	9,601
Adobe Rd		S/o Indian Trail	Twenty-nine Palms	5,447	2740841	3,052	-44%	48%	PASS	5,738,000
Adobe Rd		N/o SR-62	Twenty-nine Palms	8,937	122749	3,902	-56%	38%	FAIL	25,348,046
Alta Loma Dr		W/o Sunny Vista Rd	Joshua Tree	4,147	2740734	2,604	-37%	52%	PASS	2,380,267
Amboy Rd		S/o Amboy Cutoff	Twenty-nine Palms	792	2740938	1,402	77%	68%	FAIL	371,690
Camp Rock Rd		S/o SR-247	Lucerne Valley	507	133010	539	6%	68%	PASS	998
Camp Rock Rd		N/o SR-247	Lucerne Valley	1,268	122860	598	-53%	63%	PASS	448,343
Hess Blvd		S/o Senilis Ave	Morongo	2,992	2743362	2,356	-21%	58%	PASS	404,545
Juniper Ave		N/o Sensilis Ave	Morongo	1,602	2743352	973	-39%	63%	PASS	396,172
Juniper Ave		N/o Pioneer Dr	Morongo	598	2743351	629	5%	68%	PASS	945
Morongo Rd		N/o Indian Trail	Twenty-nine Palms	3,247	122925	3,251	0%	58%	PASS	13
Morongo Rd		S/o Pole Line Rd	Twenty-nine Palms	1,885	2740817	3,341	77%	63%	FAIL	2,118,593
Paradise Ave		W/o Juniper Ave	Morongo	788	2743354	1,125	43%	68%	PASS	113,677
Park Blvd		S/o SR-62	Joshua Tree	4,740	124345	2,826	-40%	52%	PASS	3,663,524
Pioneer Dr		W/ West Dr	Morongo	981	2740497	490	-50%	68%	PASS	241,567
Pole Line Rd		E/o Lear Ave	Twenty-nine Palms	1,273	122877	819	-36%	63%	PASS	206,141
Reche Rd		E/o SR-247	Landers	1,533	123028	2,058	34%	63%	PASS	275,265
Senilis Ave		E/o Juniper Ave	Morongo	1,661	2743361	1,814	9%	63%	PASS	23,304
Senilis Ave		E/ Hess Blvd	Morongo	985	2743363	499	-49%	68%	PASS	236,133
SR-247		Yucca Valley, Jct. Rte. 62	Yucca Valley	11,000	122967	9,625	-12%	36%	PASS	1,889,628
SR-247		Between Daransatte Rd and Joshua Rd / PeachTree Rd	Landers	1,858	2740479	6,553	253%	63%	FAIL	22,038,580
SR-247		S/o Pipes Canyon Rd	Yucca Valley	2,612	123013	5,718	119%	58%	FAIL	9,649,833
SR-62	10.5	Pioneer Town Rd	Yucca Valley	26,500	2701712	23,906	-10%	25%	PASS	6,729,653
SR-62	12.4	Jct. Rte. 247 North	Yucca Valley	26,500	2740593	22,863	-14%	25%	PASS	13,226,145
SR-62	15.1	Yucca Mesa Rd	Yucca Valley	19,500	144950	17,700	-9%	28%	PASS	3,238,644
SR-62	18.2	Park Blvd	Joshua Tree	17,000	124348	18,368	8%	29%	PASS	1,871,166
SR-62	22.1	Sunfair Road	Joshua Tree	14,000	152772	17,208	23%	31%	PASS	10,291,406
SR-62	33.2	Adobe Road	Twenty-nine Palms	9,500	122726	8,286	-13%	38%	PASS	1,474,151
SR-62	33.3	National Park/Hatch	Twenty-nine Palms	15,000	122693	12,675	-15%	30%	PASS	5,404,946
SR-62	34.2	Utah Trail	Twenty-nine Palms	2,800	122779	3,708	32%	58%	PASS	825,070
SR-62	55.1	Ironage Road - State Highway 177	Twenty-nine Palms	338	139996	554	64%	68%	PASS	46,816
Sunburst Ave		N/o SR-62	Joshua Tree	4,393	123080	3,377	-23%	52%	PASS	1,031,831
Sunfair Rd		N/o SR-62	Joshua Tree	1,198	122958	913	-24%	68%	PASS	81,042
Yucca Trail/Alta Loma		E/o La Contenta St	Yucca Valley	5,485	2743155	4,397	-20%	48%	PASS	1,183,899
Sum of Links				202,482		189,641			Sum of Difference Squared	120,959,632
							Total Link Volume Deviation	-6%	+/- 10%	PASS
							Percent Within Maximum Deviation	85%	> 75%	PASS
							Percent Root Mean Square Error (RMSE)	32%	< 40%	PASS
							Correlation Coefficient	0.97	> 0.88	PASS

## **APPENDIX E: MBATS MODEL FORECASTS & LOS**



Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS	D	Thre LOS	E	Thre LOS	V/C
122945	OLD WOMAN SPRINGS RD	50	18866.68	2	14400	16200	18000	F		1.048149	
2776961	OLD WOMAN SPRINGS RD	50	19197.48	2	14400	16200	18000	F		1.066527	
2733585	OLD WOMAN SPRINGS RD	50	19197.48	2	14400	16200	18000	F		1.066527	
2774652	OLD WOMAN SPRINGS RD	50	19572.85	2	14400	16200	18000	F		1.087381	
2779111	HESS BLVD	60	16117.81	2	10400	11700	13000	F		1.239832	
2778967	OLD WOMAN SPRINGS RD	50	20819.64	2	14400	16200	18000	F		1.156647	
122967	OLD WOMAN SPRINGS RD	50	19570.43	2	14400	16200	18000	F		1.087246	
2779051	OLD WOMAN SPRINGS RD	50	18905.9	2	14400	16200	18000	F		1.050328	
122965	OLD WOMAN SPRINGS RD	50	22298.89	2	14400	16200	18000	F		1.238827	
2778968	OLD WOMAN SPRINGS RD	50	20560.01	2	14400	16200	18000	F		1.142223	
122964	OLD WOMAN SPRINGS RD	50	21207.59	2	14400	16200	18000	F		1.178199	
2774747	OLD WOMAN SPRINGS RD	50	20386.86	2	14400	16200	18000	F		1.132603	
100763	OLD WOMAN SPRINGS RD	50	19416.24	2	14400	16200	18000	F		1.07868	
2778984	OLD WOMAN SPRINGS RD	50	19745.12	2	14400	16200	18000	F		1.096951	
2774752	OLD WOMAN SPRINGS RD	50	20427.38	2	14400	16200	18000	F		1.134855	
2778972	OLD WOMAN SPRINGS RD	50	19416.24	2	14400	16200	18000	F		1.07868	
2776970	YUCCA MESA RD	60	13364.13	2	10400	11700	13000	F		1.02801	
2777112	TWENTYNINE PALMS HIGHWAY	42	45901.15	4	28100	35400	37400	F		1.227303	
1658229	STATE HIGHWAY 62	42	58471.38	4	28100	35400	37400	F		1.563406	
2768067	STATE HIGHWAY 62	42	58628.83	4	28100	35400	37400	F		1.567616	
123056	TWENTYNINE PALMS HIGHWAY	42	47315.7	4	28100	35400	37400	F		1.265126	
1658230	STATE HIGHWAY 62	42	42511.01	4	28100	35400	37400	F		1.136658	
2779110	STATE HIGHWAY 62	42	42511.01	4	28100	35400	37400	F		1.136658	
2701621	STATE HIGHWAY 62	42	42859.85	4	28100	35400	37400	F		1.145985	
2774677	STATE HIGHWAY 62	42	47315.7	4	28100	35400	37400	F		1.265126	
2774669	TWENTYNINE PALMS HIGHWAY	42	46456.38	4	28100	35400	37400	F		1.242149	
2774666	TWENTYNINE PALMS HIGHWAY	42	45738.32	4	28100	35400	37400	F		1.22295	
123017	TWENTYNINE PALMS HIGHWAY	42	41704.06	4	28100	35400	37400	F		1.115082	
123053	TWENTYNINE PALMS HIGHWAY	42	45298.5	4	28100	35400	37400	F		1.21119	
2774664	TWENTYNINE PALMS HIGHWAY	42	46256.31	4	28100	35400	37400	F		1.2368	
123049	TWENTYNINE PALMS HIGHWAY	42	47907.37	4	28100	35400	37400	F		1.280946	
123050	TWENTYNINE PALMS HIGHWAY	42	46517.06	4	28100	35400	37400	F		1.243772	
2774729	TWENTYNINE PALMS HIGHWAY	42	45298.5	4	28100	35400	37400	F		1.21119	
2774714	TWENTYNINE PALMS HIGHWAY	42	49304.46	4	28100	35400	37400	F		1.318301	
2778926	TWENTYNINE PALMS HIGHWAY	42	48313.96	4	28100	35400	37400	F		1.291817	
2778927	TWENTYNINE PALMS HIGHWAY	42	49516.88	4	28100	35400	37400	F		1.323981	
2732349	TWENTYNINE PALMS HIGHWAY	42	44503.46	4	28100	35400	37400	F		1.189932	
123015	TWENTYNINE PALMS HIGHWAY	42	42696.12	4	28100	35400	37400	F		1.141607	
2778906	TWENTYNINE PALMS HIGHWAY	42	39007.16	4	28100	35400	37400	F		1.042972	
123018	TWENTYNINE PALMS HIGHWAY	42	38934.71	4	28100	35400	37400	F		1.041035	
2701710	TWENTYNINE PALMS HIGHWAY	42	41704.06	4	28100	35400	37400	F		1.115082	
2774734	TWENTYNINE PALMS HIGHWAY	42	41704.06	4	28100	35400	37400	F		1.115082	
2778925	TWENTYNINE PALMS HIGHWAY	42	41866.14	4	28100	35400	37400	F		1.119415	
2778935	TWENTYNINE PALMS HIGHWAY	42	42397.69	4	28100	35400	37400	F		1.133628	
2778909	TWENTYNINE PALMS HIGHWAY	42	41211.79	4	28100	35400	37400	F		1.101919	
152787	TWENTYNINE PALMS HIGHWAY	42	40770.77	4	28100	35400	37400	F		1.090127	
2732350	TWENTYNINE PALMS HIGHWAY	42	42468.9	4	28100	35400	37400	F		1.135532	
122992	TWENTYNINE PALMS HIGHWAY	42	42751.03	4	28100	35400	37400	F		1.143076	
123006	TWENTYNINE PALMS HIGHWAY	42	44898.26	4	28100	35400	37400	F		1.200488	
2774680	TWENTYNINE PALMS HIGHWAY	42	43909.68	4	28100	35400	37400	F		1.174056	
2774765	TWENTYNINE PALMS HIGHWAY	40	37783.46	4	28700	32300	35900	F		1.052464	
122970	TWENTYNINE PALMS HIGHWAY	40	37809.52	4	28700	32300	35900	F		1.05319	
133011	STATE HIGHWAY 62	42	59317.68	4	28100	35400	37400	F		1.586034	
2768072	STATE HIGHWAY 62	42	58471.38	4	28100	35400	37400	F		1.563406	
2774763	OLD WOMAN SPRINGS RD	50	17919.48	2	14400	16200	18000	E		0.995527	
2779052	OLD WOMAN SPRINGS RD	50	16499.29	2	14400	16200	18000	E		0.916627	
2774773	OLD WOMAN SPRINGS RD	50	16499.29	2	14400	16200	18000	E		0.916627	
133027	OLD WOMAN SPRINGS RD	50	17432.4	2	14400	16200	18000	E		0.968466	

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2778976	YUCCA MESA RD	60	12259.94	2	10400	11700	13000	E	0.943072
2774758	YUCCA MESA RD	60	11939.67	2	10400	11700	13000	E	0.918436
2778971	YUCCA MESA RD	60	11939.67	2	10400	11700	13000	E	0.918436
2779059		74	1991.874	2	1200	1500	2000	E	0.995937
2778989		74	1831.977	2	1200	1500	2000	E	0.915988
133015	TWENTYNINE PALMS HIGHWAY	42	36803.87	4	28100	35400	37400	E	0.984061
2774701	TWENTYNINE PALMS HIGHWAY	42	36988.52	4	28100	35400	37400	E	0.988998
123026	OLD WOMAN SPRINGS RD N	40	15340.37	2	15400	16000	20500	C or Better	0.748311
2774656	OLD WOMAN SPRINGS RD	40	13366.65	2	15400	16000	20500	C or Better	0.652032
2774654	OLD WOMAN SPRINGS RD N	40	15801.1	2	15400	16000	20500	D	0.770785
133022	OLD WOMAN SPRINGS RD	40	15630.83	2	15400	16000	20500	D	0.76248
122991	SAGE AVE	60	10706.42	2	10400	11700	13000	D	0.823571
123013	OLD WOMAN SPRINGS RD	40	15713.39	2	15400	16000	20500	D	0.766507
2778973	OLD WOMAN SPRINGS RD	50	16006.17	2	14400	16200	18000	D	0.889232
2777109	ALTA LOMA RD	60	10672.42	2	10400	11700	13000	D	0.820955
133327	ALTA LOMA RD	60	10889.93	2	10400	11700	13000	D	0.837687
2778895	YUCCA MESA RD	60	11315.27	2	10400	11700	13000	D	0.870405
122779	TWENTYNINE PALMS HIGHWAY	40	8412.793	2	15400	16000	20500	C or Better	0.41038
122753	TWENTYNINE PALMS HIGHWAY	40	8120.348	2	15400	16000	20500	C or Better	0.396115
2774646	PIPES CANYON RD	74	1353.857	2	1200	1500	2000	D	0.676928
2774925	TWENTYNINE PALMS HIGHWAY	42	25672.59	4	28100	35400	37400	C or Better	0.686433
122840	TWENTYNINE PALMS HIGHWAY	40	30530.28	4	28700	32300	35900	D	0.850426
122841	TWENTYNINE PALMS HIGHWAY	40	29762.68	4	28700	32300	35900	D	0.829044
2774885	TWENTYNINE PALMS HIGHWAY	40	29262.38	4	28700	32300	35900	D	0.815108
122875	TWENTYNINE PALMS HIGHWAY	42	25964.98	4	28100	35400	37400	C or Better	0.694251
2664194	TWENTYNINE PALMS HIGHWAY	42	25593.93	4	28100	35400	37400	C or Better	0.68433
122885	TWENTYNINE PALMS HIGHWAY	42	25147.76	4	28100	35400	37400	C or Better	0.6724
2774929	TWENTYNINE PALMS HIGHWAY	42	25140.4	4	28100	35400	37400	C or Better	0.672203
2779119	TWENTYNINE PALMS HIGHWAY	42	25851.83	4	28100	35400	37400	C or Better	0.691225
122904	TWENTYNINE PALMS HIGHWAY	42	25851.83	4	28100	35400	37400	C or Better	0.691225
2733629	TWENTYNINE PALMS HIGHWAY	42	25851.83	4	28100	35400	37400	C or Better	0.691225
144981	TWENTYNINE PALMS HIGHWAY	42	24896.95	4	28100	35400	37400	C or Better	0.665694
122905	TWENTYNINE PALMS HIGHWAY	42	25765.34	4	28100	35400	37400	C or Better	0.688913
123001	TWENTYNINE PALMS HIGHWAY	40	31694.92	4	28700	32300	35900	D	0.882867
122971	TWENTYNINE PALMS HIGHWAY	40	30792.05	4	28700	32300	35900	D	0.857717
2774814	TWENTYNINE PALMS HIGHWAY	40	29923.24	4	28700	32300	35900	D	0.833516
2701734	TWENTYNINE PALMS HIGHWAY	40	31331.51	4	28700	32300	35900	D	0.872744
2774739	TWENTYNINE PALMS HIGHWAY	40	31233.26	4	28700	32300	35900	D	0.870007
2779045	TWENTYNINE PALMS HIGHWAY	40	31331.51	4	28700	32300	35900	D	0.872744
2701738	TWENTYNINE PALMS HIGHWAY	40	29923.24	4	28700	32300	35900	D	0.833516
123073	TWENTYNINE PALMS HIGHWAY	40	29727.72	4	28700	32300	35900	D	0.82807
123082	TWENTYNINE PALMS HIGHWAY	40	30795.75	4	28700	32300	35900	D	0.85782
144950	TWENTYNINE PALMS HIGHWAY	40	28931.07	4	28700	32300	35900	D	0.805879
2778897	TWENTYNINE PALMS HIGHWAY	40	29053.43	4	28700	32300	35900	D	0.809288
2774783	TWENTYNINE PALMS HIGHWAY	40	29053.43	4	28700	32300	35900	D	0.809288
2702140	TWENTYNINE PALMS HIGHWAY	40	29053.43	4	28700	32300	35900	D	0.809288
2774881	TWENTYNINE PALMS HIGHWAY	40	30407.53	4	28700	32300	35900	D	0.847006
2702142	TWENTYNINE PALMS HIGHWAY	40	29727.72	4	28700	32300	35900	D	0.82807
152766	TWENTYNINE PALMS HIGHWAY	42	21065.71	4	28100	35400	37400	C or Better	0.563254
2774977	TWENTYNINE PALMS HIGHWAY	42	21065.71	4	28100	35400	37400	C or Better	0.563254
134059	RAINBOW CANYON RD	60	9917.734	2	10400	11700	13000	C or Better	0.762903
133046	TWO MILE RD	50	9305.431	2	14400	16200	18000	C or Better	0.516968
122739	ADOBE RD	50	10678.62	2	14400	16200	18000	C or Better	0.593257
2774835	YUCCA TRL	50	10552.56	2	14400	16200	18000	C or Better	0.586253
2774816	YUCCA TRL	50	9617.801	2	14400	16200	18000	C or Better	0.534322
122990	YUCCA TRL	50	9728.314	2	14400	16200	18000	C or Better	0.540462
2778999	YUCCA TRL	50	10879.45	2	14400	16200	18000	C or Better	0.604414
123011	YUCCA TRL	50	9666.62	2	14400	16200	18000	C or Better	0.537034

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2778988	ALTA LOMA RD	60	9485.635	2	10400	11700	13000	C or Better	0.729664
2779007	YUCCA MESA RD	60	10184.86	2	10400	11700	13000	C or Better	0.783451
122715	TWO MILE RD	50	8459.681	2	14400	16200	18000	C or Better	0.469982
122730	TWO MILE RD	50	8982.35	2	14400	16200	18000	C or Better	0.499019
2733577	SENLIS AVE	60	8683.088	2	10400	11700	13000	C or Better	0.66793
152782	YUCCA TRL	50	9269.986	2	14400	16200	18000	C or Better	0.514999
2778894	BUENA VISTA DR	60	8527.191	2	10400	11700	13000	C or Better	0.655938
2774807	PALOMAR AVE	50	8550.394	2	14400	16200	18000	C or Better	0.475022
2777110	ALTA LOMA RD	60	8957.171	2	10400	11700	13000	C or Better	0.689013
134063	RAINBOW CANYON RD	60	7645.562	2	10400	11700	13000	C or Better	0.58812
122746	ADOBE RD	50	7382.44	2	14400	16200	18000	C or Better	0.410136
2775036	TWENTYNINE PALMS HIGHWAY	40	7359.898	2	15400	16000	20500	C or Better	0.359019
122767	TWENTYNINE PALMS HIGHWAY	40	7679.949	2	15400	16000	20500	C or Better	0.374632
144989	BASELINE RD	50	8224.076	2	14400	16200	18000	C or Better	0.456893
2775073	TWENTYNINE PALMS HIGHWAY	40	7430.982	2	15400	16000	20500	C or Better	0.362487
2775053	TWO MILE RD	50	8228.444	2	14400	16200	18000	C or Better	0.457136
2778913	SAGE AVE	60	7885.838	2	10400	11700	13000	C or Better	0.606603
2779036	SAGE AVE	60	7618.257	2	10400	11700	13000	C or Better	0.58602
2774812	YUCCA TRL	50	8340.397	2	14400	16200	18000	C or Better	0.463355
122977	YUCCA TRL	50	7871.193	2	14400	16200	18000	C or Better	0.437289
2701724	YUCCA TRL	50	7871.193	2	14400	16200	18000	C or Better	0.437289
122976	YUCCA TRL	50	8390.682	2	14400	16200	18000	C or Better	0.466149
2774828	YUCCA TRL	50	8155.837	2	14400	16200	18000	C or Better	0.453102
2779100	BUENA VISTA DR	60	8072.72	2	10400	11700	13000	C or Better	0.620978
123043	PALOMAR AVE	50	7500.928	2	14400	16200	18000	C or Better	0.416718
123041	PALOMAR AVE	50	7281.332	2	14400	16200	18000	C or Better	0.404518
2778982	BUENA VISTA DR	60	7117.897	2	10400	11700	13000	C or Better	0.547531
2774756	BUENA VISTA DR	60	7172.692	2	10400	11700	13000	C or Better	0.551746
144975	BRANT CROSSING RD	60	94.88276	2	10400	11700	13000	C or Better	0.007299
2774912	WINTERS RD	60	2179.685	2	10400	11700	13000	C or Better	0.167668
133023	N BORDER AVE	60	5586.119	2	10400	11700	13000	C or Better	0.429701
144969	WINTERS RD	60	2236.747	2	10400	11700	13000	C or Better	0.172057
2776964	N BORDER AVE	60	4726.554	2	10400	11700	13000	C or Better	0.363581
2727861	WINTERS RD	60	143.1882	2	10400	11700	13000	C or Better	0.011014
2727863	COYOTE VALLEY RD	60	2272.172	2	10400	11700	13000	C or Better	0.174782
144974	LEAR AVE	60	94.88276	2	10400	11700	13000	C or Better	0.007299
100897	LEAR AVE	60	0	2	10400	11700	13000	C or Better	0
2727864	COYOTE VALLEY RD	60	2272.172	2	10400	11700	13000	C or Better	0.174782
2727865	COYOTE VALLEY RD	60	2272.172	2	10400	11700	13000	C or Better	0.174782
123037	RECHE RD	60	4553.583	2	10400	11700	13000	C or Better	0.350276
124335	WINTERS RD	60	5569.001	2	10400	11700	13000	C or Better	0.428385
2774797	LANDERS LN	60	1157.558	2	10400	11700	13000	C or Better	0.089043
2664267	LANDERS LN	60	1934.076	2	10400	11700	13000	C or Better	0.148775
123028	RECHE RD	60	4812.392	2	10400	11700	13000	C or Better	0.370184
124336	RAINBOW DR	60	78.15109	2	10400	11700	13000	C or Better	0.006012
144997	WINTERS RD	50	4383.597	2	14400	16200	18000	C or Better	0.243533
144998	S LANDERS LN	60	1794.956	2	10400	11700	13000	C or Better	0.138074
2774792	WINTERS RD	50	4028.815	2	14400	16200	18000	C or Better	0.223823
145001	WINTERS RD	50	3950.663	2	14400	16200	18000	C or Better	0.219481
133028	LANDERS LN	60	1914.551	2	10400	11700	13000	C or Better	0.147273
2774800	RECHE RD	60	5007.921	2	10400	11700	13000	C or Better	0.385225
2774790	RAINBOW DR	60	119.5952	2	10400	11700	13000	C or Better	0.0092
133029	MARGARITA ST	60	119.5952	2	10400	11700	13000	C or Better	0.0092
122877	POLE LINE RD	60	1610.513	2	10400	11700	13000	C or Better	0.123886
2774863	BORDER AVE	60	5302.36	2	10400	11700	13000	C or Better	0.407874
2774869	SONORA RD	60	2593.893	2	10400	11700	13000	C or Better	0.19953
2774787	RECHE RD	60	4726.554	2	10400	11700	13000	C or Better	0.363581
123038	RECHE RD	60	4713.62	2	10400	11700	13000	C or Better	0.362586

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
133030 N GOAT MOUNTAIN RD		60	1690.82	2	10400	11700	13000	C or Better	0.130063
2774852 AVALON AVE		60	6628.646	2	10400	11700	13000	C or Better	0.509896
2777106 AVALON AVE		60	6549.663	2	10400	11700	13000	C or Better	0.50382
2777142 N GOAT MOUNTAIN RD		60	160.0365	2	10400	11700	13000	C or Better	0.012311
2664268 LANDERS LN		60	1157.558	2	10400	11700	13000	C or Better	0.089043
144958 SONORA RD		60	2770.82	2	10400	11700	13000	C or Better	0.21314
122938 BORDER AVE		60	5161.339	2	10400	11700	13000	C or Better	0.397026
2774794 BORDER AVE		60	4727.133	2	10400	11700	13000	C or Better	0.363626
2774921 SONORA RD		60	2420.519	2	10400	11700	13000	C or Better	0.186194
144959 SONORA RD		60	2565.522	2	10400	11700	13000	C or Better	0.197348
2727862 COYOTE VALLEY RD		60	235.6746	2	10400	11700	13000	C or Better	0.018129
2774919 COYOTE VALLEY RD		60	235.6746	2	10400	11700	13000	C or Better	0.018129
2774917 POLE LINE RD		60	2560.134	2	10400	11700	13000	C or Better	0.196933
144966 POLE LINE RD		60	2420.519	2	10400	11700	13000	C or Better	0.186194
144973 LEAR AVE		60	48.30548	2	10400	11700	13000	C or Better	0.003716
2774915 LEAR AVE		60	48.30548	2	10400	11700	13000	C or Better	0.003716
2727866 COYOTE VALLEY RD		60	2272.172	2	10400	11700	13000	C or Better	0.174782
2774988 MORONGO RD		60	4894.408	2	10400	11700	13000	C or Better	0.376493
2774990 ADOBE RD		60	2463.159	2	10400	11700	13000	C or Better	0.189474
133328 RAINBOW CANYON RD		60	3555.909	2	10400	11700	13000	C or Better	0.273531
122933 MORONGO RD		60	4191.571	2	10400	11700	13000	C or Better	0.322429
2774937 POLE LINE RD		60	1467.216	2	10400	11700	13000	C or Better	0.112863
2774947 BRANT CROSSING RD		60	263.8268	2	10400	11700	13000	C or Better	0.020294
2702144 POLE LINE RD		60	1467.216	2	10400	11700	13000	C or Better	0.112863
133052 BERKELEY AVE		60	4455.397	2	10400	11700	13000	C or Better	0.342723
2702136 UTAH TRL		60	1464.036	2	10400	11700	13000	C or Better	0.112618
2775068 AMBOY RD		60	2049.036	2	10400	11700	13000	C or Better	0.157618
2776972 TWENTYNINE PALMS HIGHWAY		50	830.4143	2	14400	16200	18000	C or Better	0.046134
136151 LOOP RD		60	144.9441	2	10400	11700	13000	C or Better	0.01115
2775062 UTAH TRL		60	1464.036	2	10400	11700	13000	C or Better	0.112618
1658226 UTAH TRL		60	1504.77	2	10400	11700	13000	C or Better	0.115752
122879 VALLE VISTA RD		60	268.9337	2	10400	11700	13000	C or Better	0.020687
122886 TWO MILE RD		50	4488.226	2	14400	16200	18000	C or Better	0.249346
133050 INDIAN TRL		60	737.4339	2	10400	11700	13000	C or Better	0.056726
122876 LEAR AVE		60	1401.946	2	10400	11700	13000	C or Better	0.107842
144962 COYOTE VALLEY RD		60	283.4947	2	10400	11700	13000	C or Better	0.021807
122958 SUNFAIR RD		60	4027.435	2	10400	11700	13000	C or Better	0.309803
2774927 LEAR AVE		60	362.761	2	10400	11700	13000	C or Better	0.027905
144955 SUNFAIR RD		60	2244.28	2	10400	11700	13000	C or Better	0.172637
122959 BROADWAY		60	1504.958	2	10400	11700	13000	C or Better	0.115766
122955 BROADWAY		60	3065.618	2	10400	11700	13000	C or Better	0.235817
2774865 SUNFAIR RD		60	2012.35	2	10400	11700	13000	C or Better	0.154796
122883 LEAR AVE		60	207.7216	2	10400	11700	13000	C or Better	0.015979
2664141 LEAR AVE		60	2127.017	2	10400	11700	13000	C or Better	0.163617
100753 LEAR AVE		60	2127.017	2	10400	11700	13000	C or Better	0.163617
122878 LEAR AVE		60	1594.935	2	10400	11700	13000	C or Better	0.122687
133051 VALLE VISTA RD		60	440.4364	2	10400	11700	13000	C or Better	0.03388
144994 AMBOY RD		60	1328.438	2	10400	11700	13000	C or Better	0.102188
2775092 TWENTYNINE PALMS HIGHWAY		50	3894.199	2	14400	16200	18000	C or Better	0.216344
2777143 DEL VALLE DR		60	1092.75	2	10400	11700	13000	C or Better	0.084058
122689 MORONGO RD		60	652.0373	2	10400	11700	13000	C or Better	0.050157
122705 SULLIVAN RD		60	4528.188	2	10400	11700	13000	C or Better	0.348322
122708 INDIAN TRL		60	449.9395	2	10400	11700	13000	C or Better	0.034611
122712 VALLE VISTA RD		60	966.0367	2	10400	11700	13000	C or Better	0.074311
122714 MESQUITE SPRINGS RD		50	1532.254	2	14400	16200	18000	C or Better	0.085125
122725 EL PASEO DR		60	442.7076	2	10400	11700	13000	C or Better	0.034054
122773 UTAH TRL		50	2224.693	2	14400	16200	18000	C or Better	0.123594
122917 LUPINE AVE		60	916.6539	2	10400	11700	13000	C or Better	0.070512

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS	V/C
133045	BAGLEY AVE	60	761.3946	2	10400	11700	13000	C or Better	0.058569
144979	SUNRISE RD	50	2138.653	2	14400	16200	18000	C or Better	0.118814
2779128	ENCELIA AVE	50	3701.556	2	14400	16200	18000	C or Better	0.205642
2779123	RAYMOND WAY	60	764.0702	2	10400	11700	13000	C or Better	0.058775
2775032	DESERT KNOll AVE	60	360.2083	2	10400	11700	13000	C or Better	0.027708
2775057	SPLIT ROCK AVE	60	1335.892	2	10400	11700	13000	C or Better	0.102761
2779139	LARREA AVE	50	6216.807	2	14400	16200	18000	C or Better	0.345378
2779141	La Buena Tierra Ave	60	231.0659	2	10400	11700	13000	C or Better	0.017774
2779144	Alpine Ave	60	2726.179	2	10400	11700	13000	C or Better	0.209706
122895	TIMOTHY AVE	60	1607.355	2	10400	11700	13000	C or Better	0.123643
2779120	Canyon Dr	60	0	2	10400	11700	13000	C or Better	0
2779121	Canyon Dr	60	0	2	10400	11700	13000	C or Better	0
122696	LARREA AVE	50	5985.741	2	14400	16200	18000	C or Better	0.332541
133044	NICHOLSON DR	50	361.1485	2	14400	16200	18000	C or Better	0.020064
2774980	HATCH RD	50	3382.638	2	14400	16200	18000	C or Better	0.187924
122685	HATCH RD	50	4168.308	2	14400	16200	18000	C or Better	0.231573
122698	LARREA AVE	50	5522.292	2	14400	16200	18000	C or Better	0.306794
122916	LUPINE AVE	60	3221.665	2	10400	11700	13000	C or Better	0.24782
122930	MARIPOSA AVE	60	2434.547	2	10400	11700	13000	C or Better	0.187273
2676538	MARIPOSA AVE	60	1844.491	2	10400	11700	13000	C or Better	0.141884
2774969	MORONGO RD	60	481.7942	2	10400	11700	13000	C or Better	0.037061
2774975	LUPINE AVE	60	3221.665	2	10400	11700	13000	C or Better	0.24782
2676539	MORONGO RD	60	590.0565	2	10400	11700	13000	C or Better	0.045389
2676537	JOSHUA DR	60	590.0565	2	10400	11700	13000	C or Better	0.045389
144987	LARREA AVE	50	5883.44	2	14400	16200	18000	C or Better	0.326858
122716	MESQUITE SPRINGS RD	50	1394.736	2	14400	16200	18000	C or Better	0.077485
2774971	NICHOLSON DR	50	713.0749	2	14400	16200	18000	C or Better	0.039615
122706	HATCH RD	50	4528.188	2	14400	16200	18000	C or Better	0.251566
2779134	MESQUITE SPRINGS RD	50	0	2	14400	16200	18000	C or Better	0
122717	MESQUITE SPRINGS RD	50	1672.659	2	14400	16200	18000	C or Better	0.092925
122722	EL PASEO DR	60	1289.945	2	10400	11700	13000	C or Better	0.099227
2775287	MESQUITE SPRINGS RD	50	1193.244	2	14400	16200	18000	C or Better	0.066291
144986	MESQUITE SPRINGS RD	50	1176.077	2	14400	16200	18000	C or Better	0.065338
2757995	TWO MILE RD	50	6016.914	2	14400	16200	18000	C or Better	0.334273
2757996	SAMARKAND DR	60	151.5424	2	10400	11700	13000	C or Better	0.011657
2774939	VALLE VISTA RD	60	528.0212	2	10400	11700	13000	C or Better	0.040617
2774942	INDIAN TRL	60	1044.556	2	10400	11700	13000	C or Better	0.08035
2774999	MESQUITE SPRINGS RD	50	1074.316	2	14400	16200	18000	C or Better	0.059684
2774945	TWO MILE RD	50	4774.88	2	14400	16200	18000	C or Better	0.265271
122898	TWO MILE RD	50	4488.226	2	14400	16200	18000	C or Better	0.249346
100779	ENCELIA AVE	60	784.7163	2	10400	11700	13000	C or Better	0.060363
144980	TWO MILE RD	50	5681.792	2	14400	16200	18000	C or Better	0.315655
122903	TWO MILE RD	50	4686.731	2	14400	16200	18000	C or Better	0.260374
2774955	TWO MILE RD	50	5317.223	2	14400	16200	18000	C or Better	0.295401
122915	TWO MILE RD	50	6016.914	2	14400	16200	18000	C or Better	0.334273
2774957	ENCELIA AVE	60	151.5424	2	10400	11700	13000	C or Better	0.011657
2658594	SAMARKAND DR	60	151.5424	2	10400	11700	13000	C or Better	0.011657
100750	MESQUITE SPRINGS RD	50	1241.451	2	14400	16200	18000	C or Better	0.06897
2774963	TWO MILE RD	50	3832.459	2	14400	16200	18000	C or Better	0.212914
122688	MORONGO RD	60	5143.447	2	10400	11700	13000	C or Better	0.39565
122703	TWO MILE RD	50	3938.725	2	14400	16200	18000	C or Better	0.218818
122920	LUPINE AVE	60	1077.569	2	10400	11700	13000	C or Better	0.08289
2779126	MORONGO RD	60	0	2	10400	11700	13000	C or Better	0
2779125	MARIPOSA AVE	60	0	2	10400	11700	13000	C or Better	0
2779129	LUPINE AVE	60	916.6539	2	10400	11700	13000	C or Better	0.070512
2774967	TWO MILE RD	50	6595.356	2	14400	16200	18000	C or Better	0.366409
2758003	MORONGO RD	60	0	2	10400	11700	13000	C or Better	0
2774953	TWO MILE RD	50	5744.602	2	14400	16200	18000	C or Better	0.319145

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
122923	TWO MILE RD	50	6020.069	2	14400	16200	18000	C or Better	0.334448
122687	TWO MILE RD	50	5744.602	2	14400	16200	18000	C or Better	0.319145
2774951	MORONGO RD	60	4895.737	2	10400	11700	13000	C or Better	0.376595
122921	SAMARKAND DR	60	1229.111	2	10400	11700	13000	C or Better	0.094547
2757998	SAMARKAND DR	60	1229.111	2	10400	11700	13000	C or Better	0.094547
2758000	TWO MILE RD	50	3335.685	2	14400	16200	18000	C or Better	0.185316
2758002	Alpine Ave	60	603.0407	2	10400	11700	13000	C or Better	0.046388
2779147	Alpine Ave	60	1466.149	2	10400	11700	13000	C or Better	0.112781
2779146	Alpine Ave	60	490.2842	2	10400	11700	13000	C or Better	0.037714
2774959	LARREA AVE	50	6262.302	2	14400	16200	18000	C or Better	0.347906
2779138	TWO MILE RD	50	3046.402	2	14400	16200	18000	C or Better	0.169245
2779142	La Buena Tierra Ave	60	786.0568	2	10400	11700	13000	C or Better	0.060466
2775285	LARREA AVE	50	6216.807	2	14400	16200	18000	C or Better	0.345378
2758004	MESQUITE SPRINGS RD	50	562.2867	2	14400	16200	18000	C or Better	0.031238
100749	MESQUITE SPRINGS RD	50	1241.451	2	14400	16200	18000	C or Better	0.06897
122707	MESQUITE SPRINGS RD	50	45.88012	2	14400	16200	18000	C or Better	0.002549
122709	INDIAN TRL	60	987.5309	2	10400	11700	13000	C or Better	0.075964
122713	VALLE VISTA RD	60	838.8691	2	10400	11700	13000	C or Better	0.064528
122925	MORONGO RD	60	4680.162	2	10400	11700	13000	C or Better	0.360012
122926	MORONGO RD	60	4974.12	2	10400	11700	13000	C or Better	0.382625
2774997	INDIAN TRL	60	1006.449	2	10400	11700	13000	C or Better	0.077419
2774986	VALLE VISTA RD	60	1011.917	2	10400	11700	13000	C or Better	0.07784
122787	BASELINE RD	50	4536.57	2	14400	16200	18000	C or Better	0.252032
2775084	UTAH TRL	60	1378.481	2	10400	11700	13000	C or Better	0.106037
122744	ADOBE RD	50	3773.933	2	14400	16200	18000	C or Better	0.209663
122772	NATIONAL PARK DR	60	4108.232	2	10400	11700	13000	C or Better	0.316018
122782	UTAH TRL	50	1865.659	2	14400	16200	18000	C or Better	0.103648
152763	CASITA DR	60	58.67203	2	10400	11700	13000	C or Better	0.004513
152764	BUENA VISTA DR	60	232.2959	2	10400	11700	13000	C or Better	0.017869
2775040	ADOBE RD	50	3453.855	2	14400	16200	18000	C or Better	0.191881
122749	ADOBE RD	50	5868.634	2	14400	16200	18000	C or Better	0.326035
144988	SPLIT ROCK AVE	60	3371.393	2	10400	11700	13000	C or Better	0.259338
2775044	SULLIVAN RD	60	4734.293	2	10400	11700	13000	C or Better	0.364176
122724	SPLIT ROCK AVE	60	2113.816	2	10400	11700	13000	C or Better	0.162601
144985	BAGLEY AVE	60	4257.381	2	10400	11700	13000	C or Better	0.327491
2775055	EL PASEO DR	60	1260.886	2	10400	11700	13000	C or Better	0.096991
2775051	BAGLEY AVE	60	2019.159	2	10400	11700	13000	C or Better	0.15532
122743	ADOBE RD	50	1409.524	2	14400	16200	18000	C or Better	0.078307
2734190	ADOBE RD	50	1409.524	2	14400	16200	18000	C or Better	0.078307
2775023	CASITA DR	60	290.9679	2	10400	11700	13000	C or Better	0.022382
122752	CASITA DR	60	1513.806	2	10400	11700	13000	C or Better	0.116447
2775047	UTAH TRL	50	1561.367	2	14400	16200	18000	C or Better	0.086743
122786	UTAH TRL	50	1378.481	2	14400	16200	18000	C or Better	0.076582
122765	DESERT KNOLL AVE	60	440.3991	2	10400	11700	13000	C or Better	0.033877
122774	UTAH TRL	50	2070.982	2	14400	16200	18000	C or Better	0.115055
2775038	NATIONAL PARK DR	60	2056.851	2	10400	11700	13000	C or Better	0.158219
152762	DESERT KNOLL AVE	60	614.9409	2	10400	11700	13000	C or Better	0.047303
122758	DESERT KNOLL AVE	60	847.2368	2	10400	11700	13000	C or Better	0.065172
122778	UTAH TRL	50	1491.11	2	14400	16200	18000	C or Better	0.082839
122781	UTAH TRL	50	3192.598	2	14400	16200	18000	C or Better	0.177367
122794	TWENTYNINE PALMS HIGHWAY	50	4436.369	2	14400	16200	18000	C or Better	0.246465
122795	WILSHIRE AVE	50	5213.779	2	14400	16200	18000	C or Better	0.289654
2775078	BASELINE RD	50	3749.007	2	14400	16200	18000	C or Better	0.208278
122793	WILSHIRE AVE	50	5104.731	2	14400	16200	18000	C or Better	0.283596
2775082	BASELINE RD	50	0	2	14400	16200	18000	C or Better	0
122769	AMBOY RD	60	2512.846	2	10400	11700	13000	C or Better	0.193296
122770	UTAH TRL	50	1185.225	2	14400	16200	18000	C or Better	0.065846
144990	BAGDAD HIGHWAY	60	920.1777	2	10400	11700	13000	C or Better	0.070783

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
144991	BULLION MOUNTAIN RD	60	21.30896	2	10400	11700	13000	C or Better	0.001639
144992	VALLE VISTA RD	60	1153.055	2	10400	11700	13000	C or Better	0.088697
2775011	ADOBE RD	50	4341.395	2	14400	16200	18000	C or Better	0.241189
122741	AMBOY RD	60	167.1927	2	10400	11700	13000	C or Better	0.012861
2775001	ADOBE RD	50	5605.307	2	14400	16200	18000	C or Better	0.311406
2775016	UTAH TRL	50	3181.302	2	14400	16200	18000	C or Better	0.176739
122747	TWO MILE RD	50	3322.92	2	14400	16200	18000	C or Better	0.184607
2775021	ADOBE RD	50	6992.573	2	14400	16200	18000	C or Better	0.388476
2758006	TWO MILE RD	50	3322.92	2	14400	16200	18000	C or Better	0.184607
122738	ADOBE RD	50	5540.217	2	14400	16200	18000	C or Better	0.30779
122768	UTAH TRL	50	3963.797	2	14400	16200	18000	C or Better	0.220211
2775027	TWO MILE RD	50	3238.274	2	14400	16200	18000	C or Better	0.179904
122757	DESERT KNOLL AVE	60	594.973	2	10400	11700	13000	C or Better	0.045767
122764	TWO MILE RD	50	3739.555	2	14400	16200	18000	C or Better	0.207753
2775019	DESERT KNOLL AVE	60	1025.067	2	10400	11700	13000	C or Better	0.078851
122775	UTAH TRL	50	2140.088	2	14400	16200	18000	C or Better	0.118894
2775007	VALLE VISTA RD	60	486.5689	2	10400	11700	13000	C or Better	0.037428
2775009	UTAH TRL	50	785.3479	2	14400	16200	18000	C or Better	0.04363
2774994	INDIAN TRL	60	410.202	2	10400	11700	13000	C or Better	0.031554
124139	ADOBE RD	60	2773.431	2	10400	11700	13000	C or Better	0.213341
2774992	VALLE VISTA RD	60	996.7362	2	10400	11700	13000	C or Better	0.076672
122728	VALLE VISTA RD	60	499.7282	2	10400	11700	13000	C or Better	0.038441
2775005	VALLE VISTA RD	60	1903.571	2	10400	11700	13000	C or Better	0.146429
122763	VALLE VISTA RD	60	1521.822	2	10400	11700	13000	C or Better	0.117063
124138	DEL VALLE DR	60	1784.45	2	10400	11700	13000	C or Better	0.137265
133048	AMBOY RD	60	1698.38	2	10400	11700	13000	C or Better	0.130645
2775090	AMBOY RD	60	1328.387	2	10400	11700	13000	C or Better	0.102184
144993	VALLE VISTA RD	60	721.3703	2	10400	11700	13000	C or Better	0.05549
2775088	BULLION MOUNTAIN RD	60	21.30896	2	10400	11700	13000	C or Better	0.001639
2775086	VALLE VISTA RD	60	440.4874	2	10400	11700	13000	C or Better	0.033884
2775064	AMBOY RD	60	787.0364	2	10400	11700	13000	C or Better	0.060541
2775066	TWENTYNINE PALMS HIGHWAY	50	2989.433	2	14400	16200	18000	C or Better	0.16608
2702148	TWENTYNINE PALMS HIGHWAY	50	3894.199	2	14400	16200	18000	C or Better	0.216344
2702146	TWENTYNINE PALMS HIGHWAY	50	3894.199	2	14400	16200	18000	C or Better	0.216344
122808	AMBOY RD	60	1350.038	2	10400	11700	13000	C or Better	0.103849
2775094	VALLE VISTA RD	60	152.8681	2	10400	11700	13000	C or Better	0.011759
133063	TWENTYNINE PALMS HIGHWAY	50	1222.521	2	14400	16200	18000	C or Better	0.067918
122810	AMBOY RD	60	2370.934	2	10400	11700	13000	C or Better	0.18238
134048	AMBOY RD	60	1733.592	2	10400	11700	13000	C or Better	0.133353
2775060	TWENTYNINE PALMS HIGHWAY	50	316.2797	2	14400	16200	18000	C or Better	0.017571
122813	AMBOY RD	60	2049.036	2	10400	11700	13000	C or Better	0.157618
2775099	AMBOY RD	60	1600.67	2	10400	11700	13000	C or Better	0.123128
152774	PAXTON RD	50	2133.777	2	14400	16200	18000	C or Better	0.118543
2701740	SUNNYSLOPE DR	50	3268.15	2	14400	16200	18000	C or Better	0.181564
2774809	JOSHUA LN	50	1412.813	2	14400	16200	18000	C or Better	0.07849
2774837	PUEBLO TRL	60	571.037	2	10400	11700	13000	C or Better	0.043926
2774846	ABERDEEN DR	60	1398.821	2	10400	11700	13000	C or Better	0.107602
2778959	ONAGA TRL	50	2616.855	2	14400	16200	18000	C or Better	0.145381
2778980	BUENA VISTA DR	60	6578.462	2	10400	11700	13000	C or Better	0.506036
2779061		74	402.8912	2	1200	1500	2000	C or Better	0.201446
2779072	SAN ANDREAS	50	1378.299	2	14400	16200	18000	C or Better	0.076572
2733575	PIONEER DR	60	2058.951	2	10400	11700	13000	C or Better	0.158381
2779104	JUNIPER AVE	60	124.3199	2	10400	11700	13000	C or Better	0.009563
2779106	PARADISE AVE	60	4141.646	2	10400	11700	13000	C or Better	0.318588
2779109	JUNIPER AVE	60	1240.167	2	10400	11700	13000	C or Better	0.095397
144942	PIONEER DR	60	5397.192	2	10400	11700	13000	C or Better	0.415169
2733576	JUNIPER AVE	60	4631.366	2	10400	11700	13000	C or Better	0.356259
2733581	JUNIPER AVE	60	4631.366	2	10400	11700	13000	C or Better	0.356259

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C Thre	LOS D Thre	LOS E Thre	LOS	V/C
2779105	JUNIPER AVE	60	4265.966	2	10400	11700	13000	C or Better	0.328151
2733579	SENLIS AVE	60	1839.266	2	10400	11700	13000	C or Better	0.141482
2733582	PIONEER DR	60	4246.801	2	10400	11700	13000	C or Better	0.326677
2733573	PIONEER DR	60	6777.07	2	10400	11700	13000	C or Better	0.521313
2733574	HESS BLVD	60	4718.119	2	10400	11700	13000	C or Better	0.362932
2733578	SENLIS AVE	60	1839.266	2	10400	11700	13000	C or Better	0.141482
2733580	HESS BLVD	60	4718.119	2	10400	11700	13000	C or Better	0.362932
2774671	PIONEER DR	60	4246.801	2	10400	11700	13000	C or Better	0.326677
2779108	WEST DR	60	4246.801	2	10400	11700	13000	C or Better	0.326677
123040	PIPES CANYON RD	60	786.8547	2	10400	11700	13000	C or Better	0.060527
123069	PIONEERTOWN RD	60	633.7418	2	10400	11700	13000	C or Better	0.048749
144930	PIPES CANYON RD	74	903.3798	2	1200	1500	2000	C or Better	0.45169
144946	ONAGA TRL	50	3793.338	2	14400	16200	18000	C or Better	0.210741
2774658	PIONEERTOWN RD	60	1714.983	2	10400	11700	13000	C or Better	0.131922
2774660	PIPES CANYON RD	60	989.2376	2	10400	11700	13000	C or Better	0.076095
2778923	KICKAPOO TRL	50	4125.592	2	14400	16200	18000	C or Better	0.2292
2779024		74	596.2086	2	1200	1500	2000	C or Better	0.298104
2779025	SANTA FE TRL	60	1073.557	2	10400	11700	13000	C or Better	0.082581
2779089		50	1059.024	2	14400	16200	18000	C or Better	0.058835
2779099	PIONEERTOWN RD	60	2240.598	2	10400	11700	13000	C or Better	0.172354
123052	PINON DR	50	776.9395	2	14400	16200	18000	C or Better	0.043163
133012	FAIRWAY DR	60	1304.854	2	10400	11700	13000	C or Better	0.100373
2779021	KICKAPOO TRL	50	2654.083	2	14400	16200	18000	C or Better	0.147449
2779091		50	1542.908	2	14400	16200	18000	C or Better	0.085717
2779023		50	776.9395	2	14400	16200	18000	C or Better	0.043163
2779090		50	2081.031	2	14400	16200	18000	C or Better	0.115613
2658587	PINON DR	60	1603.219	2	10400	11700	13000	C or Better	0.123325
2774727	FAIRWAY DR	60	900.4269	2	10400	11700	13000	C or Better	0.069264
2777141	PIONEERTOWN RD	60	1714.983	2	10400	11700	13000	C or Better	0.131922
2661563	CAMINO DEL CIELO TRL	60	2640.811	2	10400	11700	13000	C or Better	0.203139
123051	CAMINO DEL CIELO TRL	60	3596.65	2	10400	11700	13000	C or Better	0.276665
2774725	MARTINEZ TRL	60	1102.981	2	10400	11700	13000	C or Better	0.084845
123054	PINON DR	60	1790.467	2	10400	11700	13000	C or Better	0.137728
2778912	PINON DR	60	1790.467	2	10400	11700	13000	C or Better	0.137728
2774732	CAMINO DEL CIELO TRL	60	1315.638	2	10400	11700	13000	C or Better	0.101203
2779028	KICKAPOO TRL	50	6357.343	2	14400	16200	18000	C or Better	0.353186
2779020	KICKAPOO TRL	50	6517.391	2	14400	16200	18000	C or Better	0.362077
2733735	KICKAPOO TRL	50	4125.592	2	14400	16200	18000	C or Better	0.2292
2774687	ONAGA TRL	50	3955.895	2	14400	16200	18000	C or Better	0.219772
2774692	GOLDEN BEE DR	60	345.7695	2	10400	11700	13000	C or Better	0.026598
2776966	SAGE AVE	60	6829.267	2	10400	11700	13000	C or Better	0.525328
2778900	SAGE AVE	60	1574.667	2	10400	11700	13000	C or Better	0.121128
2778901	AMADOR AVE	60	2814.58	2	10400	11700	13000	C or Better	0.216506
2779016	JOSHUA LN	50	4733.354	2	14400	16200	18000	C or Better	0.262964
2779018	JOSHUA LN	50	4271.316	2	14400	16200	18000	C or Better	0.237295
2779043	ACOMA TRL	50	3915.137	2	14400	16200	18000	C or Better	0.217508
2779086	SAGE AVE	60	491.3973	2	10400	11700	13000	C or Better	0.0378
2778921	AMADOR AVE	60	892.7026	2	10400	11700	13000	C or Better	0.068669
2779014		74	117.8078	2	1200	1500	2000	C or Better	0.058904
2779094		74	17.05638	2	1200	1500	2000	C or Better	0.008528
2779096		74	616.4931	2	1200	1500	2000	C or Better	0.308247
2779093		74	12.51639	2	1200	1500	2000	C or Better	0.006258
123000	AMADOR AVE	60	892.7026	2	10400	11700	13000	C or Better	0.068669
2778948	SAGE AVE	60	339.9894	2	10400	11700	13000	C or Better	0.026153
122998	SAGE AVE	60	339.9894	2	10400	11700	13000	C or Better	0.026153
2778920	SAGE AVE	60	339.9894	2	10400	11700	13000	C or Better	0.026153
2774694	AMADOR AVE	60	892.7026	2	10400	11700	13000	C or Better	0.068669
2778902	AMADOR AVE	60	3194.053	2	10400	11700	13000	C or Better	0.245696

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2779078	JOSHUA LN	50	3227.068	2	14400	16200	18000	C or Better	0.179282
2779088	GOLDEN BEE DR	60	49.61882	2	10400	11700	13000	C or Better	0.003817
2779092	ACOMA TRL	50	1905.859	2	14400	16200	18000	C or Better	0.105881
2779013	ACOMA TRL	50	233.725	2	14400	16200	18000	C or Better	0.012985
2779087		50	202.6393	2	14400	16200	18000	C or Better	0.011258
2778993		50	49.61882	2	14400	16200	18000	C or Better	0.002757
2779017	ACOMA TRL	50	3369.891	2	14400	16200	18000	C or Better	0.187216
122997	GOLDEN BEE DR	60	785.5104	2	10400	11700	13000	C or Better	0.060424
122999	AMADOR AVE	60	2114.089	2	10400	11700	13000	C or Better	0.162622
2779012	GOLDEN BEE DR	60	345.7695	2	10400	11700	13000	C or Better	0.026598
2779085	AMADOR AVE	60	1270.315	2	10400	11700	13000	C or Better	0.097717
2778951	AMADOR AVE	60	2406.119	2	10400	11700	13000	C or Better	0.185086
2774699	AMADOR AVE	60	2242.084	2	10400	11700	13000	C or Better	0.172468
2779019	JOSHUA LN	50	2536.568	2	14400	16200	18000	C or Better	0.14092
2733741	SUNNYSLOPE DR	60	2184.304	2	10400	11700	13000	C or Better	0.168023
2774706	PUEBLO TRL	60	4937.035	2	10400	11700	13000	C or Better	0.379772
2774720	ONAGA TRL	50	4513.674	2	14400	16200	18000	C or Better	0.25076
2774760	PALM AVE	60	499.6037	2	10400	11700	13000	C or Better	0.038431
2778910	SUNNYSLOPE DR	60	2549.897	2	10400	11700	13000	C or Better	0.196146
2778915	PIONEERTOWN RD	60	2972.506	2	10400	11700	13000	C or Better	0.228654
2779034	ACOMA TRL	50	3632.879	2	14400	16200	18000	C or Better	0.201827
123023	ONAGA TRL	50	3688.66	2	14400	16200	18000	C or Better	0.204926
123025	PUEBLO TRL	60	3579.307	2	10400	11700	13000	C or Better	0.275331
2774737	YUCCA TRL	50	4234.195	2	14400	16200	18000	C or Better	0.235233
2779027	SANTA FE TRL	60	1554.858	2	10400	11700	13000	C or Better	0.119604
2779032	PIONEERTOWN RD	50	2223.751	2	14400	16200	18000	C or Better	0.123542
123022	HOPI TRL	50	201.0789	2	14400	16200	18000	C or Better	0.011171
123024	ONAGA TRL	50	3708.346	2	14400	16200	18000	C or Better	0.206019
144944	INCA TRL	50	952.3165	2	14400	16200	18000	C or Better	0.052906
2779030	SANTA FE TRL	60	4933.086	2	10400	11700	13000	C or Better	0.379468
2777111	ONAGA TRL	50	4545.619	2	14400	16200	18000	C or Better	0.252534
2779029	INCA TRL	50	3627.436	2	14400	16200	18000	C or Better	0.201524
2778917	ONAGA TRL	50	3889.739	2	14400	16200	18000	C or Better	0.216097
2779026	SANTA FE TRL	60	3450.517	2	10400	11700	13000	C or Better	0.265424
2661558	YUCCA TRL	50	4125.592	2	14400	16200	18000	C or Better	0.2292
2778924	YUCCA TRL	50	4234.195	2	14400	16200	18000	C or Better	0.235233
123031	DEER TRL	50	1445.447	2	14400	16200	18000	C or Better	0.080303
123032	ONAGA TRL	50	4315.625	2	14400	16200	18000	C or Better	0.239757
123034	PUEBLO TRL	60	4729.834	2	10400	11700	13000	C or Better	0.363833
133016	SANTA FE TRL	60	1710.518	2	10400	11700	13000	C or Better	0.131578
2774717	ONAGA TRL	50	3769.861	2	14400	16200	18000	C or Better	0.209437
123033	DEER TRL	50	1860.495	2	14400	16200	18000	C or Better	0.103361
2774710	SANTA FE TRL	60	1554.554	2	10400	11700	13000	C or Better	0.119581
2774712	PUEBLO TRL	60	4079.295	2	10400	11700	13000	C or Better	0.313792
123029	DEER TRL	50	2383.944	2	14400	16200	18000	C or Better	0.132441
2774703	SANTA FE TRL	60	1820.535	2	10400	11700	13000	C or Better	0.140041
2778932	PIONEERTOWN RD	50	4915.851	2	14400	16200	18000	C or Better	0.273103
2779031	YUCCA TRL	50	3887.063	2	14400	16200	18000	C or Better	0.215948
2778933	YUCCA TRL	50	4822.566	2	14400	16200	18000	C or Better	0.26792
2779033	PIONEERTOWN RD	50	6231.878	2	14400	16200	18000	C or Better	0.346215
2778930	PIONEERTOWN RD	50	5825.652	2	14400	16200	18000	C or Better	0.323647
2778931	PIONEERTOWN RD	50	4676.793	2	14400	16200	18000	C or Better	0.259822
2778911	PIONEERTOWN RD	50	4116.115	2	14400	16200	18000	C or Better	0.228673
2661560	ACOMA TRL	50	710.214	2	14400	16200	18000	C or Better	0.039456
2774697	ONAGA TRL	50	5472.086	2	14400	16200	18000	C or Better	0.304005
2778907	PIMA TR	60	2227.013	2	10400	11700	13000	C or Better	0.171309
2778939	PAPAGO TR	50	3137.809	2	14400	16200	18000	C or Better	0.174323
2779037	CHURCH ST	50	1850.308	2	14400	16200	18000	C or Better	0.102795

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2779041	PALM AVE	60	2782.973	2	10400	11700	13000	C or Better	0.214075
2774684	ACOMA TRL	50	4572.813	2	14400	16200	18000	C or Better	0.254045
2778944	ONAGA TRL	50	4848.243	2	14400	16200	18000	C or Better	0.269347
2779083	CHURCH ST	50	1058.772	2	14400	16200	18000	C or Better	0.058821
123002	ONAGA TRL	50	4786.74	2	14400	16200	18000	C or Better	0.26593
123035	ACOMA TRL	50	4572.813	2	14400	16200	18000	C or Better	0.254045
100818	ACOMA TRL	50	710.214	2	14400	16200	18000	C or Better	0.039456
152785	PAPAGO TR	50	3068.772	2	14400	16200	18000	C or Better	0.170487
152783	ACOMA TRL	50	3092.444	2	14400	16200	18000	C or Better	0.171802
2733737	ACOMA TRL	50	710.214	2	14400	16200	18000	C or Better	0.039456
2779082	PAPAGO TR	50	3137.809	2	14400	16200	18000	C or Better	0.174323
2779038	ONAGA TRL	50	5472.086	2	14400	16200	18000	C or Better	0.304005
152788	PIMA TR	60	366.0661	2	10400	11700	13000	C or Better	0.028159
2779040	CHURCH ST	50	1484.242	2	14400	16200	18000	C or Better	0.082458
2779098	ACOMA TRL	50	3849.495	2	14400	16200	18000	C or Better	0.213861
2779097	ACOMA TRL	50	4478.989	2	14400	16200	18000	C or Better	0.248833
2779039	CHURCH ST	50	4693.077	2	14400	16200	18000	C or Better	0.260727
2779042	ONAGA TRL	50	5901.207	2	14400	16200	18000	C or Better	0.327845
2779084	PALM AVE	60	569.1719	2	10400	11700	13000	C or Better	0.043782
2676944	PALM AVE	60	1373.449	2	10400	11700	13000	C or Better	0.10565
122996	ONAGA TRL	50	3955.895	2	14400	16200	18000	C or Better	0.219772
2778936	PALM AVE	60	499.6037	2	10400	11700	13000	C or Better	0.038431
123005	PALM AVE	60	2148.815	2	10400	11700	13000	C or Better	0.165293
2774776	SUNNYSLOPE DR	60	5744.915	2	10400	11700	13000	C or Better	0.441917
2779081	SUNNYSLOPE DR	60	5744.915	2	10400	11700	13000	C or Better	0.441917
2661562	SUNNYSLOPE DR	60	5409.847	2	10400	11700	13000	C or Better	0.416142
133036	SAGE AVE	60	5817.922	2	10400	11700	13000	C or Better	0.447532
2778960	JOSHUA LN	50	5066.514	2	14400	16200	18000	C or Better	0.281473
2779009	WARREN VISTA	50	4740.782	2	14400	16200	18000	C or Better	0.263377
122981	JOSHUA LN	50	4961.514	2	14400	16200	18000	C or Better	0.27564
2778903	SAGE AVE	60	1189.587	2	10400	11700	13000	C or Better	0.091507
2778952	GOLDEN BEE DR	50	466.4849	2	14400	16200	18000	C or Better	0.025916
122986	GOLDEN BEE DR	50	570.6317	2	14400	16200	18000	C or Better	0.031702
133034	SAGE AVE	60	507.5974	2	10400	11700	13000	C or Better	0.039046
2778950	SAGE AVE	60	912.1759	2	10400	11700	13000	C or Better	0.070167
2774689	SAGE AVE	60	1278.304	2	10400	11700	13000	C or Better	0.098331
2779015	JOSHUA LN	50	5518.274	2	14400	16200	18000	C or Better	0.306571
2779079	JOSHUA LN	50	5526.419	2	14400	16200	18000	C or Better	0.307023
123058	JOSHUA LN	50	5184.379	2	14400	16200	18000	C or Better	0.288021
2779008	SAN ANDREAS	50	2003.505	2	14400	16200	18000	C or Better	0.111306
2779077	WARREN VISTA	50	2003.505	2	14400	16200	18000	C or Better	0.111306
2779011	JOSHUA LN	50	1412.813	2	14400	16200	18000	C or Better	0.07849
122966	PAXTON RD	50	4431.367	2	14400	16200	18000	C or Better	0.246187
2774830	PUEBLO TRL	62	639.5929	2	6800	14100	17400	C or Better	0.036758
2778899	ONAGA TRL	50	3155.978	2	14400	16200	18000	C or Better	0.175332
2778994	HILTON AVE	50	2936.49	2	14400	16200	18000	C or Better	0.163138
2778996	SUNNYSLOPE DR	50	5373.768	2	14400	16200	18000	C or Better	0.298543
2779080	SAGE AVE	60	3287.112	2	10400	11700	13000	C or Better	0.252855
122978	JOSHUA LN	50	6536.166	2	14400	16200	18000	C or Better	0.36312
122993	SAGE AVE	60	2926.47	2	10400	11700	13000	C or Better	0.225113
2774826	PUEBLO TRL	62	975.5158	2	6800	14100	17400	C or Better	0.056064
2778954	ONAGA TRL	50	3933.166	2	14400	16200	18000	C or Better	0.218509
122980	ONAGA TRL	50	4140.274	2	14400	16200	18000	C or Better	0.230015
2701716	PUEBLO TRL	62	810.6363	2	6800	14100	17400	C or Better	0.046588
2778947	SAGE AVE	60	3325.962	2	10400	11700	13000	C or Better	0.255843
122994	SAGE AVE	60	2810.883	2	10400	11700	13000	C or Better	0.216222
2779035	SAGE AVE	60	5439.376	2	10400	11700	13000	C or Better	0.418414
122972	JOSHUA LN	50	5700.527	2	14400	16200	18000	C or Better	0.316696

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS	V/C
122979	ONAGA TRL	50	4148.418	2	14400	16200	18000	C or Better	0.230468
2701726	PUEBLO TRL	62	785.9898	2	6800	14100	17400	C or Better	0.045172
2779074	OUTER HIGHWAY	60	671.8274	2	10400	11700	13000	C or Better	0.051679
2779075	OUTER HIGHWAY	60	1907.47	2	10400	11700	13000	C or Better	0.146728
2779046	OUTER HIGHWAY	60	810.7674	2	10400	11700	13000	C or Better	0.062367
2779048	OUTER HIGHWAY	60	0	2	10400	11700	13000	C or Better	0
122989	WARREN VISTA AVE	60	526.3294	2	10400	11700	13000	C or Better	0.040487
123009	FRONTERA AVE	60	403.8888	2	10400	11700	13000	C or Better	0.031068
2774833	PUEBLO TRL	60	441.7686	2	10400	11700	13000	C or Better	0.033982
2778957	ONAGA TRL	50	2759.112	2	14400	16200	18000	C or Better	0.153284
122982	WARREN VISTA AVE	60	282.8121	2	10400	11700	13000	C or Better	0.021755
122984	PUEBLO TRL	60	457.3087	2	10400	11700	13000	C or Better	0.035178
122985	ONAGA TRL	50	2873.27	2	14400	16200	18000	C or Better	0.159626
2779044	WARREN VISTA AVE	60	830.411	2	10400	11700	13000	C or Better	0.063878
123007	FRONTERA AVE	60	6.70354	2	10400	11700	13000	C or Better	0.000516
123008	ONAGA TRL	50	2752.408	2	14400	16200	18000	C or Better	0.152912
123010	PUEBLO TRL	60	630.9025	2	10400	11700	13000	C or Better	0.048531
2778997	BALSA AVENUE	50	2135.604	2	14400	16200	18000	C or Better	0.118645
2778998	SUNNYSLOPE DR	50	3268.15	2	14400	16200	18000	C or Better	0.181564
2778975	PAXTON RD	50	4279.901	2	14400	16200	18000	C or Better	0.237772
2774745	PAXTON RD	50	4431.367	2	14400	16200	18000	C or Better	0.246187
2778966	BALSA AVE	50	2146.124	2	14400	16200	18000	C or Better	0.119229
152776	BALSA AVE	50	5344.279	2	14400	16200	18000	C or Better	0.296904
152778	SUNNYSLOPE DR	50	5966.455	2	14400	16200	18000	C or Better	0.33147
2774743	BALSA AVE	50	2146.124	2	14400	16200	18000	C or Better	0.119229
133025	ABERDEEN DR	60	1661.311	2	10400	11700	13000	C or Better	0.127793
2779065		74	1075.749	2	1200	1500	2000	C or Better	0.537875
2779102	BUENA VISTA DR	60	1816.863	2	10400	11700	13000	C or Better	0.139759
2778983		74	717.43	2	1200	1500	2000	C or Better	0.358715
2779101	BUENA VISTA DR	60	336.8515	2	10400	11700	13000	C or Better	0.025912
2774770	PIPES CANYON RD	60	1167.056	2	10400	11700	13000	C or Better	0.089774
2779064		74	507.8642	2	1200	1500	2000	C or Better	0.253932
2779063		74	212.0687	2	1200	1500	2000	C or Better	0.106034
2774749	BUENA VISTA DR	60	6867.234	2	10400	11700	13000	C or Better	0.528249
2778979		74	1095.372	2	1200	1500	2000	C or Better	0.547686
133076	NATIONAL PARK BLVD	60	144.9441	2	10400	11700	13000	C or Better	0.01115
1658228	LOOP RD	60	144.9441	2	10400	11700	13000	C or Better	0.01115
2774908	LOOP RD	60	64.28397	2	10400	11700	13000	C or Better	0.004945
123068	AVALON AVE	60	6249.686	2	10400	11700	13000	C or Better	0.480745
2774859	ABERDEEN DR	60	1871.812	2	10400	11700	13000	C or Better	0.143986
123071	ALTA LOMA DR	60	2889.68	2	10400	11700	13000	C or Better	0.222283
2774873	SUNSET RD	60	0	2	10400	11700	13000	C or Better	0
2777107	ABERDEEN DR	60	5846.444	2	10400	11700	13000	C or Better	0.449726
2777108	SUNBURST AVE	60	5653.147	2	10400	11700	13000	C or Better	0.434857
2779055		74	387.918	2	1200	1500	2000	C or Better	0.193959
2779060		74	1144.201	2	1200	1500	2000	C or Better	0.572101
2774905	ALTA LOMA RD	60	4181.556	2	10400	11700	13000	C or Better	0.321658
2779068		74	946.9269	2	1200	1500	2000	C or Better	0.473463
2779117	SUNNY VISTA RD	60	2332.031	2	10400	11700	13000	C or Better	0.179387
123057	PALOMAR AVE	50	2645.359	2	14400	16200	18000	C or Better	0.146964
2778991		50	60.55158	2	14400	16200	18000	C or Better	0.003364
2774804	JOSHUA LN	50	1497.893	2	14400	16200	18000	C or Better	0.083216
2779010	JOSHUA LN	50	2642.947	2	14400	16200	18000	C or Better	0.14683
2779070		50	1567.971	2	14400	16200	18000	C or Better	0.087109
2779071	PALOMAR AVE	50	5576.153	2	14400	16200	18000	C or Better	0.309786
2774802	PALOMAR AVE	50	3770.711	2	14400	16200	18000	C or Better	0.209484
2778992	PALOMAR AVE	50	3770.711	2	14400	16200	18000	C or Better	0.209484
123042	PALOMAR AVE	50	5576.153	2	14400	16200	18000	C or Better	0.309786

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2779069		74	60.55158	2	1200	1500	2000	C or Better	0.030276
123065 AVALON AVE		50	5925.352	2	14400	16200	18000	C or Better	0.329186
2778985		50	1172.924	2	14400	16200	18000	C or Better	0.065162
2779000 BARRON RD		60	3391.503	2	10400	11700	13000	C or Better	0.260885
2779066 LA CONTENTA AVENUE		60	4361.19	2	10400	11700	13000	C or Better	0.335476
2778987		50	921.8401	2	14400	16200	18000	C or Better	0.051213
152779 AVALON AVE		50	3650.9	2	14400	16200	18000	C or Better	0.202828
2774818 SUNNYSLOPE DR		50	3307.348	2	14400	16200	18000	C or Better	0.183742
2774820 AVALON AVE		50	3650.9	2	14400	16200	18000	C or Better	0.202828
2779073		50	4206.255	2	14400	16200	18000	C or Better	0.233681
2778986		50	2094.764	2	14400	16200	18000	C or Better	0.116376
144949 CAMARILLA AVE		60	1008.698	2	10400	11700	13000	C or Better	0.077592
144951 TWENTYNINE PALMS OUTERHIGHWAY N		50	1976.541	2	14400	16200	18000	C or Better	0.109808
144953 AVALON AVE		50	3395.023	2	14400	16200	18000	C or Better	0.188612
2779002 INDIO AVENUE		60	3762.857	2	10400	11700	13000	C or Better	0.289451
2779057 BARRON RD		60	2798.062	2	10400	11700	13000	C or Better	0.215236
2774741 PAXTON RD		50	2516.005	2	14400	16200	18000	C or Better	0.139778
2774822 AVALON AVE		50	3760.52	2	14400	16200	18000	C or Better	0.208918
123062 AVALON AVE		50	3565.863	2	14400	16200	18000	C or Better	0.198103
2774779 TWENTYNINE PALMS OUTERHIGHWAY N		50	2985.239	2	14400	16200	18000	C or Better	0.165847
123063 AVALON AVE		50	5408.796	2	14400	16200	18000	C or Better	0.300489
144952 TWENTYNINE PALMS OUTERHIGHWAY N		50	2919.08	2	14400	16200	18000	C or Better	0.162171
2779058 BARRON RD		60	1789.364	2	10400	11700	13000	C or Better	0.137643
2779004 TWENTYNINE PALMS OUTERHIGHWAY N		50	5739.398	2	14400	16200	18000	C or Better	0.318855
2779003 BARRON RD		60	1930.97	2	10400	11700	13000	C or Better	0.148536
2779056		74	928.2896	2	1200	1500	2000	C or Better	0.464145
2778990 ALTA LOMA RD		60	6882.521	2	10400	11700	13000	C or Better	0.529425
2779067 LA CONTENTA AVENUE		60	3473.395	2	10400	11700	13000	C or Better	0.267184
2779006 LA CONTENTA AVENUE		60	3199.374	2	10400	11700	13000	C or Better	0.246106
2779005 LA CONTENTA AVENUE		60	6547.451	2	10400	11700	13000	C or Better	0.50365
133040 SUNNY VISTA RD		50	953.8617	2	14400	16200	18000	C or Better	0.052992
2779114 SUNNY VISTA RD		60	2625.761	2	10400	11700	13000	C or Better	0.201982
100759 ABERDEEN DR		60	6495.527	2	10400	11700	13000	C or Better	0.499656
100762 YUCCA MESA RD		60	4998.599	2	10400	11700	13000	C or Better	0.384508
123061 AVALON AVE		60	1525.106	2	10400	11700	13000	C or Better	0.117316
2778981		74	89.25163	2	1200	1500	2000	C or Better	0.044626
2779054		74	109.3642	2	1200	1500	2000	C or Better	0.054682
2779062		74	388.1666	2	1200	1500	2000	C or Better	0.194083
2779053		74	121.1841	2	1200	1500	2000	C or Better	0.060592
100760 BUENA VISTA DR		60	5877.57	2	10400	11700	13000	C or Better	0.452121
2775533 ABERDEEN DR		60	5716.112	2	10400	11700	13000	C or Better	0.439701
123067 ABERDEEN DR		60	5716.112	2	10400	11700	13000	C or Better	0.439701
2775279 AVALON AVE		60	2142.206	2	10400	11700	13000	C or Better	0.164785
2774849 YUCCA MESA RD		60	4812.726	2	10400	11700	13000	C or Better	0.37021
2774854 ABERDEEN DR		60	6102.847	2	10400	11700	13000	C or Better	0.46945
124351 SUNSET RD		60	1577.175	2	10400	11700	13000	C or Better	0.121321
124355 QUAIL SPRINGS RD		60	1114.928	2	10400	11700	13000	C or Better	0.085764
133075 QUAIL SPRINGS RD		60	1223.993	2	10400	11700	13000	C or Better	0.094153
124357 QUAIL SPRINGS RD		60	1223.993	2	10400	11700	13000	C or Better	0.094153
2774892 QUAIL SPRINGS RD		60	1114.928	2	10400	11700	13000	C or Better	0.085764
124345 PARK BLVD		60	370.5575	2	10400	11700	13000	C or Better	0.028504
124352 SUNSET RD		60	170.9837	2	10400	11700	13000	C or Better	0.013153
133039 SUNBURST CIR		60	1970.211	2	10400	11700	13000	C or Better	0.151555
2774902 QUAIL SPRINGS RD		60	1657.77	2	10400	11700	13000	C or Better	0.127521
124350 SUNSET RD		60	1151.787	2	10400	11700	13000	C or Better	0.088599
133042 PARK BLVD		60	2420.794	2	10400	11700	13000	C or Better	0.186215
123075 ALTA LOMA DR		60	3315.068	2	10400	11700	13000	C or Better	0.255005
124349 ALTA LOMA DR		60	4466.854	2	10400	11700	13000	C or Better	0.343604

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS F	V/C
2774898	SUNBURST CIR	60	83.73733	2	10400	11700	13000	C or Better	0.006441
124346	SUNBURST CIR	60	980.803	2	10400	11700	13000	C or Better	0.075446
124353	SUNSET RD	60	3384.484	2	10400	11700	13000	C or Better	0.260345
2774896	SUNSET RD	60	6043.713	2	10400	11700	13000	C or Better	0.464901
123080	SUNBURST AVE	60	6056.479	2	10400	11700	13000	C or Better	0.465883
2774894	QUAIL SPRINGS RD	60	144.9441	2	10400	11700	13000	C or Better	0.01115
100757	SUNBURST AVE	60	5394.02	2	10400	11700	13000	C or Better	0.414925
144965	ABERDEEN DR	60	2673.781	2	10400	11700	13000	C or Better	0.205675
2774876	SUNBURST AVE	60	4835.051	2	10400	11700	13000	C or Better	0.371927
144977	BORDER AVE	60	5749.866	2	10400	11700	13000	C or Better	0.442297
100755	SUNBURST AVE	60	5141.544	2	10400	11700	13000	C or Better	0.395503
100758	ABERDEEN DR	60	3618.239	2	10400	11700	13000	C or Better	0.278326
122937	BORDER AVE	60	1546.825	2	10400	11700	13000	C or Better	0.118987
2774867	GOLDEN ST	60	1061.862	2	10400	11700	13000	C or Better	0.081682
100756	GOLDEN ST	60	1343.995	2	10400	11700	13000	C or Better	0.103384
144918	PIPES RD	74	903.3798	2	1200	1500	2000	C or Better	0.45169
1658227	LOOP RD	60	64.28397	2	10400	11700	13000	C or Better	0.004945
136137	UTAH TRL	60	1504.77	2	10400	11700	13000	C or Better	0.115752
136139	PINTO BASIN RD	60	1535.588	2	10400	11700	13000	C or Better	0.118122
2775107	AMBOY RD	60	1723.486	2	10400	11700	13000	C or Better	0.132576
139996	STATE HIGHWAY 62	50	467.0196	2	14400	16200	18000	C or Better	0.025946
2774933	TWENTYNINE PALMS HIGHWAY	40	25593.93	4	28700	32300	35900	C or Better	0.712923
152768	TWENTYNINE PALMS HIGHWAY	40	25593.93	4	28700	32300	35900	C or Better	0.712923
2778896	29TH PALMS HIGHWAY	40	28188.81	4	28700	32300	35900	C or Better	0.785203
2778995	TWENTYNINE PALMS HIGHWAY	40	26986.75	4	28700	32300	35900	C or Better	0.75172
152772	TWENTYNINE PALMS HIGHWAY	40	26634.3	4	28700	32300	35900	C or Better	0.741903
2702138	TWENTYNINE PALMS HIGHWAY	40	26457.41	4	28700	32300	35900	C or Better	0.736975
2701742	29TH PALMS HIGHWAY	40	27443.73	4	28700	32300	35900	C or Better	0.764449
123064	TWENTYNINE PALMS HIGHWAY	40	26614.52	4	28700	32300	35900	C or Better	0.741352
122947	TWENTYNINE PALMS HIGHWAY	40	28394.78	4	28700	32300	35900	C or Better	0.790941
123079	TWENTYNINE PALMS HIGHWAY	40	26932.77	4	28700	32300	35900	C or Better	0.750217
124348	TWENTYNINE PALMS HIGHWAY	40	26666.47	4	28700	32300	35900	C or Better	0.742799
122943	TWENTYNINE PALMS HIGHWAY	40	28438.92	4	28700	32300	35900	C or Better	0.792171
122919	TWENTYNINE PALMS HIGHWAY	40	18089.83	4	28700	32300	35900	C or Better	0.503895
122693	TWENTYNINE PALMS HIGHWAY	40	18007.74	4	28700	32300	35900	C or Better	0.501608
100781	TWO MILE RD	50	4559.874	4	27300	30700	34100	C or Better	0.133721
122842	CASCADE RD	60	1390.751	4	20700	23300	25900	C or Better	0.053697
152770	WHITMOORE RD	50	4936.342	4	27300	30700	34100	C or Better	0.144761
152769	ROTARY WAY	60	4936.342	4	20700	23300	25900	C or Better	0.190592
2774883	CASCADE RD	60	1266.374	4	20700	23300	25900	C or Better	0.048895
2774931	WHITMOORE RD	50	4930.919	4	27300	30700	34100	C or Better	0.144602
152771	MANTONYA RD	50	1049.654	4	27300	30700	34100	C or Better	0.030782
122902	NOELS KNOLL RD	60	89.77364	4	20700	23300	25900	C or Better	0.003466
122931	MARIPOSA AVE	60	0	4	20700	23300	25900	C or Better	0
2775042	TWENTYNINE PALMS HIGHWAY	40	11493.61	4	28700	32300	35900	C or Better	0.320156
152767	ENCELIA AVE	60	2284.922	4	20700	23300	25900	C or Better	0.088221
122701	TWENTYNINE PALMS HIGHWAY	40	10834.67	4	28700	32300	35900	C or Better	0.301801
146793	WILDCAT WAY	50	840.5059	4	27300	30700	34100	C or Better	0.024648
2774982	DATURA AVE	60	1344.505	4	20700	23300	25900	C or Better	0.051911
122692	TWENTYNINE PALMS HIGHWAY	40	16286.05	4	28700	32300	35900	C or Better	0.45365
124334	DATURA AVE	60	1252.439	4	20700	23300	25900	C or Better	0.048357
133043	EL PASEO DR	50	3401.418	4	27300	30700	34100	C or Better	0.099748
122683	MORONGO RD	60	5364.431	4	20700	23300	25900	C or Better	0.207121
122918	EL PASEO DR	50	3743.905	4	27300	30700	34100	C or Better	0.109792
122932	EL PASEO DR	50	3846.362	4	27300	30700	34100	C or Better	0.112797
2758001	EL PASEO DR	50	0	4	27300	30700	34100	C or Better	0
2774965	EL PASEO DR	50	0	4	27300	30700	34100	C or Better	0
2779132	EL PASEO DR	50	1652.461	4	27300	30700	34100	C or Better	0.048459

Link ID	Road name	AB_Facility	Tot Flow	Lanes	LOS C	Thre LOS D	Thre LOS E	Thre LOS	V/C
122695	LARREA AVE	50	5933.532	4	27300	30700	34100	C or Better	0.174004
2774961	WILDCAT WAY	50	854.2386	4	27300	30700	34100	C or Better	0.025051
2774973	TWENTYNINE PALMS HIGHWAY	40	10968.16	4	28700	32300	35900	C or Better	0.30552
122723	TWENTYNINE PALMS HIGHWAY	40	10570.67	4	28700	32300	35900	C or Better	0.294448
2779127	Sunnyslope Dr	50	3124.827	4	27300	30700	34100	C or Better	0.091637
2777114	MORONGO RD	60	4522.189	4	20700	23300	25900	C or Better	0.174602
100751	MORONGO RD	60	6124.848	4	20700	23300	25900	C or Better	0.236481
2779153	Sunnyslope Dr	50	441.6221	4	27300	30700	34100	C or Better	0.012951
2758005	Sunnyslope Dr	50	968.3061	4	27300	30700	34100	C or Better	0.028396
2779145	Sunnyslope Dr	50	727.5289	4	27300	30700	34100	C or Better	0.021335
2733626	MORONGO RD	60	6124.848	4	20700	23300	25900	C or Better	0.236481
2779140	Sunnyslope Dr	50	996.613	4	27300	30700	34100	C or Better	0.029226
122791	SULLIVAN RD	60	1374.683	4	20700	23300	25900	C or Better	0.053077
122726	TWENTYNINE PALMS HIGHWAY	40	12160.78	4	28700	32300	35900	C or Better	0.338741
122750	TWENTYNINE PALMS HIGHWAY	40	9315.756	4	28700	32300	35900	C or Better	0.259492
122748	TWENTYNINE PALMS HIGHWAY	40	12695.65	4	28700	32300	35900	C or Better	0.353639
2775025	TWENTYNINE PALMS HIGHWAY	40	8120.348	4	28700	32300	35900	C or Better	0.226194
2775034	BUENA VISTA DR	60	154.2509	4	20700	23300	25900	C or Better	0.005956
122766	BUENA VISTA DR	60	233.2139	4	20700	23300	25900	C or Better	0.009004
2775075	SULLIVAN RD	60	326.7448	4	20700	23300	25900	C or Better	0.012616
122754	TWO MILE RD	50	3322.92	4	27300	30700	34100	C or Better	0.097446
2775029	JOE DAVIS DR	60	512.1426	4	20700	23300	25900	C or Better	0.019774
122771	JOE DAVIS DR	60	517.9119	4	20700	23300	25900	C or Better	0.019997
122727	ADOBE RD	50	3106.2	4	27300	30700	34100	C or Better	0.091091
2775014	CONDOR RD	60	934.6754	4	20700	23300	25900	C or Better	0.036088
122761	CONDOR RD	60	1097.823	4	20700	23300	25900	C or Better	0.042387
122736	ADOBE RD	50	4204.023	4	27300	30700	34100	C or Better	0.123285
122809	GODWIN RD	60	1796.15	4	20700	23300	25900	C or Better	0.069349
2779148	MOJAVE RD	60	0	4	20700	23300	25900	C or Better	0
133053	PINTO MOUNTAIN RD	60	21.59988	4	20700	23300	25900	C or Better	0.000834
2777113	PINTO MOUNTAIN RD	60	152.8681	4	20700	23300	25900	C or Better	0.005902
122816	NEW IRONAGE RD	60	141.8309	4	20700	23300	25900	C or Better	0.005476
122817	AMBOY RD	60	8.909017	4	20700	23300	25900	C or Better	0.000344
122815	AMBOY RD	60	1591.761	4	20700	23300	25900	C or Better	0.061458
133059	IRONAGE RD	60	150.7399	4	20700	23300	25900	C or Better	0.00582
133014	APACHE TRL	60	1820.535	4	20700	23300	25900	C or Better	0.070291
2779076	AIRWAY AVE	60	2449.126	4	20700	23300	25900	C or Better	0.094561
122969	JOSHUA LN	50	6129.582	4	27300	30700	34100	C or Better	0.179753
2778914	JOSHUA LN	50	6129.582	4	27300	30700	34100	C or Better	0.179753
2779050	JOSHUA LN	50	7367	4	27300	30700	34100	C or Better	0.216041
152781	AIRWAY AVE	60	1961.039	4	20700	23300	25900	C or Better	0.075716
2779047	AIRWAY AVE	60	810.7674	4	20700	23300	25900	C or Better	0.031304
2779049	AIRWAY AVE	60	2449.126	4	20700	23300	25900	C or Better	0.094561
2774861	BROADWAY	60	3065.618	4	20700	23300	25900	C or Better	0.118364
144954	BORDER AVE	60	1616.065	4	20700	23300	25900	C or Better	0.062396
152773	WHITE FEATHER RD	60	5303.691	4	20700	23300	25900	C or Better	0.204776
122936	BORDER AVE	60	1936.217	4	20700	23300	25900	C or Better	0.074757
122940	BROADWAY	60	3703.501	4	20700	23300	25900	C or Better	0.142992
2774888	BORDER AVE	60	1077.288	4	20700	23300	25900	C or Better	0.041594
122941	CALLE LOS AMIGOS	60	2607.794	4	20700	23300	25900	C or Better	0.100687
2774781	TWENTYNINE PALMS HIGHWAY	40	26457.41	6	42000	53200	56000	C or Better	0.472454

## **APPENDIX F: COST ESTIMATES**



**MBATS Recommended Improvements**  
**Planning Construction Cost Summary**

Project No.: 143185

Date: 1/5/2015

CORRIDOR: State Route 62 (SR62)

Project Length (FT): 262602

Project Length (MI): 49.74

Segment No.: 01	Construction Subtotal With Contingency	\$13,226,038
	Right of Way	\$30,000
	Preliminary and Final Engineering	25% \$3,306,509
	Construction and Environmental Support	15% \$1,983,906
	Segment Total	\$18,546,453
Segment No.: 02	Construction Subtotal With Contingency	\$21,367,808
	Right of Way	\$220,000
	Preliminary and Final Engineering	25% \$5,341,952
	Construction and Environmental Support	15% \$3,205,171
	Segment Total	\$30,134,932
Segment No.: 03	Construction Subtotal With Contingency	\$18,236,676
	Right of Way	\$120,000
	Preliminary and Final Engineering	25% \$4,559,169
	Construction and Environmental Support	15% \$2,735,501
	Segment Total	\$25,651,347
Segment No.: 04	Construction Subtotal With Contingency	\$2,340,000
	Preliminary and Final Engineering	25% \$585,000
	Construction and Environmental Support	15% \$351,000
	Segment Total	\$3,276,000
Segment No.: 05	Construction Subtotal With Contingency	\$1,170,000
	Preliminary and Final Engineering	25% \$292,500
	Construction and Environmental Support	15% \$175,500
	Segment Total	\$1,638,000
Segment No.: 06	Construction Subtotal With Contingency	\$4,095,000
	Preliminary and Final Engineering	25% \$1,023,750
	Construction and Environmental Support	15% \$614,250
	Segment Total	\$5,733,000
Segment No.: 07	Construction Subtotal With Contingency	\$12,086,350
	Right of Way	\$170,000
	Preliminary and Final Engineering	25% \$3,021,587
	Construction and Environmental Support	15% \$1,812,952
	Segment Total	\$17,090,889
Segment No.: 08	Construction Subtotal With Contingency	\$11,885,136
	Right of Way	\$150,000
	Preliminary and Final Engineering	25% \$2,971,284
	Construction and Environmental Support	15% \$1,782,770
	Segment Total	\$16,789,190
Segment No.: 09	Construction Subtotal With Contingency	\$4,108,104
	Right of Way	\$60,000
	Preliminary and Final Engineering	25% \$1,027,026
	Construction and Environmental Support	15% \$616,216
	Segment Total	\$5,811,346

Project Construction Subtotal With Contingency	\$88,515,112
Right of Way	\$750,000
Project Preliminary and Final Engineering	25% \$22,128,778
Construction and Environmental Support	15% \$13,277,267
Project Total	\$124,671,156

**MBATS Recommended Improvements**  
**Planning Construction Cost Estimate**

Project No.: 143185  
Date: 1/5/2015

CORRIDOR: State Route 62 (SR62)

Segment No.: 01  
Jurisdiction: San Bernardino County  
Improvements: SR-62 Roadway Widening

Status: Unbuilt  
Classification: Principal Arterial

From: San Bernardino County Line

To: Hess Blvd

Template	Description	Unit	Cost Level	Segment Length (FT)	Total Cost
				Unit Cost	Quantity
WDN1L	Widen by 1 Lane in Each Direction (W=13')	LF	Typical	\$270	3941
IT1	Miscellaneous Improvements	LF	Typical	\$15	3941
RET1	Retaining Wall (H=15')	LF	Typical	\$2,100	4300
SS1	Signing and Striping	LF	Typical	\$5	3941
					Construction Subtotal
					\$10,173,875
					Contingency
					30% \$3,052,163

Construction Subtotal With Contingency | \$13,226,038

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	3	\$30,000
						Preliminary and Final Engineering 25% \$3,306,509
						Construction and Environmental Support 15% \$1,983,906
						Segment Total \$18,546,453

Template	Description	Unit	Cost Level	Segment Length (FT)	Total Cost
				Unit Cost	Quantity
WDN2L	Widen by 1 Lane in Each Direction (W=13')	LF	Typical	\$275	39883
IT2	Miscellaneous Improvements	LF	Typical	\$55	39883
RET2	Retaining Wall (H=8')	LF	Typical	\$1,120	700
LTG2	Highway Safety Lighting	EA	Typical	\$52,000	1
	Culvert Widening (W=13')	SF	Typical	\$600	1300
SS2	Signing and Striping	LF	Typical	\$5	39883
TS1	Traffic Signal Installation	EA	Typical	\$700,000	1
TS2	Traffic Signal Modification	EA	Typical	\$450,000	1
TS3	Flashing Beacon	EA	Typical	\$150,000	2
					Construction Subtotal
					\$16,436,776
					Contingency
					30% \$4,931,033

Construction Subtotal With Contingency | \$21,367,808

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	22	\$220,000
						Preliminary and Final Engineering 25% \$5,341,952
						Construction and Environmental Support 15% \$3,205,171
						Segment Total \$30,134,932

Template	Description	Unit	Cost Level	Segment Length (FT)	Total Cost
				Unit Cost	Quantity
WDN3L	Widen by 1 Lane in Each Direction (W=13')	LF	Typical	\$355	21306
IT3	Miscellaneous Improvements	LF	Typical	\$68	21306
	Culvert Widening (W=13')	SF	Typical	\$450	1300
LTG3	Highway Safety Lighting	EA	Typical	\$1,555,000	1
SS3	Signing and Striping	LF	Typical	\$8	21306
TS2	Traffic Signal Modification	EA	Typical	\$450,000	6
					Construction Subtotal
					\$14,028,213
					Contingency
					30% \$4,208,464

Construction Subtotal With Contingency | \$18,236,776

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	12	\$120,000
						Preliminary and Final Engineering 25% \$4,559,169
						Construction and Environmental Support 15% \$2,735,501
						Segment Total \$25,651,347

Template	Description	Unit	Cost Level	Segment Length (FT)	Total Cost
				Unit Cost	Quantity
TS2	Traffic Signal Modification	EA	Typical	\$450,000	4
					Construction Subtotal
					\$1,800,000
					Contingency
					30% \$540,000

Construction Subtotal With Contingency | \$2,340,000

Preliminary and Final Engineering	25%	\$585,000
Construction and Environmental Support	15%	\$351,000
Segment Total		\$3,276,000

Template	Description	Unit	Cost Level	Segment Length (FT)	Total Cost
				Unit Cost	Quantity
TS2	Traffic Signal Modification	EA	Typical	\$450,000	2
					Construction Subtotal
					\$900,000
					Contingency
					30% \$270,000

Construction Subtotal With Contingency | \$1,170,000

Preliminary and Final Engineering	25%	\$292,500
Construction and Environmental Support	15%	\$175,500
Segment Total		\$1,638,000

**MBATS Recommended Improvements**  
Planning Construction Cost Estimate

Project No.: 143185  
Date: 1/5/2015

Segment No.: 06	Status: Unbuilt
Jurisdiction: San Bernardino County	Classification: Principal Arterial
Improvements: SR-62 Traffic Signal Installation/Modification	
From: Twentynine Palms Western Town Limits	To: Twentynine Palms Eastern Town Limits
Template	Description
TS1	Traffic Signal Installation
TS2	Traffic Signal Modification
TS3	Flashing Beacon
	Traffic Signal Interconnect
Unit	Cost Level
EA	Typical
EA	Typical
EA	Typical
LS	Typical
Segment Length (FT):	63360
Unit Cost	
\$700,000	3
\$450,000	2
\$150,000	1
\$500,000	1
Construction Subtotal:	\$3,150,000
Contingency	30% \$945,000

Construction Subtotal With Contingency	\$4,095,000
Preliminary and Final Engineering	25% \$1,023,750
Construction and Environmental Support	15% \$614,250

Segment Total \$5,733,000

Segment No.: 07	Status: Unbuilt
Jurisdiction: San Bernardino County	Classification: Principal Arterial
Improvements: SR-247 Roadway Widening	
From: Northern Morongo Basin Boundary Limits	To: Northern Yucca Valley Town Limits
Template	Description
WDN7L	Widen by 1 Lane in Each Direction (W=13)
IT7	Miscellaneous Improvements
RET7	Retaining Wall (H=8')
SS7	Signing and Striping
TS3	Flashing Beacon
Unit	Cost Level
LF	Typical
EA	Typical
Segment Length (FT):	30624
Unit Cost	
\$270	30624
\$2	30624
\$1,120	600
\$5	30624
\$150,000	1
Construction Subtotal:	\$9,297,192
Contingency	30% \$2,789,158

Construction Subtotal With Contingency \$12,086,350

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	17	\$170,000
Preliminary and Final Engineering						25% \$3,021,587
Construction and Environmental Support						15% \$1,812,952
Segment Total						\$17,090,889

Segment No.: 08	Status: Unbuilt
Jurisdiction: Yucca Valley	Classification: Principal Arterial
Improvements: SR-247 Roadway Widening and Traffic Signal Modification	
From: Northern Yucca Valley Town Limits	To: SR-62
Template	Description
WDN8L	Widen by 1 Lane in Each Direction (W=13)
IT8	Miscellaneous Improvements
RET8	Retaining Wall (H=8')
SS8	Signing and Striping
TS2	Traffic Signal Modification
TS3	Flashing Beacon
Unit	Cost Level
LF	Typical
LF	Typical
LF	Typical
EA	Typical
EA	Typical
Segment Length (FT):	25872
Unit Cost	
\$270	25872
\$15	25872
\$1,120	800
\$5	25872
\$450,000	1
\$150,000	2
Construction Subtotal:	\$9,142,412
Contingency	30% \$2,742,724

Construction Subtotal With Contingency \$11,885,136

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	15	\$150,000
Preliminary and Final Engineering						25% \$2,971,284
Construction and Environmental Support						15% \$1,782,770
Segment Total						\$16,789,190

Segment No.: 09	Status: Unbuilt
Jurisdiction: San Bernardino County	Classification:
Improvements: Yucca Mesa Drive Roadway Widening	
From: Buena Vista Drive	To: SR-62
Template	Description
WDN9L	Widen by 1 Lane in Each Direction (W=13')
IT9	Miscellaneous Improvements
SS9	Signing and Striping
Unit	Cost Level
LF	Typical
LF	Typical
LF	Typical
EA	Typical
EA	Typical
Segment Length (FT):	10560
Unit Cost	
\$270	10560
\$24	10560
\$5	10560
Construction Subtotal:	\$3,160,080
Contingency	30% \$948,024

Construction Subtotal With Contingency \$4,108,104

Template	Description	Unit	Cost Level	Unit Cost	Quantity	Total Cost
	Right of Way Acquisition (W=24' for length of the Segment)	AC	Typical	\$10,000	6	\$60,000
Preliminary and Final Engineering						25% \$1,027,026
Construction and Environmental Support						15% \$616,216
Segment Total						\$5,811,346

Project Construction Subtotal With Contingency	\$88,515,112
Right of Way	\$750,000
Total Preliminary and Final Engineering	25% \$22,128,778
Total Construction and Environmental Support	15% \$13,277,267
Project Total	\$124,671,156

Date: 1/5/2015

## Cost Template

TEMPLATE ID: WDN1L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost		
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.96	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	1.5	1	1.5	\$3.00	\$1.50	\$5.25
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.02	1	0.02	\$3.44	\$2.92	\$3.96
			Subtotal	\$270.00		\$180.00	\$505.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.

Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.

Observed 26' wide section to be excavated along every foot.

Used 148 lbs/ft<sup>3</sup> for Hot Mix Asphalt

Date: 1/5/2015

## Cost Template

TEMPLATE ID: IT1

DESCRIPTION: Miscellaneous Improvements

UNIT: LF

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost		
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High
832006	Midwest Guardrail System (Steel Post)	LF	\$40.00	\$30.00	\$50.00	0.25	1	0.25	\$10.15	\$7.61	\$12.69
			Subtotal	\$15.00		\$10.00	\$15.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 1000' of Midwest Guardrail System to be replaced along length of the segment.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: RET1

DESCRIPTION: Retaining Wall (H=15')

UNIT: LF

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost		
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High
510060A	Structure Concrete Retaining Wall	SF	\$140.00	\$100.00	\$180.00	15	1	15	\$2,100.00	\$1,500.00	\$2,700.00
			Subtotal	\$2,100.00		\$1,500.00	\$2,700.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 15' high Concrete Retaining Wall needed.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: SS1

DESCRIPTION: Signing and Striping

UNIT: LF

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost		
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	2.00	1	2	\$2.00	\$1.00	\$4.00
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.0003	1	0.0003	\$0.05	\$0.04	\$0.07
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.0003	1	0.0003	\$0.14	\$0.08	\$0.18
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	10.00	1	10	\$3.00	\$2.00	\$4.00
			Subtotal	\$5.25		\$3.25	\$8.25				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 1 stripe to be removed along every foot.

Observed 2 Roadside signs to be removed every 5900'

Observed 2 Roadside signs-one post to be replaced every 5900'

Date: 1/5/2015

## Cost Template

TEMPLATE ID: WDN2L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
153248	Remove Concrete (Misc) (W=7')	SF	\$6.50	\$5.00	\$8.00	1.02	1	1.02	\$6.62	\$5.09	\$8.14
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.96	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	1.5	1	1.5	\$3.00	\$1.50	\$5.25
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.02	1	0.02	\$3.44	\$2.92	\$3.96
			Subtotal	\$275.00		\$185.00	\$510.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.

Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.

Observed 14' wide Curb and Gutter to be removed along 2900' span.

Observed 26' wide section to be excavated along every foot.

Used 148 lbs/ft<sup>3</sup> for Hot Mix Asphalt

TEMPLATE ID: IT2  
DESCRIPTION: Miscellaneous Improvements  
UNIT: LF

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
832006	Midwest Guardrail System (Steel Post)	LF	\$40.00	\$30.00	\$50.00	0.05	1	0.05	\$2.01	\$1.50	\$2.51
800360	Chain Link Fence (Type CL-6)	LF	\$15.00	\$10.00	\$25.00	0.02	1	0.02	\$0.34	\$0.23	\$0.56
999999D	Relocate Utility Poles	EA	\$10,000.00	\$5,000.00	\$15,000.00	0.0026	1	0.0026	\$26.33	\$13.16	\$39.49
198010A	Imported Borrow (W=12')	SF	\$15.00	\$13.00	\$18.00	0.90	1	0.90	\$13.54	\$11.73	\$16.25
731521A	Minor Conc. (Curb & Gutter) (W=7')	SF	\$10.00	\$8.00	\$15.00	1.02	1	1.02	\$10.18	\$8.14	\$15.27
			Subtotal	\$55.00		\$35.00	\$75.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 2000' of Midwest Guardrail System to be replaced along length of the segment.

Observed 900' of Chainlink Fence to be replaced along length of the segment.

Observed 105 Utility Poles to be relocated along length of the segment.

Observed 12' wide section of Imported borrow along 3000'.

Observed 14' wide Curb and Gutter to be replaced along 2900' span.

TEMPLATE ID: RET2  
DESCRIPTION: Retaining Wall (H=8')  
UNIT: LF

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
510060A	Structure Concrete Retaining Wall	SF	\$140.00	\$100.00	\$180.00	8	1	8	\$1,120.00	\$800.00	\$1,440.00
			Subtotal	\$1,120.00		\$800.00	\$1,400.00				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 8' high Concrete Retaining Wall needed.

TEMPLATE ID: LTG2  
DESCRIPTION: Highway Safety Lighting  
UNIT: EA

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
208815A	2" Welded Steel Pipe Conduit (Trenching, Pavement)	LF	\$40.00	\$30.00	\$55.00	600	1	600	\$24,000.00	\$18,000.00	\$33,000.00
999999E	Relocate Highway Lighting	EA	\$5,500.00	\$3,500.00	\$7,500.00	4	1	4	\$22,000.00	\$14,000.00	\$30,000.00
999999F	Misc. Electrical	LF	\$10.00	\$8.00	\$12.00	600	1	600	\$6,000.00	\$4,800.00	\$7,200.00
			Subtotal	\$52,000.00		\$36,800.00	\$70,200.00				

NOTE: Unit cost is based on lump sum.

Observed 600' of conduit to be replaced.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: BR2

DESCRIPTION: Culvert Widening (W=13')

UNIT: LF

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost			
			Typical	Low	High				Typical	Low	High	
510053E	Culvert Widening (W=13')	SF	\$600.00	\$500.00	\$700.00	26	1	26	\$15,600.00	\$13,000.00	\$18,200.00	
									Subtotal	\$15,600.00	\$13,000.00	\$18,200.00

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 26' wide section of bridge widening needed.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: SS2

DESCRIPTION: Signing and Striping

UNIT: LF

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost			
			Typical	Low	High				Typical	Low	High	
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	2.00	1	2	\$2.00	\$1.00	\$4.00	
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.0003	1	0.0003	\$0.05	\$0.04	\$0.07	
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.0003	1	0.0003	\$0.14	\$0.08	\$0.18	
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	10.00	1	10	\$3.00	\$2.00	\$4.00	
									Subtotal	\$5.25	\$3.25	\$8.25

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 1 stripe to be removed along every foot.

Observed 2 Roadside signs to be removed every 5900'

Observed 2 Roadside signs-one post to be replaced every 5900'

Date: 1/5/2015

## Cost Template

TEMPLATE ID: TS1

DESCRIPTION: Traffic Signal Installation

UNIT: EA

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
860201	Signal and Lighting	EA	\$225,000.00	\$200,000.00	\$250,000.00	1	1	1	\$225,000.00	\$200,000.00	\$250,000.00
									Subtotal	\$225,000.00	\$200,000.00

NOTE: Unit cost is based on lump sum.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: TS2

DESCRIPTION: Traffic Signal Modification

UNIT: EA

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
861502	Modify Signal and Lighting	EA	\$150,000.00	\$125,000.00	\$200,000.00	1	1	1	\$150,000.00	\$125,000.00	\$200,000.00
									Subtotal	\$150,000.00	\$125,000.00

NOTE: Unit cost is based on lump sum.

Date: 1/5/2015

## Cost Template

TEMPLATE ID: TS3

DESCRIPTION: Flashing Beacon

UNIT: EA

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
860604	Flashing Beacon System	EA	\$50,000.00	\$40,000.00	\$75,000.00	1	1	1	\$50,000.00	\$40,000.00	\$75,000.00
									Subtotal	\$50,000.00	\$40,000.00

NOTE: Unit cost is based on lump sum.

TEMPLATE ID: WDN3L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost		
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
153248	Remove Concrete (Misc) (W=7')	SF	\$6.50	\$5.00	\$8.00	2.19	1	2.19	\$14.22	\$10.94	\$17.50
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.96	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	1	1	1.00	\$2.00	\$1.00	\$3.50
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.014	1	0.014	\$2.31	\$1.96	\$2.66
153103	Cold Plane Asphalt Concrete Pavement	SF	\$2.00	\$1.00	\$5.00	24.64	1	24.64	\$49.28	\$24.64	\$123.20
390132A	Hot Mix Asphalt (TYPE A) (2')	TON	\$100.00	\$85.00	\$125.00	0.26	1	0.26	\$25.94	\$22.05	\$32.42
			<b>Subtotal</b>	<b>\$355.00</b>		<b>\$235.00</b>	<b>\$675.00</b>				

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.  
Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.  
Observed 14' wide Curb and Gutter to be removed along 30% of 11100' span.  
Observed 26' wide section to be excavated along every foot.  
Observed 7000' pavement section to grind and overlay.  
Used 148 lbs/ft<sup>3</sup> for Hot Mix Asphalt

TEMPLATE ID: JT3

DESCRIPTION: Miscellaneous Improvements

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost			
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High	
999999D	Relocate Utility Poles	EA	\$10,000.00	\$5,000.00	\$15,000.00	0.0023	1	0.0023	\$23.47	\$11.73	\$35.20	
731521A	Minor Conc. (Curb & Gutter) (W=7')	SF	\$10.00	\$8.00	\$15.00	4.38	1	4.38	\$43.76	\$35.01	\$65.64	
							<b>Subtotal</b>	<b>\$68.00</b>			<b>\$47.00</b>	<b>\$101.00</b>

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 50 Utility Poles to be relocated along length of the segment.  
Observed 14' wide Curb and Gutter to be replaced along 60% of 11100' span.

TEMPLATE ID: LTG3

DESCRIPTION: Highway Safety Lighting

UNIT: EA

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost			
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High	
208815A	2" Welded Steel Pipe Conduit (Trenching, Pavement)	LF	\$40.00	\$30.00	\$55.00	22200	1	22200	\$888,000.00	\$666,000.00	\$1,221,000.00	
999999E	Relocate Highway Lighting	EA	\$5,500.00	\$3,500.00	\$7,500.00	80	1	80	\$440,000.00	\$280,000.00	\$600,000.00	
999999F	Misc. Electrical	LF	\$10.00	\$8.00	\$12.00	22700	1	22700	\$227,000.00	\$181,600.00	\$272,400.00	
							<b>Subtotal</b>	<b>\$1,555,000.00</b>			<b>\$1,127,600.00</b>	<b>\$2,093,400.00</b>

NOTE: Unit cost is based on lump sum.

Observed 22176' of conduit to be replaced.

TEMPLATE ID: SS3

DESCRIPTION: Signing and Striping

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Quantity			Total Cost			
			Typical	Low	High	Amount	Length (FT)	Multiplier	Typical	Low	High	
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	0.63	1	0.63	\$0.63	\$0.31	\$1.26	
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.01	1	0.01	\$1.50	\$1.25	\$2.00	
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.01	1	0.01	\$4.00	\$2.50	\$5.20	
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	7	1	7	\$2.10	\$1.40	\$2.80	
							<b>Subtotal</b>	<b>\$8.25</b>			<b>\$5.50</b>	<b>\$11.50</b>

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"  
The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 2 stripe to be removed along every foot over 6700'.  
Observed 2 Roadside signs to be removed every 200'.  
Observed 2 Roadside signs-one post to be replaced every 200'

TEMPLATE ID: WDN7L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.96	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	2	1	2	\$4.00	\$2.00	\$7.00
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.02	1	0.02	\$3.44	\$2.92	\$3.96
			<b>Subtotal</b>			<b>\$270.00</b>	<b>\$180.00</b>	<b>\$505.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.

Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.

Observed 26' wide section to be excavated along every foot.

Used 148 lbs/ft<sup>3</sup> for Hot Mix Asphalt

TEMPLATE ID: IT7

DESCRIPTION: Miscellaneous Improvements

UNIT: LF

Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
999999D	Relocate Utility Poles	EA	\$10,000.00	\$5,000.00	\$15,000.00	0.0002	1	0.0002	\$1.96	\$0.98	\$2.94
			<b>Subtotal</b>			<b>\$2.00</b>	<b>\$1.00</b>	<b>\$3.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 6 Utility Poles to be relocated along length of the segment.

TEMPLATE ID: RET7

DESCRIPTION: Retaining Wall (H=8')

UNIT: LF

Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
510060A	Structure Concrete Retaining Wall	SF	\$140.00	\$100.00	\$180.00	8	1	8	\$1,120.00	\$800.00	\$1,440.00
			<b>Subtotal</b>			<b>\$1,120.00</b>	<b>\$800.00</b>	<b>\$1,440.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 8' high Concrete Retaining Wall needed.

TEMPLATE ID: SS7

DESCRIPTION: Signing and Striping

UNIT: LF

Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	2	1	2	\$2.00	\$1.00	\$4.00
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.0013	1	0.0013	\$0.20	\$0.16	\$0.26
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.0013	1	0.0013	\$0.52	\$0.33	\$0.68
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	6	1	6	\$1.80	\$1.20	\$2.40
			<b>Subtotal</b>			<b>\$4.75</b>	<b>\$2.75</b>	<b>\$7.50</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 2 stripe to be removed along every foot.

Observed 40 Roadside signs to be removed along entire segment.

Observed 40 Roadside signs-one post to be replaced along entire segment.

TEMPLATE ID: WDN8L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
153248	Remove Concrete (Misc) (W=7')	SF	\$6.50	\$5.00	\$8.00	0.07	1	0.07	\$0.46	\$0.36	\$0.57
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.96	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	2	1	2	\$4.00	\$2.00	\$7.00
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.02	1	0.02	\$3.44	\$2.92	\$3.96
			<b>Subtotal</b>			<b>\$270.00</b>	<b>\$180.00</b>	<b>\$505.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.

Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.

Observed 7' wide Curb and Gutter to be removed along 264' span.

Observed 26' wide section to be excavated along every foot.

Used 148 lbs/ft<sup>3</sup> for Hot Mix Asphalt

TEMPLATE ID: IT8

DESCRIPTION: Miscellaneous Improvements

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
832006	Midwest Guardrail System (Steel Post)	LF	\$40.00	\$30.00	\$50.00	0.010	1	0.010	\$0.39	\$0.29	\$0.48
999999D	Relocate Utility Poles	EA	\$10,000.00	\$5,000.00	\$15,000.00	0.0014	1	0.0014	\$13.53	\$6.76	\$20.29
731521A	Minor Conc. (Curb & Gutter) (W=7')	SF	\$10.00	\$8.00	\$15.00	0.07	1	0.07	\$0.68	\$0.54	\$1.01
			<b>Subtotal</b>			<b>\$15.00</b>	<b>\$8.00</b>	<b>\$22.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 250' of Midwest Guardrail System to be replaced along length of the segment.

Observed 35 Utility Poles to be relocated along length of the segment.

Observed 7' wide Curb and Gutter to be replaced along 264' span.

TEMPLATE ID: RET8

DESCRIPTION: Retaining Wall (H=8')

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
510060A	Structure Concrete Retaining Wall	SF	\$140.00	\$100.00	\$180.00	8	1	8	\$1,120.00	\$800.00	\$1,440.00
			<b>Subtotal</b>			<b>\$1,120.00</b>	<b>\$800.00</b>	<b>\$1,440.00</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 8' high Concrete Retaining Wall needed.

TEMPLATE ID: SS8

DESCRIPTION: Signing and Striping

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	2	1	2	\$2.00	\$1.00	\$4.00
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.001	1	0.0010	\$0.14	\$0.12	\$0.19
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.001	1	0.0010	\$0.39	\$0.24	\$0.50
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	7	1	7	\$2.10	\$1.40	\$2.80
			<b>Subtotal</b>			<b>\$4.75</b>	<b>\$3.00</b>	<b>\$7.50</b>			

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 2 stripe to be removed along every foot.

Observed 25 Roadside signs to be removed along entire segment.

Observed 25 Roadside signs-one post to be replaced along entire segment.

TEMPLATE ID: WDN9L

DESCRIPTION: Widen by 1 Lane in Each Direction (W=13')

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
160102A	Clearing and Grubbing (W=12')	SF	\$1.00	\$0.70	\$2.00	24	1	24	\$24.00	\$16.80	\$48.00
150770	Remove Asphalt Concrete Pavement (W=1')	SF	\$7.00	\$3.00	\$12.00	2	1	2	\$14.00	\$6.00	\$24.00
260203	Class 2 Aggregate Base (8')	CY	\$35.00	\$25.00	\$60.00	0.65	1	0.65	\$22.58	\$16.13	\$38.71
390132	Hot Mix Asphalt (TYPE A) (6')	TON	\$100.00	\$85.00	\$125.00	0.96	1	0.962	\$96.20	\$81.77	\$120.25
394073	Place Hot Mix Asphalt Dike (Type A)	LF	\$2.00	\$1.00	\$3.50	2	1	2	\$4.00	\$2.00	\$7.00
190101A	Roadway Excavation (W=13')	SF	\$4.00	\$2.00	\$10.00	26	1	26	\$104.00	\$52.00	\$260.00
377501	Slurry Seal (W=100')	TON	\$165.00	\$140.00	\$190.00	0.02	1	0.02	\$3.44	\$2.92	\$3.96
			<b>Subtotal</b>	<b>\$270.00</b>	<b>\$180.00</b>				<b>\$505.00</b>		

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 24' wide of Clearing and Grubbing along every foot.

Observed 2' of sawcutting and removal of existing Asphalt Concrete Pavement along every foot.

Observed 26' wide section to be excavated along every foot.

Used 148 lbs/ft^3 for Hot Mix Asphalt

TEMPLATE ID: IT9

DESCRIPTION: Miscellaneous Improvements

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
999999D	Relocate Utility Poles	EA	\$10,000.00	\$5,000.00	\$15,000.00	0.002	1	0.002	\$23.67	\$11.84	\$35.51
			<b>Subtotal</b>	<b>\$24.00</b>	<b>\$12.00</b>				<b>\$36.00</b>		

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 25 Utility Poles to be relocated along length of the segment.

TEMPLATE ID: SS9

DESCRIPTION: Signing and Striping

UNIT: LF

## Cost Template

Date: 1/5/2015

Item No.	Description	Unit	Unit Cost			Amount	Length (FT)	Multiplier	Total Cost		
			Typical	Low	High				Typical	Low	High
150711	Remove Painted Traffic Stripe	LF	\$1.00	\$0.50	\$2.00	12	1	2	\$2.00	\$1.00	\$4.00
150742	Remove Roadside sign	EA	\$150.00	\$125.00	\$200.00	0.0019	1	0.0019	\$0.28	\$0.24	\$0.38
566011	Roadside Sign - one post	EA	\$400.00	\$250.00	\$520.00	0.0019	1	0.0019	\$0.76	\$0.47	\$0.98
840656	Paint traffic stripe (2-coat)	LF	\$0.30	\$0.20	\$0.40	7	1	7	\$2.10	\$1.40	\$2.80
			<b>Subtotal</b>	<b>\$5.25</b>	<b>\$3.25</b>				<b>\$8.25</b>		

Assumptions: Based on aerial screening, refer to the observations below that were used to identify the "Amount"

The "Multiplier" is the factor used to determine the unit price per foot along the entire span of the segment.

Observed 2 stripe to be removed along every foot.

Observed 20 Roadside signs to be removed along entire segment.

Observed 20 Roadside signs-one post to be replaced along entire segment.